

1950
1st Qtr.



No. 405

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S
QUARTERLY RETURN FOR
ENGLAND AND WALES

**BIRTHS, DEATHS AND
MARRIAGES
INFECTIOUS DISEASES
WEATHER
SURVEY OF SICKNESS
POPULATION ESTIMATES**

Quarter ended 31st March, 1950

Crown Copyright Reserved.



LONDON: HIS MAJESTY'S STATIONERY OFFICE,
1950

One Shilling Net.

TABLE OF CONTENTS

	Page
General Notes	3
Non-Quarterly Statistics	4
Special Notes	4
Notes on the Quarter	5
Approximate Reproduction Rates	5
Births, Deaths, Marriages and Infectious Diseases	
Table I Marriages, Live Births, Stillbirths and Deaths—Total numbers registered. England and Wales. Years 1940-50 and in each Quarter of those years ...	6
Table II Persons Married, Live Births and Deaths—Annual rates per 1,000 total population. Stillbirths—Rates per 1,000 total live and still births. Deaths under 1 year—Rates per 1,000 related live births, England and Wales. Years 1940-50 and in each Quarter of those years	6
Table III Birth Rates, Death Rates from All Causes and from several diseases (annual rate) for each of the last Five Quarters. England and Wales, Great Towns and Smaller Towns	7
Table IV Estimated Home Population, Marriages, Births and Deaths (distinguishing Deaths of Infants under 1 year of age) registered in the Quarter. England and Wales and Administrative Counties with associated County Boroughs ...	8
Table V Estimated Home Population, Births, Deaths (distinguishing Deaths of Infants under 1 year of age) and Deaths from Certain Causes registered in the Quarter. Great Towns, Metropolitan Boroughs, Greater London, and 4 Scottish and Irish Towns	9
Table VI Estimated Home Population, Births, Deaths (distinguishing Deaths of Infants under 1 year of age) and Deaths from Certain Causes registered in the Quarter. Smaller Towns	11
Table VII Population, Births and Deaths in the Quarter. London and certain Cities abroad	14
Table VIII Notifications of Certain Infectious Diseases in the Quarter. England and Wales, Counties, County Boroughs, London and Metropolitan Boroughs and Port Health Districts	15
Table VIIla Corrected Notifications of Certain Infectious Diseases in the Quarter, analysed by sex and age. England and Wales.	18
Table IX Infant Mortality. Rates by Quarters and each completed year, 1947-50. England and Wales and various other countries	18
Table X Deaths from Certain Causes, by Quarters 1947-1949. England and Wales	19
Meteorology	
Notes on the Quarter	20
Values of Air Temperature, Rainfall and Sunshine for the Quarter, expressed as differences from or percentages of the Average Values. Districts of England and Wales	21
Survey of Sickness: England and Wales	
Table A Summary of sickness experiences during the months stated, based on interviews in the two following months	22
Table B Distribution of Illnesses and Injuries reported as affecting persons aged 16-64, 65 and over, in each month, by severity	22
Table C(2) Distribution of Illnesses and Injuries of Different Kinds according to Days of Incapacity at ages 16 and over	23
Table C(3) Aggregate Numbers of Days of Incapacity and of all Illnesses and Injuries, by Sex, Age and Kind	24
Table D(2) Distribution of Illnesses and Injuries of Different Kinds according to the Number of Medical Consultations	25
Table E Distribution by Age and Sex of Persons according to Number of Illnesses and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month	26

	Page
International Statistical Classification of Diseases, Injuries and Causes of Death—Short List	27
Table F Distribution of Persons aged 16 and over according to Numbers of separate Illnesses and Injuries reported and Days of Incapacity in the month	28
Table G Distribution of Persons aged 16 and over according to Numbers of Medical Consultations in the month	28
Table H Incidence of Illness, etc., amongst Men and Women aged 16 and over in different Occupations and Income Groups of Chief Wage Earner	29
Appendix	
A Estimated Civilian Population, Mid-Year 1949, and Births, Civilian Deaths (distinguishing Deaths of Infants under 1 year of age), and Deaths from Certain Causes, registered in the year 1949. England and Wales, Great Towns, Metropolitan Boroughs, Greater London, and 4 Scottish and Irish Towns	30
B Estimated Civilian Population, Mid-Year 1949, and Births, Civilian Deaths (distinguishing Deaths of Infants under 1 year of age) and Deaths from Certain Causes registered in the year 1949. Smaller Towns	32
C Population, Births and Deaths in the Year 1949. London and certain Cities abroad	34
D Deaths (excluding non-civilians) registered in the Year 1949, by Ages and Causes. London	35
E Infant Mortality 1947-49. England and Wales. Standard Regions and certain large towns	36

GENERAL NOTES

1. **Introduction.**—The figures in this return are provisional. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of births and deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of marriages and others, and notifications of infectious diseases (Tables VIII and VIIIa) from special quarterly statements furnished to the Registrar General by Medical Officers of Health.

Information relating to the incidence of sickness (Tables A-H) is obtained for the Registrar General by the Social Survey of the Central Office of Information by interviewing a representative sample of the population.

Meteorological data (pages 20-21) are furnished by the Director of the Meteorological Office (Air Ministry).

2. **Definition of Areas.**—London=administrative county of London; Great Towns=London, all county boroughs and, in addition, municipal boroughs and urban districts within whose present areas there was a resident population exceeding 50,000 at the Census, 1931. These Great Towns number 126; Smaller Towns=municipal boroughs and urban districts within whose present areas there was a resident population of 25,000-50,000 at the Census, 1931. These Smaller Towns number 148; C.B.=county borough; M.B.=municipal borough; U.D.=urban district; R.D.=rural district; Greater London=aggregate of the City of London and of the boroughs and county districts falling entirely within the area of the Metropolitan Police District as defined in the Police Act, 1946, i.e., an area of approximately 15 miles radius from Charing Cross.

3. **Total Population** is the population of England and Wales *including* members of the armed forces and merchant navy serving at home and abroad. The Civilian Population *excludes* members of the armed forces serving at home and abroad: it *includes* all members of the merchant navy. The Home Population is the Civilian Population plus the armed forces *stationed* in each area.

4. Non-civilians are *included* except where otherwise stated.

5. Births and Deaths for England and Wales, and the parts thereof, are those registered in the quarter and relate to the area of occurrence, except in the case of some non-quarterly statistics (*see* page 4) where they are assigned to the area of residence.

6. Cause of Death assignments (Tables V and VI) are provisional, and final figures are published in the Registrar General's annual Statistical Review (Tables 24 and 24A).

7. The notifications of infectious diseases (Tables VIII and VIIIa) have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

8. Estimates of national total populations are shown in Table II, and of national and local home populations in Tables IV, V and VI.

NON-QUARTERLY STATISTICS

The following non-quarterly information is published in the Quarterly Returns as stated below:—

Half-yearly

June and December Returns—Lists of the changes in boundaries of administrative areas during the six months ending 30th June and 31st December.

September and December Returns—Estimates of the sex and age distribution of the total and civilian population of England and Wales as a whole as at 30th June and 31st December respectively.

Yearly

March Return—(1) Civilian deaths, registered during the preceding year and assigned to London, analysed by cause and age.

(2) Estimated mid-year civilian populations for the preceding year; births, civilian deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year showing

(a) those assigned to the Great Towns, Metropolitan Boroughs and Greater London, with comparative figures for four Scottish and Irish Towns.

(b) those assigned to the Smaller Towns.

(3) Populations, births and deaths for the previous year in London and certain cities abroad, distinguishing deaths from certain causes.

(4) Infant Mortality in England and Wales, Standard Regions and certain large towns in the previous three years.

December Return—(1) A textual summary of the vital statistics of England and Wales for the year then ended.

(2) A summary table showing the number of marriages, births, civilian deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales and each administrative county during the year.

Occasional

From time to time additional population and medical data are given in the form of notes, tables or diagrams, particulars of which are, in each case, given in Special Notes on this page.

SPECIAL NOTES

Populations

The estimates of populations given for local areas in tables relating to the first quarter of 1950 are *home* populations (i.e., the resident civilian populations plus the armed forces stationed in the area).

Deaths

As from the beginning of 1950 the numbers of deaths shown are the *total numbers registered* (i.e., they include deaths of non-civilians). The basis of figures for periods before 1st January, 1950, is explained in the headings and notes to the relevant tables.

Notifications of Infectious Diseases

Notifications of acute poliomyelitis, shown in Tables VIII and VIIIA, now distinguish "paralytic" and "non-paralytic" cases. Notifications of puerperal pyrexia are no longer given for local areas; the numbers of cases notified in England and Wales as a whole are shown in the footnote on page 17.

Survey of Sickness

The figures given in Tables A-H, relating to sickness experience in recent months, are normally based on information reported by two samples, interviewed immediately after the month of experience and one month later. Because of the General Election in February, no interviews were held during that month and the experience for December, 1949, is therefore based on January interviews only. The *rates* shown for December in Table A have been corrected to allow for the slightly lower figures which might have been expected from February interviews on the basis of the December experience shown by January and February interviews in previous years.

NOTES ON THE FIRST QUARTER OF 1950. ENGLAND AND WALES.

Births

The number of births registered during this quarter was 180,062, representing a birth rate based on the total population of England and Wales for 1949, of 16.7 per thousand. These figures compare with 169,563 births and a rate of 15.4 for the preceding quarter, 186,561 births and a rate of 17.3 for the corresponding quarter of 1949, and an average birth rate for the first quarters of the five years 1944-1948, of 18.6.

Of the births registered 92,396 were males and 87,666 females, a proportion of 1,054 males to 1,000 females. The average proportion for the first quarters of the ten years 1940-1949 was 1,065 males per 1,000 females.

The number of illegitimate births, included in the total, was 8,948 or 5.0 per cent. of the total births registered, comparing with 9,471 or 5.1 per cent. in the corresponding quarter of 1949.

Stillbirths

The 4,223 stillbirths registered represent 22.9 per 1,000 of the total live and still births. This rate is 0.2 lower than for the first quarter of 1949.

The stillbirth rate per 1,000 total population was 0.39.

Deaths

The number of deaths registered was 151,176, representing a death rate based on the 1949 total population, of 14.0 per 1,000; it compares with 14.9 for the corresponding quarter of 1949, and an average death rate for the first quarters of the five years 1944-1948 of 14.6. Of the deaths registered 76,868 were males and 74,308 females, a proportion of 1,034 males to 1,000 females.

The deaths of children under one year of age numbered 6,537, representing an infant mortality rate, provisionally corrected, of 37 per 1,000 related live births; this was the lowest ever recorded for any first quarter in this country, being 3 per 1,000 below that for the first quarter of 1949 and 25 per 1,000 below the average rate for the first quarters of the ten preceding years 1939-1948. The diarrhoea death rate for children under two years of age was 2.6 per 1,000 births (468 deaths) compared with 4.0, 2.4, 2.6, and 2.9 in the four preceding quarters.

Deaths from acute poliomyelitis (provisional total) numbered 86 compared with 27, 28, 250, and 319 in the four preceding quarters.

There were no cases of smallpox notified, and no deaths from this cause registered during the quarter.

Natural Increases

The births registered exceeded the deaths by 28,886, the corresponding increases for the first quarters of the years 1947, 1948 and 1949 being respectively 59,794, 69,421 and 25,282.

Marriages

The number of persons married during the quarter was 172,974 which was 10,042 more than the average for the corresponding quarters of the preceding five years 1945-1949.

APPROXIMATE REPRODUCTION RATES

These approximate reproduction rates correspond to the births which occurred in each year and make allowance for a continuing improvement in survivorship conditions.

Year	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
Reproduction Rate	0.810	0.808	0.772	0.761	0.853	0.900	0.996	0.909	1.103	1.205	1.070	1.02†

Provisional.

TABLE I.—Marriages, Live Births, Stillbirths and Deaths—Total numbers registered.

{ England and Wales. Years 1940-50 and in each Quarter of those years.

	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949(a)	1950(a)
Marriages - - -	470,549	388,921	369,744	296,432	302,714	397,626	385,606	401,210	396,891	373,132	
Live Births - - -	607,029	587,228	654,039	683,212	744,843	685,273	819,894	886,820	776,971	731,568	
Stillbirths - - -	22,731	20,902	22,335	21,275	21,212	19,452	22,915	21,916	18,469	16,893	
Deaths : All ages -	581,537	535,180	480,137	501,412	492,176	488,108	492,090	517,615	469,898	510,819	
„ under 1 year -	33,892	34,550	32,258	33,431	33,455	31,959	33,548	36,849	28,766	23,682	
MARRIAGES. (c)											
March Quarter - -	109,322	81,034	88,280	62,684	62,879	76,975	78,237	75,241	95,443	81,433	86,487
June „ - - -	116,700	105,576	100,992	82,577	82,583	99,709	101,213	109,146	92,822	95,026	
September „ - -	131,894	104,702	96,445	81,569	82,312	119,447	109,750	119,426	123,157	113,695	
December „ - -	112,633	97,609	84,027	69,602	74,940	101,495	96,406	97,397	85,469	82,978	
LIVE BIRTHS.											
March „ - - -	154,345	147,027	158,225	172,271	183,973	177,946	181,220	241,530	202,047	186,561	180,062
June „ - - -	166,686	147,414	167,611	180,709	199,039	175,221	203,808	235,196	203,593	192,166	
September „ - -	149,092	147,621	168,335	169,306	183,594	167,807	213,051	216,508	191,858	183,278	
December „ - -	136,906	145,166	159,868	160,926	178,237	164,299	221,815	193,586	179,473	169,563	
STILLBIRTHS.											
March „ - - -	6,223	5,632	5,652	5,783	5,587	5,190	5,202	6,347	5,045	4,418	4,223
June „ - - -	5,994	5,407	5,787	5,577	5,496	4,853	5,767	5,831	4,748	4,470	
September „ - -	5,371	4,970	5,437	4,980	5,018	4,676	5,831	5,073	4,447	4,104	
December „ - -	5,143	4,893	5,459	4,935	5,111	4,733	6,115	4,665	4,231	3,903	
DEATHS (excluding Stillbirths).											
March „ - - -	205,183	178,637	151,262	137,578	146,039	157,743	155,227	181,736	132,826	161,279	151,170
June „ - - -	119,706	140,186	116,937	112,911	115,548	110,972	113,908	118,015	110,258	119,984	
September „ - -	111,733	101,336	97,336	98,469	107,254	97,157	100,409	97,099	101,545	101,207	
December „ - -	144,915	115,021	114,602	152,454	123,335	122,236	122,546	120,765	125,469	128,349	
DEATHS OF INFANTS UNDER 1 YEAR.											
March „ - - -	11,948	11,062	9,771	10,067	10,152	10,676	9,637	12,561	8,387	7,462	6,533
June „ - - -	7,713	8,787	7,863	8,106	7,983	7,227	7,657	9,195	6,357	5,694	
September „ - -	6,371	6,470	6,821	6,851	7,376	6,429	7,100	7,141	5,514	4,883	
December „ - -	7,860	8,231	7,798	8,407	7,944	7,627	9,154	7,952	6,508	5,643	

TABLE II.—Persons Married, Live Births and Deaths—Annual rates per 1,000 total population. Stillbirths—Rates per 1,000 total live and stillbirths. Deaths under 1 year—Rates per 1,000 related live births.

{ England and Wales. Years 1940-50 and in each Quarter of those years.

Estimated Population of England and Wales in thousands.	41,862 (b)	41,748 (b)	41,897 (b)	42,259 (b)	42,449 (b)	42,636 (b)	42,737 (b)	43,050 (b)	43,502 (b)	43,785 (b)	
	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949(a)	1950(d)
Persons married - -	22.5	18.6	17.7	14.0	14.3	18.7	18.0	18.6	18.2	17.0	
Live Births - - -	14.5	14.1	15.6	16.2	17.5	16.1	19.2	20.6	17.9	16.7	
Stillbirths - - -	36.1	34.4	33.0	30.2	27.7	27.6	27.2	24.1	23.2	22.6	
Deaths : All ages -	13.9	12.8	11.5	11.9	11.6	11.4	11.5	12.0	10.8	11.7	
„ under 1 year -	57	60	51	49	45	46	43	41	34	32	
PERSONS MARRIED. (c)											
March Quarter - -	21.0	15.7	17.1	12.0	11.9	14.6	14.8	14.2	17.6	15.1	16.0
June „ - - -	22.4	20.3	19.3	15.7	15.6	18.8	19.0	20.3	17.2	17.4	
September „ - -	25.1	19.9	18.3	15.3	15.4	22.2	20.4	22.0	22.5	20.6	
December „ - -	21.4	18.6	15.9	13.1	14.0	18.9	17.9	18.0	15.6	15.0	
LIVE BIRTHS.											
March „ - - -	14.8	14.3	15.3	16.5	17.4	16.9	17.2	22.8	18.7	17.3	16.7
June „ - - -	16.0	14.2	16.0	17.2	18.9	16.5	19.1	21.9	18.8	17.6	
September „ - -	14.2	14.0	15.9	15.9	17.2	15.6	19.8	20.0	17.5	16.6	
December „ - -	13.0	13.8	15.1	15.1	16.7	15.3	20.6	17.8	16.4	15.4	
STILLBIRTHS.											
March „ - - -	38.8	36.9	34.5	32.5	29.5	28.3	27.9	25.6	24.4	23.1	22.9
June „ - - -	34.7	35.4	33.4	29.9	26.9	27.0	27.5	24.2	22.8	22.7	
September „ - -	34.8	32.6	31.3	28.6	26.6	27.1	26.6	22.9	22.7	21.9	
December „ - -	36.2	32.6	33.0	29.8	27.9	28.0	26.8	23.5	23.0	22.5	
DEATHS (excluding Stillbirths).											
March „ - - -	19.7	17.4	14.6	13.2	13.8	15.0	14.7	17.1	12.3	14.9	14.0
June „ - - -	11.5	13.5	11.2	10.7	10.9	10.4	10.7	11.0	10.2	11.0	
September „ - -	10.6	9.6	9.2	9.2	10.1	9.0	9.3	8.9	9.3	9.2	
December „ - -	13.8	10.9	10.9	14.3	11.6	11.4	11.4	11.1	11.5	11.6	
DEATHS OF INFANTS UNDER 1 YEAR.											
March „ - - -	79	77	65	60	58	60	56	55	41	40	37
June „ - - -	51	61	49	47	42	41	40	40	31	30	
September „ - -	42	45	42	40	40	37	35	32	28	26	
December „ - -	55	57	48	50	43	45	43	38	35	32	

(a) Provisional.

(b) Including Armed Forces and Mercantile Marine at home and abroad.

(c) Note:—An exceptional number of marriages is celebrated at Easter which usually falls in the second quarter of the year. In the years under review, however, Easter Sunday fell in the first quarter in 1940 and 1948, with a consequential influence on the quarterly marriage totals for those years.

(d) Provisional rates based on 1949 population.

TABLE III.—Birth Rates, Death Rates from All Causes and from several diseases { England and Wales, Great Towns and Smaller Towns.
(annual rate) for each of the last Five Quarters.

All rates for 1949 are calculated on *civilian* population estimated to the middle of the year, and deaths of non-civilians have been excluded. Birth rates for England and Wales based on total population are shown in Table II.
For March Quarter, 1950, deaths of non-civilians are included and all rates calculated on *home* population estimated at 31st December, 1949.

	Quarter	Rate per 1,000 Population	Rate per 1,000 Total (Live and Still) births	Rate per 1,000 Population	Rate per 1,000 Related Live Births	Death rate per million Population					Rate per 1,000 Live Births
		Live Births	Still-births	Deaths (All Ages)	Deaths Under 1 year	Whooping cough	Diphtheria	Influenza	Ac: poliomyelitis and polioencephalitis	Pneumonia	Enteritis and Diarrhoea (under 2 years)
ENGLAND AND WALES	1949 First	17.6	23.1	15.2	40	19	3	412	3	868	4.0
	Second	17.6	22.7	11.1	30	15	2	139	3	419	2.4
	Third	16.9	21.9	9.3	26	9	1	12	23	259	2.6
	Fourth	15.6	22.5	11.8	32	4	1	47	29	490	2.9
	1950 First	16.7	22.9	14.1	37	8	2	226	8	718	2.6
GREAT TOWNS	1949 First	19.4	24.6	16.2	45	26	4	430	4	1,001	4.9
	Second	19.6	24.8	11.5	35	21	3	103	3	444	2.9
	Third	18.5	23.7	9.7	31	10	2	11	33	271	3.7
	Fourth	17.1	24.5	12.6	38	6	2	52	39	546	3.7
	1950 First	18.6	24.8	14.7	40	12	3	206	13	789	2.9
SMALLER TOWNS	1949 First	18.4	22.9	14.3	38	14	3	386	2	796	3.5
	Second	19.0	21.6	10.9	28	14	1	142	2	419	2.1
	Third	17.7	20.4	9.2	26	8	1	10	21	268	1.8
	Fourth	16.6	21.3	11.7	29	5	3	43	37	480	2.4
	1950 First	17.6	23.1	14.0	37	7	2	241	6	708	2.6

TABLE IV.—Estimated Home Population at 31st December, 1949, and Marriages, Births and Deaths (distinguishing Deaths of Infants under 1 year of age) registered in the Quarter ended 31st March, 1950.

(England and Wales and Administrative Counties with associated County Boroughs)

(See General Notes on page 3).

ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGH	Home Population (thousands)	Marriages	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year	ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGH	Home Population (thousands)	Marriages	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year
ENGLAND & WALES ...	43,753	86,487	180,062	4,223	151,176	6,537	ENGLAND—cont.						
ENGLAND* ...	41,162	81,171	169,015	3,910	141,101	6,042	RUTLAND ...	22	21	58	1	63	
County of—							SALOP ...	289	451	1,221	28	960	
BEDFORD ...	309	603	1,175	25	1,016	43	SOMERSET ...	554	875	2,091	49	2,091	
BERKS ...	408	650	1,605	26	1,375	45	SOUTHAMPTON	1,192	1,920	5,016	101	4,016	11
BUCKINGHAM	385	665	1,398	30	1,095	38	STAFFORD ...	1,612	3,562	6,940	198	5,286	22
CAMBRIDGE...	176	254	642	20	588	19	SUFFOLK, E.	322	534	1,311	27	1,122	
CHESTER ...	1,247	2,291	5,104	125	4,226	172	SUFFOLK, W.	117	162	490	14	442	
CORNWALL ...	341	484	1,220	29	1,310	37	SURREY ...	1,607	2,581	5,804	103	5,264	11
CUMBERLAND	283	552	1,314	44	1,077	50	SUSSEX, E.	619	920	1,991	52	2,644	
DERBY ...	825	1,912	3,238	71	2,595	110	SUSSEX, W.	316	408	1,130	24	1,353	
DEVON ...	795	1,235	3,071	75	3,158	115	WARWICK ...	1,857	3,881	8,542	178	5,940	13
DORSET ...	290	436	1,011	19	1,040	30	WESTMORLAND	66	95	251	5	248	
DURHAM ...	1,469	3,837	6,684	177	5,301	369	WIGHT, ISLE OF ...	93	136	317	8	403	
ELY, ISLE OF	89	169	381	10	291	13	WILTS ...	382	614	1,460	29	1,136	
ESSEX ...	2,024	3,687	7,168	151	5,998	201	WORCESTER	524	964	1,818	36	1,614	
GLOUCESTER	939	1,666	4,051	93	3,316	127	YORKS, E.R.	508	994	2,250	52	1,727	
HEREFORD ...	127	196	495	13	466	29	YORKS, N.R.	521	1,053	2,156	52	1,900	11
HERTFORD ...	601	897	2,803	44	1,961	63	YORKS, W.R. (including YORK, C.B.)	3,589	8,145	15,014	353	12,615	66
HUNTINGDON	68	104	223	3	180	3	WALES* ...	2,591	5,316	11,047	313	10,175	44
KENT ...	1,554	2,471	6,366	129	5,134	180	County of—						
LANCASTER...	5,132	10,850	22,041	590	19,484	914	ANGLESEY ...	50	80	129	4	181	
LEICESTER ...	632	1,194	2,653	64	1,942	87	BRECKNOCK	56	94	179	3	201	
LINCOLN HOLLAND	103	190	414	10	326	16	CAERNARVON	123	222	596	22	543	
KESTEVEN	128	204	526	8	431	18	CARDIGAN ...	54	73	210	6	264	
LINDSEY	468	1,040	2,108	53	1,619	78	CARMARTHEN	171	314	604	20	632	
LONDON ...	3,411	8,385	15,761	329	12,112	488	DENBIGH ...	169	287	751	30	758	
MIDDLESEX	2,293	4,115	6,898	128	6,012	178	FLINT ...	144	254	587	11	478	
NORFOLK ...	535	806	2,191	48	1,885	78	GLAMORGAN	1,202	2,760	5,352	146	4,739	22
NORTHAMPTON	357	638	1,360	34	1,378	44	MERIONETH	41	56	80	2	145	
NORTHUMBERLAND ...	799	1,820	3,850	129	3,074	166	MONMOUTH	426	953	1,931	51	1,553	
NOTTINGHAM	838	1,926	3,694	90	2,752	169	MONTGOMERY	46	77	180	3	165	
OXFORD ...	281	459	1,368	26	904	33	PEMBROKE ...	89	124	392	13	347	
PETERBORO', SOKE OF	65	119	342	8	231	8	RADNOR ...	20	22	56	2	69	

* The County of Monmouth is included in Wales and not in England.

TABLE V.—Estimated Home Population at 31st December, 1949, and Births, Deaths (distinguishing Deaths of Infants under 1 year of age), and Deaths from Certain Causes registered in the Quarter ended 31st March, 1950.

Great Towns, Metropolitan Boroughs, Greater London, and 4 Scottish and Irish Towns.

(See General Notes on page 3).

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia	Enteritis and Diarrhoea under 2 years
GREAT TOWNS	21,150,020	96,821	2,467	76,792	3,857	2	62	15	2,786	1,076	63	4,114	281
Northern													
Carlisle C.B. - -	67,150	453	22	332	25	—	1	—	11	4	3	11	6
Darlington C.B. - -	85,030	446	13	364	22	—	—	—	8	5	—	21	—
Gateshead C.B. - -	115,130	572	15	450	36	—	—	—	31	12	—	41	6
Middlesbrough C.B. - -	145,820	921	25	614	61	—	4	1	33	13	—	51	12
Newcastle upon Tyne C.B. - -	294,980	1,707	74	1,308	86	—	—	—	77	19	—	113	14
South Shields C.B. - -	109,010	517	13	457	31	—	—	1	20	16	—	27	1
Stanley U.D. (Durham) - -	48,800	137	3	135	7	—	—	—	3	4	—	5	—
Stockton on Tees M.B. - -	73,420	403	6	253	16	—	—	—	8	11	—	23	—
Sunderland C.B. - -	181,120	1,051	48	712	73	—	2	—	31	21	—	40	5
Tynemouth C.B. - -	66,870	417	21	263	19	—	—	—	12	6	—	7	1
West Hartlepool C.B. - -	72,580	379	8	294	20	—	—	—	13	5	—	21	1
East and West Ridings													
Barnsley C.B. - -	75,600	524	13	256	26	—	3	—	6	2	—	30	4
Bradford C.B. - -	293,520	1,290	46	1,406	60	—	—	—	28	15	3	68	7
Dewsbury C.B. - -	53,100	409	10	215	15	—	—	—	5	4	—	18	2
Doncaster C.B. - -	80,120	591	15	355	34	—	—	—	16	8	—	19	8
Halifax C.B. - -	98,480	645	12	524	22	—	1	—	7	7	—	18	—
Huddersfield C.B. - -	128,520	644	23	543	28	—	—	—	15	5	—	16	1
Keighley M.B. - -	56,690	248	1	263	13	—	—	—	6	1	1	13	—
Kingston upon Hull C.B. - -	297,920	1,427	35	1,015	57	—	1	—	39	9	—	74	1
Leeds C.B. - -	568,340	2,284	52	1,848	87	—	2	—	67	13	3	86	4
Rotherham C.B. - -	82,370	476	9	310	46	—	—	—	14	3	—	23	8
Sheffield C.B. - -	514,350	1,981	42	1,755	79	—	2	—	67	9	7	54	9
Wakefield C.B. - -	60,310	421	17	295	24	—	1	—	13	4	1	19	—
York C.B. - -	107,150	571	14	418	25	—	—	—	11	3	—	15	—
North Western													
Ashton under Lyne M.B. - -	48,350	398	18	304	14	—	—	—	6	5	—	8	1
Barrow in Furness C.B. - -	67,800	313	4	249	19	—	—	—	9	—	2	12	1
Birkenhead C.B. - -	141,600	718	24	541	34	—	—	1	27	3	—	24	3
Blackburn C.B. - -	111,300	540	26	560	18	—	—	—	11	12	—	9	1
Blackpool C.B. - -	148,300	465	16	632	23	—	—	—	16	8	—	23	1
Bolton C.B. - -	168,900	447	4	558	13	—	—	1	7	15	—	30	1
Bootle C.B. - -	70,140	230	4	120	6	—	—	—	9	1	—	7	—
Burnley C.B. - -	84,750	419	13	431	29	—	—	—	5	4	—	19	6
Bury C.B. - -	59,100	371	9	311	9	—	—	—	4	3	—	7	—
Chester C.B. - -	49,550	503	12	237	14	—	—	—	6	4	1	2	2
Crosby M.B. - -	58,500	237	8	170	2	—	—	—	5	2	—	4	—
Liverpool C.B. - -	805,050	4,691	109	2,857	186	—	2	—	199	21	2	239	10
Manchester C.B. - -	704,430	3,327	107	2,782	168	—	8	3	97	45	2	172	20
Oldham C.B. - -	120,100	794	18	661	26	—	—	—	15	5	—	46	4
Preston C.B. - -	120,100	539	25	471	20	—	—	—	11	10	—	27	3
Rochdale C.B. - -	89,120	148	4	259	3	1	—	—	13	5	—	18	—
St. Helens C.B. - -	112,000	516	14	285	22	—	1	1	20	5	—	13	8
Salford C.B. - -	179,120	859	24	715	43	—	—	—	33	15	2	20	3
Southport C.B. - -	85,540	276	9	405	9	—	—	—	4	8	—	14	—
Stockport C.B. - -	141,520	659	11	623	30	—	—	—	17	12	—	27	2
Stretford M.B. - -	62,290	180	1	131	1	—	—	—	—	6	—	3	—
Wallasey C.B. - -	101,320	371	10	276	15	—	—	—	14	3	—	4	—
Warrington C.B. - -	79,720	497	10	344	30	—	—	—	9	4	—	15	9
Wigan C.B. - -	85,230	254	9	247	18	—	—	—	15	16	—	22	2
North Midland													
Chesterfield M.B. - -	67,960	497	15	308	19	—	—	—	12	8	—	14	—
Derby C.B. - -	143,830	889	24	623	46	—	5	—	18	3	—	42	3
Grimsby C.B. - -	91,350	422	9	359	15	—	1	—	14	7	—	22	—
Leicester C.B. - -	286,200	1,423	34	1,077	54	—	—	—	46	2	—	45	1
Lincoln C.B. - -	69,380	340	12	320	27	—	2	—	16	7	—	14	—
Northampton C.B. - -	104,700	611	23	498	19	—	—	—	16	8	—	20	—
Nottingham C.B. - -	304,060	1,873	44	1,288	88	—	—	—	53	13	—	95	8
Midland													
Birmingham C.B. - -	1,114,250	5,079	123	3,830	232	—	8	—	149	54	6	208	21
Burton upon Trent C.B. - -	48,920	344	12	223	10	—	—	—	11	—	—	19	—
Coventry C.B. - -	256,410	936	12	608	42	—	—	—	26	17	2	44	1
Dudley C.B. - -	63,310	175	6	212	12	—	—	—	12	6	—	10	—
Newcastle under Lyme M.B.													
Smethwick C.B. - -	77,650	156	1	176	2	—	—	—	11	6	—	8	—
Stoke on Trent C.B. - -	275,140	1,382	48	1,018	63	—	—	—	42	19	1	51	2
Walsall C.B. - -	114,000	561	12	408	29	—	1	—	24	10	—	17	4
West Bromwich C.B. - -	87,150	544	18	353	25	—	—	—	17	9	—	28	3
Wolverhampton C.B. - -	161,100	903	40	610	44	—	1	—	33	15	—	40	9
Worcester C.B. - -	61,960	302	10	242	12	—	—	—	5	2	—	16	—

TABLE V.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia.	Enteritis and Diarrhoea under 2 years
Eastern													
Cambridge M.B. — —	91,170	547	19	349	17	—	—	—	4	9	—	6	22
Great Yarmouth C.B. — —	52,660	228	8	219	11	—	—	—	3	—	—	7	—
Ipswich C.B.— — —	104,130	547	13	371	28	—	—	—	10	3	—	19	—
Luton M.B. — — —	110,000	498	12	370	25	—	—	1	11	3	—	29	1
Norwich C.B. — — —	119,900	610	18	559	36	—	—	—	21	4	1	21	2
Southend-on-Sea C.B. — —	150,740	234	3	457	11	—	—	—	12	5	—	19	—
Thurrock U.D. — — —	79,090	387	12	302	9	—	—	—	11	4	1	22	—
Watford M.B. — — —	73,450	436	8	265	8	—	—	—	9	2	—	19	—
London and South Eastern													
Greater London — —	8,436,140	32,179	640	25,885	944	—	11	5	827	332	14	1,454	444
Great Towns in Greater London*													
London — — —	3,410,720	15,761	329	12,112	488	—	4	2	423	145	7	732	211
City of London	4,661	148	2	132	3	—	—	—	1	—	—	6	—
The Temples	159	—	—	—	—	—	—	—	—	—	—	—	—
Metropolitan Boro's													
Battersea — — —	117,990	532	13	573	23	—	—	—	25	3	—	27	—
Bermondsey — — —	60,500	138	2	195	4	—	—	—	4	—	—	11	—
Bethnal Green — — —	59,100	166	1	223	14	—	—	—	10	3	—	21	11
Camberwell — — —	179,120	770	17	605	24	—	—	—	20	8	—	34	—
Chelsea — — —	53,170	305	11	308	13	—	—	—	13	2	—	27	—
Deptford — — —	76,950	140	—	127	1	—	—	—	3	3	—	6	—
Finsbury — — —	36,060	56	2	66	—	—	—	—	1	1	—	6	—
Fulham — — —	124,190	229	2	383	11	—	—	—	15	6	—	31	22
Greenwich — — —	89,310	393	7	445	19	—	—	—	34	3	1	30	11
Hackney — — —	172,720	1,064	23	610	22	—	—	1	40	10	—	59	22
Hammersmith — — —	120,070	1,307	38	439	31	—	1	—	14	5	—	22	11
Hampstead — — —	98,520	648	14	352	13	—	—	—	6	5	—	20	22
Holborn — — —	25,900	20	1	135	18	—	—	—	5	—	—	6	22
Islington — — —	240,370	1,469	31	813	38	—	—	—	24	8	—	65	11
Kensington — — —	178,870	491	8	532	29	—	—	—	23	11	1	34	11
Lambeth — — —	230,960	1,375	34	880	43	—	—	—	24	13	—	49	22
Lewisham — — —	228,770	696	5	653	32	—	—	1	22	13	2	28	—
Paddington — — —	132,250	785	16	465	17	—	—	—	10	2	—	30	—
Poplar — — —	74,230	279	8	298	8	—	—	—	19	5	—	14	—
St. Marylebone — — —	79,650	428	13	382	10	—	—	—	4	5	—	23	—
St. Pancras — — —	143,260	701	13	520	16	—	—	—	32	2	1	38	—
Shoreditch — — —	44,940	71	1	191	2	—	—	—	3	7	—	15	—
Southwark — — —	97,340	422	7	351	11	—	—	—	13	3	—	14	—
Stepney — — —	101,050	968	29	463	20	—	—	—	21	1	1	17	1
Stoke Newington — — —	47,600	256	3	84	5	—	—	—	1	2	—	12	1
Wandsworth — — —	337,430	759	9	1,120	21	—	3	—	21	21	1	51	31
Westminster — — —	105,950	613	9	354	22	—	—	—	6	—	—	14	—
Woolwich — — —	149,630	532	10	413	18	—	—	—	9	3	—	22	1
Acton M.B. — — —	68,590	83	1	148	—	—	—	—	3	—	—	5	—
Barking M.B. — — —	79,350	319	6	138	7	—	—	—	4	1	—	6	—
Beckenham M.B. — — —	75,830	282	5	174	3	—	—	—	4	4	—	17	—
Brentford & Chiswick M.B. — — —													
Croydon C.B. — — —	60,350	374	9	121	4	—	—	—	5	1	—	2	—
Dagenham M.B. — — —	252,290	1,027	22	842	35	—	—	—	18	10	—	37	1
Ealing M.B. — — —	114,530	279	7	181	15	—	2	—	14	3	—	10	—
East Ham C.B. — — —	189,200	569	8	377	19	—	—	—	8	2	—	19	2
Edmonton M.B.— — —	121,990	217	4	264	6	—	—	—	7	4	—	10	1
Enfield U.D. — — —	106,060	554	20	486	28	—	—	—	8	4	—	26	1
Finchley M.B. — — —	111,280	440	10	389	9	—	—	—	6	4	—	25	1
Harrow U.D. — — —	71,120	169	—	164	2	—	—	—	3	6	—	2	—
Hendon M.B. — — —	223,370	416	4	407	4	—	—	—	3	8	1	12	—
Heston & Isleworth M.B. — — —	159,820	578	12	450	20	—	—	—	11	6	1	8	—
Hornsey M.B. — — —	108,120	607	12	525	27	—	—	—	10	6	—	38	2
Ilford M.B. — — —	99,240	227	1	209	4	—	2	—	3	6	1	9	—
Leyton M.B. — — —	186,120	507	5	521	14	—	—	—	23	5	—	48	1
Mitcham M.B. — — —	106,820	130	1	600	17	—	—	—	11	6	—	30	3
Southgate M.B. — — —	67,160	129	1	143	1	—	—	—	12	1	—	8	—
Tottenham M.B. — — —	74,470	140	—	199	1	—	—	—	4	2	—	8	—
Twickenham M.B. — — —	129,730	176	1	277	10	—	2	—	12	5	—	4	2
Walthamstow M.B. — — —	108,220	297	2	252	2	—	—	1	10	7	—	14	—
Wembley M.B. — — —	123,410	389	15	272	13	—	—	—	7	7	—	14	—
West Ham C.B. — — —	132,810	343	7	222	6	—	—	—	8	3	—	4	—
Willesden M.B. — — —	173,810	967	25	382	24	—	—	1	14	7	—	25	—
Wimbledon M.B. — — —	182,590	672	14	607	12	—	—	1	21	5	3	48	1
Wood Green M.B. — — —	58,760	178	1	196	2	—	—	—	6	4	—	4	—
Brighton C.B. — — —	53,040	58	2	107	1	—	—	—	2	—	—	2	—
Canterbury C.B. — — —	156,460	723	28	733	27	—	—	—	18	17	2	29	4
Eastbourne C.B. — — —	27,010	184	2	137	3	—	—	—	5	5	1	5	—
Gillingham M.B. — — —	57,090	203	5	301	7	—	—	—	10	3	—	11	1
Hastings C.B. — — —	75,670	245	2	169	7	—	—	—	5	1	—	11	—
Hove M.B. — — —	65,470	345	7	373	5	—	—	—	5	3	—	17	—
Southern													
Bournemouth C.B. — — —	69,200	52	1	291	1	—	—	—	2	5	—	—	—
Oxford C.B. — — —	139,410	578	15	678	14	—	—	—	28	10	—	27	1
Poole M.B. — — —	108,260	817	12	417	25	—	1	—	11	4	1	4	2
Portsmouth C.B. — — —	82,430	307	5	315	12	—	—	—	7	5	4	2	—
Reading C.B. — — —	240,690	1,141	32	862	52	1	—	—	28	10	1	28	2
Southampton C.B.— — —	115,760	645	13	434	20	—	—	—	9	4	—	42	1
	181,280	915	20	593	27	—	—	—	23	5	—	27	—

* These Great Towns do not comprise the whole of Greater London and the figures given do not aggregate to the Greater London total.

TABLE V.—*continued.*

Area.	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia.	Enteritis and Diarrhoea under 2 years
South Western													
Bath C.B. - - -	77,940	409	13	382	24	—	—	—	3	7	1	25	1
Bristol C.B. - - -	442,220	2,065	49	1,658	64	—	1	—	76	26	2	93	1
Cheltenham M.B. - - -	64,520	541	22	299	22	—	1	—	7	11	—	10	1
Exeter C.B. - - -	76,940	401	11	383	22	—	—	—	7	5	—	7	1
Gloucester C.B. - - -	67,770	329	7	302	10	—	1	—	9	2	—	18	—
Plymouth C.B. - - -	209,610	940	23	773	42	—	1	—	47	6	2	48	1
Swindon M.B. - - -	68,650	354	9	190	10	—	—	—	4	—	—	4	—
Wales													
Cardiff C.B. - - -	244,910	1,356	45	922	48	—	—	—	51	18	—	30	1
Merthyr Tydfil C.B. - - -	61,070	322	7	346	16	—	—	—	16	10	—	23	—
Newport C.B. - - -	106,600	516	12	403	21	—	1	—	20	5	1	22	2
Rhondda U.D. - - -	112,530	581	15	462	17	—	—	—	16	7	—	13	1
Swansea C.B. - - -	160,850	528	19	676	33	—	—	—	35	16	—	24	1
Edinburgh - - -													
Glasgow - - -	487,700	2,006	118	1,879	86	—	2	—	975	42	—	107	9
Belfast - - -	1,089,400	5,089	270	4,016	250	—	1	—	310	35	—	210	31
Dublin - - -				Not available	Not available								

† The births and deaths for Edinburgh, Glasgow, Belfast and Dublin are classified according to area of residence. Non-civilians are included in the figures of deaths and populations for Edinburgh, Glasgow and Dublin.

TABLE VI.—Estimated Home Population at 31st December, 1949, and Births, Deaths (distinguishing Deaths of Infants under 1 year of age), and Deaths from Certain Causes registered in the Quarter ended 31st March, 1950.

Smaller Towns.

(See General Notes on page 3).

Area.	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia.	Enteritis and Diarrhoea under 2 years
SMALLER TOWNS	6,265,890	27,236	645	21,682	1,019	—	11	3	615	373	9	1,094	72
Northern													
Ashington U.D. - - -	28,920	62	1	90	4	—	—	—	3	1	—	4	—
Bedlingtonshire U.D. - - -	28,530	77	1	92	5	—	—	—	2	1	—	11	—
Bishop Auckland U.D. - - -	36,220	192	1	165	15	—	—	—	10	8	—	13	1
Blaydon U.D. - - -	30,950	100	4	94	9	—	—	—	5	3	—	17	—
Blyth M.B. - - -	35,220	78	3	118	13	—	—	—	7	4	—	8	2
Consett U.D. - - -	39,050	198	4	158	11	—	—	—	7	2	—	24	1
Crook & Willington U.D. - - -	27,490	84	—	72	3	—	—	—	6	4	—	—	—
Eston U.D. - - -	33,270	105	2	100	7	—	1	—	8	1	—	3	—
Felling U.D. - - -	25,460	73	1	69	6	—	—	—	3	9	—	1	1
Houghton le Spring U.D. - - -	30,040	127	4	89	1	—	1	—	1	2	—	3	1
Jarrow M.B. - - -	28,570	179	4	92	8	—	—	—	6	6	—	15	—
Scarborough M.B. - - -	43,620	200	7	241	4	—	—	—	5	7	—	6	—
Seaham U.D. - - -	25,940	96	—	59	5	—	—	—	1	4	—	4	1
Seaton Valley U.D. - - -	26,530	55	1	79	3	—	—	—	1	1	—	4	—
Wallsend M.B. - - -	48,850	304	11	124	7	—	—	—	8	1	—	6	1
Whitley Bay U.D. - - -	32,600	28	—	88	—	—	—	—	5	2	—	3	—
Workington M.B. - - -	28,980	211	5	103	11	—	—	—	2	1	—	8	1
East and West Ridings													
Batley M.B. - - -	40,180	145	3	126	6	—	—	—	2	2	—	5	—
Brighouse M.B. - - -	30,810	50	—	114	3	—	—	—	1	1	—	1	—
Castleford U.D. - - -	43,640	143	5	100	6	—	—	—	2	1	—	8	2
Harrogate M.B. - - -	51,870	243	6	236	13	—	—	—	2	2	—	10	1
Morley M.B. - - -	39,930	131	3	95	4	—	—	—	2	2	—	1	—
Shipley U.D. - - -	32,820	174	5	70	1	—	—	—	—	3	—	7	—
Spenborough U.D. - - -	36,840	63	2	129	6	—	—	—	5	—	—	1	—
North Western													
Accrington M.B. - - -	40,310	127	1	147	3	—	—	—	—	2	—	11	—
Altrincham M.B. - - -	39,490	169	1	114	3	—	—	—	3	3	—	5	—
Bebington M.B. - - -	47,230	276	16	213	14	—	—	—	3	2	1	9	3
Chadderton U.D. - - -	31,200	31	2	76	—	—	—	—	2	2	—	2	—
Chorley M.B. - - -	32,770	175	5	166	5	—	—	—	1	10	—	13	—
Crewe M.B. - - -	53,070	143	5	167	12	—	—	—	4	9	—	24	—
Darwen M.B. - - -	30,920	78	1	131	3	—	—	—	2	4	—	2	—
Eccles M.B. - - -	44,370	152	—	156	2	—	—	—	1	3	—	2	—
Farnworth M.B. - - -	28,380	463	17	303	24	—	—	—	5	1	—	25	1
Heywood M.B. - - -	25,340	44	2	71	1	—	—	—	3	2	—	2	—
Hyde M.B. - - -	31,460	119	1	112	2	—	—	—	4	3	—	2	—
Lancaster M.B. - - -	52,090	233	5	287	15	—	1	—	15	2	2	7	1

TABLE VI.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from								Enteritis and Typhoid
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia		
Leigh M.B. - - -	48,650	226	4	159	4	-	-	-	3	2	-	5	-	
Lytham St. Annes M.B.	29,970	139	3	131	3	-	-	-	3	1	-	1	-	
Macclesfield M.B.	36,210	206	8	159	11	-	-	-	-	1	-	11	-	
Middleton M.B. - - -	32,570	61	-	89	2	-	-	-	1	1	-	2	-	
Nelson M.B. - - -	34,600	126	1	129	1	-	-	-	5	-	-	12	-	
Radcliffe M.B. - - -	27,910	87	1	84	2	-	-	-	-	2	-	-	-	
Rawtenstall M.B.	25,130	139	6	155	6	-	-	-	2	3	-	9	-	
Sale M.B. - - -	43,290	152	4	98	3	-	-	-	1	1	-	4	-	
Stalybridge M.B. - - -	22,580	35	1	59	2	-	-	-	1	4	-	2	-	
Swinton & Pendlebury M.B.	41,600	66	1	148	29	-	-	-	5	4	-	9	-	
Widnes M.B. - - -	48,500	186	1	74	5	-	-	-	5	3	-	2	-	
North Midland														
Beeston & Stapleford U.D.	49,990	122	4	116	1	-	1	-	7	1	-	10	-	
Carlton U.D. - - -	34,280	75	1	73	5	-	-	-	2	1	-	2	-	
Cleethorpes M.B. - - -	29,700	225	4	80	6	-	1	-	-	3	-	4	-	
Hinckley U.D. - - -	38,780	82	2	70	1	-	-	-	2	1	-	-	-	
Ilkeston M.B. - - -	33,620	117	3	87	1	-	-	-	4	3	-	-	-	
Kettering M.B. - - -	37,120	155	4	157	5	-	-	-	4	2	-	6	-	
Loughborough M.B.	36,580	193	8	113	5	-	-	-	2	-	-	4	-	
Mansfield M.B. - - -	51,110	308	13	253	24	-	-	-	8	2	-	9	-	
Peterborough M.B. - -	54,790	321	8	202	8	-	-	-	5	1	-	15	-	
Scunthorpe M.B. - - -	52,740	371	7	166	12	-	-	-	7	1	-	11	-	
Sutton in Ashfield U.D.	40,100	110	1	111	7	-	-	-	3	1	-	12	-	
Wellingborough U.D. -	28,340	212	1	121	6	-	-	-	2	2	-	3	-	
Worksop M.B. - - -	32,240	284	11	113	15	-	-	-	6	2	-	18	-	
Midland														
Bilston M.B. - - -	33,120	129	1	109	21	-	3	2	8	5	-	6	-	
Brierley Hill U.D. - -	48,710	202	5	200	6	-	-	-	9	11	-	1	-	
Cannock U.D. - - -	41,020	160	3	140	3	-	-	-	4	-	-	7	-	
Coseley U.D. - - -	33,670	108	4	32	5	-	-	-	2	4	-	5	-	
Halesowen M.B. - - -	39,870	68	-	93	2	-	-	-	2	6	-	8	-	
Kidderminster M.B. - -	37,510	184	4	176	15	-	-	-	4	5	-	9	-	
Nuneaton M.B. - - -	53,640	358	14	182	4	-	-	-	8	1	-	24	-	
Oldbury M.B. - - -	53,640	107	1	115	8	-	-	-	3	1	-	6	-	
Rowley Regis M.B. - -	49,460	158	4	134	3	-	-	-	2	2	-	7	-	
Royal Leamington Spa M.B. - - -	36,190	242	8	151	9	-	-	-	-	4	-	19	-	
Rugby M.B. - - -	46,190	130	2	143	8	-	-	-	8	-	-	11	-	
Shrewsbury M.B. - - -	46,270	162	5	203	3	-	1	-	3	5	1	7	-	
Solihull U.D. - - -	67,460	300	4	149	6	-	-	-	3	8	-	2	-	
Stafford M.B. - - -	39,410	244	3	153	8	-	-	-	6	1	-	18	-	
Stourbridge M.B. - - -	37,010	168	2	91	2	-	-	-	2	7	-	4	-	
Sutton Coldfield M.B.	47,550	165	2	127	-	-	-	-	2	3	-	11	-	
Tipton M.B. - - -	38,960	127	8	107	2	-	-	-	7	4	-	5	-	
Wednesbury M.B. - - -	34,930	137	3	72	5	-	-	-	5	2	-	4	-	
Willenhall U.D. - - -	30,910	97	1	76	6	-	-	-	6	1	-	4	-	
Eastern														
Bedford M.B. - - -	53,180	358	11	237	15	-	-	-	3	2	-	9	-	
Billericay U.D. - - -	42,740	148	5	163	3	-	-	-	4	1	-	13	-	
Chelmsford M.B. - - -	36,960	314	7	162	4	-	-	-	2	-	-	8	-	
Colchester M.B. - - -	56,900	419	10	267	8	-	-	-	2	2	2	1	-	
Hornchurch U.D. - - -	103,390	181	-	278	10	-	-	-	8	-	-	6	-	
Lowestoft M.B. - - -	44,160	181	2	146	8	-	-	-	-	1	-	3	-	
Romford M.B. - - -	76,700	581	14	248	21	-	-	-	10	4	-	8	-	
St. Alban M.B. - - -	42,560	245	1	177	11	-	-	-	1	4	-	14	-	
London & South Eastern														
Barnes M.B. - - -	41,430	54	-	113	-	-	-	-	5	3	-	5	-	
Beddington & Wallington M.B. - - -	32,770	38	1	73	-	-	-	-	2	2	-	2	-	
Bexley M.B. - - -	89,580	271	2	167	6	-	-	-	2	-	-	7	-	
Bromley M.B. - - -	64,750	387	12	194	8	-	-	-	4	2	-	7	-	
Carshalton U.D. - - -	62,500	609	10	293	38	-	1	-	9	1	1	29	-	
Chatham M.B. - - -	46,850	376	19	206	17	-	-	-	17	1	-	14	-	
Chislehurst & Sidcup U.D.	76,630	132	1	163	2	-	-	-	7	4	-	-	-	
Coulsdon & Purley U.D.-	64,650	55	-	226	1	-	-	-	5	2	-	22	-	
Dartford M.B. - - -	40,760	352	10	219	9	-	-	-	7	3	-	11	-	
Dover M.B. - - -	34,010	243	3	153	6	-	-	-	6	1	-	15	-	
Epsom & Ewell M.B. - -	68,520	377	8	307	10	-	-	-	15	7	-	18	-	
Erith M.B. - - -	46,970	164	3	118	3	-	-	-	2	1	-	5	-	
Fisher U.D. - - -	51,770	54	1	119	2	-	-	-	1	-	-	4	-	
Folkestone M.B. - - -	45,150	226	5	174	8	-	-	-	3	2	-	-	-	
Gravesend M.B. - - -	43,870	218	1	151	11	-	-	-	5	3	-	9	-	
Guildford M.B. - - -	46,890	379	5	217	11	-	-	-	4	-	-	11	-	
Kingston upon Thames M.B. - - -	42,140	431	13	224	19	-	-	-	10	2	-	21	1	
Maidstone M.B. - - -	54,020	188	7	228	13	-	-	-	9	-	-	14	1	
Margate M.B. - - -	40,860	150	8	142	5	-	-	-	6	-	-	4	-	
Merton & Morden U.D. -	75,370	259	2	157	3	-	-	-	4	4	-	4	1	
Orpington U.D. - - -	60,710	366	16	289	16	-	-	-	6	2	-	6	-	
Penge U.D. - - -	25,030	38	-	67	1	-	-	-	1	-	-	3	-	
Ramsgate M.B. - - -	35,520	144	5	122	5	-	-	1	3	3	-	5	-	

TABLE VI.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia	Enteritis and Diarrhoea under 2 years
Reigate M.B. - -	42,340	393	10	283	10	—	—	—	4	6	1	12	—
Richmond M.B. - -	42,150	52	—	142	1	—	—	—	2	3	—	2	—
Rochester M.B. - -	42,860	130	3	161	8	—	1	—	2	2	—	8	1
Royal Tunbridge Wells M.B. - -	38,630	161	2	204	5	—	—	—	1	1	—	7	1
Southall M.B. - -	56,220	52	—	131	1	—	—	—	5	1	—	15	—
Surbiton M.B. - -	60,660	131	1	146	3	—	—	—	4	—	—	5	1
Sutton & Cheam M.B. - -	81,200	160	2	255	3	—	—	—	10	3	—	10	—
Uxbridge U.D. - -	54,060	624	13	287	22	—	—	—	10	2	—	5	1
Walton & Weybridge U.D. - -	38,030	130	2	81	—	—	—	—	1	2	1	7	—
Wanstead & Woodford M.B. - -	62,250	398	11	191	3	—	—	—	4	2	—	8	—
Woking U.D. - -	48,100	348	10	153	9	—	—	—	3	2	—	5	—
Worthing M.B. - -	68,120	181	4	335	5	—	—	—	5	11	—	3	—
Southern													
Aldershot M.B. - -	41,660	235	3	64	5	—	—	—	6	2	—	5	—
Gosport M.B. - -	59,480	238	3	124	2	—	—	—	4	3	—	3	—
High Wycombe M.B. - -	40,880	145	6	113	5	—	—	—	—	1	—	7	—
Slough M.B. - -	66,860	164	6	141	4	—	—	—	1	8	—	14	—
Weymouth & Melcombe Regis M.B. - -	36,300	177	7	140	7	—	—	—	3	3	—	6	—
South Western													
Camborne-Redruth U.D. - -	35,680	378	16	172	17	—	—	—	12	—	—	7	—
Salisbury M.B. - -	34,030	269	3	154	2	—	—	—	6	1	—	6	—
Taunton M.B. - -	34,270	184	8	159	10	—	—	—	—	2	—	2	—
Torquay M.B. - -	50,970	194	8	248	10	—	—	—	5	3	—	4	1
Weston super Mare M.B. - -	39,960	165	3	174	6	—	—	—	5	5	—	6	—
Wales													
Aberdare U.D. - -	40,800	150	6	181	3	—	—	—	3	3	—	1	—
Abertillery U.D. - -	27,950	69	2	86	4	—	—	—	1	3	—	5	—
Barry M.B. - -	41,860	153	4	133	1	—	—	—	4	3	—	3	—
Bedwellty U.D. - -	29,060	90	3	70	—	—	—	—	3	1	—	6	—
Caerphilly U.D. - -	34,340	167	2	102	10	—	—	—	2	3	—	9	1
Ebbw Vale U.D. - -	29,490	157	1	100	8	—	—	—	—	3	—	3	1
Gelligaer U.D. - -	36,600	137	3	87	8	—	—	—	3	1	—	4	2
Llanelly M.B. - -	33,620	138	5	162	2	—	—	—	6	4	—	5	—
Llwehwr U.D. - -	25,680	110	5	70	4	—	—	—	1	2	—	1	—
Maesteg U.D. - -	23,130	103	1	92	4	—	—	—	9	—	—	7	—
Mountain Ash U.D. - -	31,720	120	1	139	8	—	—	—	5	1	—	11	—
Neath M.B. - -	32,120	376	4	180	20	—	—	—	5	1	—	11	1
Ogmore & Garw U.D. - -	22,650	43	1	59	3	—	—	—	3	—	—	1	1
Pontypool U.D. - -	42,650	78	—	175	9	—	—	—	4	2	—	9	—
Pontypridd U.D. - -	39,410	53	—	167	4	—	—	—	5	3	—	13	—
Port Talbot M.B. - -	43,890	73	4	125	5	—	—	—	6	—	—	7	—

TABLE VII.—Population, Births and Deaths in the Fourth }
 Quarter, 1949, and where available First Quarter, 1950. } London and certain Cities abroad.

CITIES	POPULATION (enumerated or estimated)	LIVE BIRTHS	STILLBIRTHS	TOTAL DEATHS (excluding Stillbirths)	Rate per 1,000 living		Deaths from										Deaths under 1 year per 1,000 Live Births
					Live Births	Deaths (ex- cluding Still- births)	Typhoid and paratyphoid fevers	Smallpox	Whooping cough	Diphtheria†	Tuberculosis (all forms)	Influenza	Ac. Poliomyelitis and polioencephalitis	Enteritis and Diarrhoea (under 2 years) §			
Fourth Quarter, 1949																	
LONDON - - -	3,395,570*	14,198	274	10,765	16.6	12.6	—	—	2	1	449	53	29	13		29‡	
BOMBAY - - -	1,764,000	18,181	965	9,134	41.2	20.7	207	20	2	30	654	1	7	125		128	
BRISBANE - - -	429,530	2,369	51	947	22.2	8.9	—	—	1	4	26	—	—	3		19	
CALCUTTA - - -	2,896,000	17,743	1,208	12,312	24.5	16.7	438	104	7	51	762	19	2	325		181	
CAPE TOWN - - -	180,805	1,157	20	600	25.4	13.2	—	—	—	—	?	—	?	—		26	
CHICAGO - - -	3,700,000	19,734	351	9,588	21.2	10.3	—	—	1	—	?	2	6	31		27	
COPENHAGEN - -	762,100	2,737	54	1,898	14.2	9.9	—	?	1	—	36	—	2	?		31	
GOTHENBURG - -	349,323	?	?	658	?	7.5	—	?	1	—	21	—	1	—		?	
MONTREAL - - -	1,049,500	7,265	218	2,602	27.5	9.8	1	—	2	3	97	16	2	35		39	
NEW YORK - - -	8,161,000	38,572	3,379	20,252	19.2	10.1	—	—	1	1	575	8	30	16		25	
OSLO - - -	427,493	1,346	29	1,022	12.5	9.5	—	—	1	1	26	—	—	1		21	
PARIS - - -	2,725,374	11,802	288	7,437	17.2	10.8	7	—	4	8	454	12	17	77		42	
ROME - - -	1,649,684	6,206	176	3,297	14.9	7.9	18	—	—	17	308	2	2	35		?	
STOCKHOLM - - -	725,714	2,740	61	1,594	15.1	8.8	—	—	—	1	63	1	3	—		25	
TORONTO - - -	670,035	2,866	52	1,683	17.0	10.0	—	—	1	—	35	3	—	2		35	
ZURICH - - -	384,590	1,297	22	871	13.5	9.1	—	—	—	2	20	3	3	1		24	
First Quarter, 1950																	
LONDON - - -	3,410,720	15,761	329	12,112	18.7	14.4	—	—	4	2	423	145	7	21		31‡	
BOMBAY - - -	1,796,000	13,542	795	8,666	30.2	19.3	76	102	5	14	583	4	3	90		149	
CALCUTTA - - -	2,991,000	12,599	848	12,393	16.9	16.6	196	1726	3	15	633	10	1	411		207	
CAPE TOWN - - -	180,805	1,142	10	566	25.6	12.7	—	—	—	—	?	—	?	—		39	
COLOGNE - - -	578,044	2,128	42	1,836	14.9	12.9	1	—	1	5	70	—	—	11		97	
COPENHAGEN - -	762,100	3,037	71	2,003	16.2	10.7	—	?	—	—	41	1	—	?		30	
DURBAN - - -	117,228	776	10	341	26.8	11.8	—	—	—	—	?	—	?	—		28	
FRANKFURT-ON-																	
MAIN - - -	515,988	1,507	31	1,362	11.8	10.6	1	—	2	2	34	14	?	?		76	
GOTHENBURG - -	349,323	?	?	727	?	8.4	—	?	—	—	19	—	—	1		?	
HAMBURG - - -	1,573,000	4,199	76	4,201	10.8	10.8	—	—	5	7	186	8	1	11		50	
JOHANNESBURG -	322,268	2,324	52	764	29.2	9.6	—	—	—	4	?	—	?	—		30	
MONTREAL - - -	1,067,000	7,132	240	2,751	27.1	10.5	—	—	3	2	86	13	1	17		44	
MUNICH - - -	831,345	2,090	60	2,405	10.0	11.6	2	—	—	12	72	25	1	3		68	
NEW YORK - - -	8,258,000	38,659	3,968	21,896	19.0	10.8	—	—	1	—	670	20	1	19		26	
ROME - - -	1,656,087	7,248	182	3,671	17.8	9.0	4	—	—	26	290	11	9	20		?	
STOCKHOLM - - -	733,615	3,061	56	1,769	16.9	9.8	—	—	1	1	41	—	—	—		19	
TORONTO - - -	673,104	2,822	72	1,835	17.0	11.1	—	—	—	—	25	8	—	4		28	
ZURICH - - -	385,250	1,396	35	897	14.5	9.3	—	—	—	—	18	5	—	—		24	

* Civilians only. † Including deaths from croup in Bombay. ‡ Per 1,000 related live births.

§ The deaths in this column relate to all ages for Oslo, and to children under 1 year of age for Gothenburg.

TABLE VIII.—Notifications of Certain Infectious Diseases in the Quarter ended 31st March, 1950.

(England and Wales, Counties, County Boroughs, London and Metropolitan Boroughs and Port Health Districts.)

Note.—Total original and corrected notifications are distinguished for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.
(See General Notes on page 3).

	Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-Paralytic.	Food poisoning.		Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-Paralytic.	Food poisoning.	
England and Wales:	24687	926	139*	13695	3906	372	138	509	Original Notifications	Essex:	1495	5	5	657	49	16	5	38
										Total C.B.s—	449	2	2	140	14	1	1	13
										East Ham C.B.	111	—	1	17	10	—	—	—
										Southend on Sea C.B. —	223	—	—	75	4	—	—	6
										West Ham C.B.	115	2	1	48	—	1	1	7
										Total U.D.s	887	2	3	487	32	10	4	24
										Total R.D.s	159	1	—	30	3	5	—	1
England and Wales:	24300	325	98*	13617	3788	311	97	478	Corrected Notifications	Gloucester:	561	2	2	414	110	5	—	23
Bedford:	291	—	—	99	16	—	—	1		Total C.B.s—	313	—	1	291	101	4	—	23
Total U.D.s	204	—	—	78	2	—	—	—		Bristol C.B.	273	—	1	262	101	4	—	23
Total R.D.s	87	—	—	21	14	—	—	1		Gloucester C.B.	40	—	—	29	—	—	—	—
										Total U.D.s	92	1	—	27	8	—	—	—
Berks:	196	—	—	107	8	2	—	2		Total R.D.s	156	1	1	96	1	1	—	—
Reading C.B.	66	—	—	17	—	—	—	2		Hereford:	53	—	—	56	2	2	—	—
Total U.D.s	26	—	—	13	7	—	—	—		Total U.D.s	23	—	—	19	—	1	—	—
Total R.D.s	104	—	—	77	1	2	—	—		Total R.D.s	30	—	—	37	2	1	—	—
										Hertford:	243	—	—	83	3	2	1	1
Buckingham:	217	—	1	62	2	4	—	—		Total U.D.s	180	—	—	66	1	1	1	—
Total U.D.s	112	—	—	45	1	1	—	—		Total R.D.s	63	—	—	17	2	1	—	1
Total R.D.s	105	—	1	17	1	3	—	—		Huntingdon:	24	—	—	30	—	1	—	—
Cambridge:	181	—	—	20	2	1	—	1		Total U.D.s	18	—	—	19	—	—	—	—
Urban District	97	—	—	3	2	1	—	1		Total R.D.s	6	—	—	11	—	1	—	—
Total R.D.s	84	—	—	17	—	—	—	—		Kent:	843	6	2	413	12	20	4	62
Chester:	1123	32	2	356	57	6	1	21		Canterbury C.B.	12	—	—	1	—	—	—	—
Total C.B.s	288	27	—	106	48	1	—	18		Total U.D.s	703	3	2	305	10	17	3	52
Birkenhead C.B.	112	22	—	70	37	—	—	—		Total R.D.s	128	3	—	107	2	3	1	10
Chester C.B.	18	—	—	9	—	—	—	—		Lancaster:	3499	56	15	1405	482	14	5	21
Stockport C.B.	119	2	—	17	6	1	—	10		Total C.B.s—	1915	48	13	943	319	9	3	18
Wallasey C.B.	39	3	—	10	5	—	—	8		Barrow in Furness C.B. —	27	—	—	21	—	2	—	—
Total U.D.s	689	5	1	182	9	5	1	3		Blackburn C.B.	29	—	—	27	9	—	—	2
Total R.D.s	146	—	1	68	—	—	—	—		Blackpool C.B.	76	3	1	3	2	—	—	1
Cornwall:	65	8	1	94	20	2	—	1		Bolton C.B.	36	5	—	37	3	—	—	—
Total U.D.s	36	8	1	43	20	—	—	1		Bootle C.B.	37	1	—	6	—	—	—	—
Total R.D.s	29	—	—	51	—	2	—	—		Burnley C.B.	75	—	—	46	1	1	—	—
										Bury C.B.	47	—	—	13	—	—	—	—
Cumberland:	137	—	—	66	8	6	1	—		Liverpool C.B.	464	22	8	172	41	—	—	1
Carlisle C.B.	87	—	—	8	—	1	—	—		Manchester C.B.	601	13	—	275	157	4	1	—
Total U.D.s	18	—	—	20	8	2	1	—		Oldham C.B.	139	1	—	53	29	—	—	—
Total R.D.s	32	—	—	38	—	3	—	—		Preston C.B.	37	—	—	26	1	1	—	14
Derby:	864	—	1	305	9	8	3	10		Rochdale C.B.	43	1	1	11	—	—	—	—
Derby C.B.	145	—	—	56	1	—	2	10		St. Helens C.B.	49	1	—	9	42	—	—	—
Total U.D.s	325	—	1	133	1	4	1	—		Salford C.B.	102	1	1	175	25	1	2	—
Total R.D.s	394	—	—	116	7	4	—	—		Southport C.B.	72	—	2	16	6	—	—	—
Devon:	212	1	2	323	10	6	1	25		Warrington C.B.	64	—	—	17	—	—	—	—
Total C.B.s—	102	—	—	145	7	2	—	25		Wigan C.B.	17	—	—	36	3	—	—	—
Exeter C.B.	29	—	—	47	6	1	—	—		Total U.D.s	1312	7	2	378	102	5	2	3
Plymouth C.B.	73	—	—	98	1	1	—	25		Total R.D.s	272	1	—	84	61	—	—	—
Total U.D.s	64	—	2	87	—	1	—	—		Leicester:	355	1	4	212	8	3	—	23
Total R.D.s	46	1	—	91	3	3	1	—		Leicester C.B.	207	1	—	46	7	2	—	12
Dorset:	55	—	—	109	1	2	1	6		Total U.D.s	95	—	1	93	—	—	—	7
Total U.D.s	38	—	—	74	—	2	—	6		Total R.D.s	53	—	3	73	1	1	—	4
Total R.D.s	17	—	—	35	1	—	1	—		Lincoln, Parts of Holland:	19	—	—	23	—	—	—	—
Durham:	545	44	4	919	553	4	—	21		Total U.D.s	6	—	—	11	—	—	—	—
Total C.B.s—	178	19	2	382	214	—	—	18		Total R.D.s	13	—	—	12	—	—	—	—
Darlington C.B.	32	2	—	10	2	—	—	1		Lincoln, Parts of Kesteven:	77	3	—	40	—	—	1	—
Gateshead C.B.	42	3	—	58	45	—	—	7		Total U.D.s	23	—	—	31	—	—	—	—
South Shields C.B.	36	3	2	84	92	—	—	9		Total R.D.s	54	3	—	9	—	—	1	—
Sunderland C.B.	32	7	—	155	47	—	—	—		Lincoln, Parts of Lindsey:	162	2	—	106	19	—	1	2
West Hartlepool C.B.	36	4	—	75	28	—	—	1		Total C.B.s—	51	1	—	22	17	—	1	2
Total U.D.s	241	24	1	344	323	3	—	3		Grimsby C.B.	32	—	—	9	—	—	1	1
Total R.D.s	126	1	1	193	16	1	—	—		Lincoln C.B.	19	1	—	13	17	—	—	1
Isle of Ely:	35	—	—	28	—	—	—	—		Total U.D.s	73	—	—	58	2	—	—	—
Total U.D.s	26	—	—	17	—	—	—	—		Total R.D.s	38	1	—	26	—	—	—	—
Total R.D.s	9	—	—	11	—	—	—	—										

TABLE VIII.—continued.

	Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	Food poisoning.		Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	Food poisoning.
County of London	1,375	34	19	811	196	22	6	79	Somerset:	239	1	2	101	5	2	4	
CITY OF LONDON	—	—	—	—	—	—	—	—	Bath C.B.	6	1	—	8	3	—	—	
Inner and Middle Temples	—	—	—	—	—	—	—	—	Total U.D.s	140	—	—	25	1	—	—	
METROPOLITAN BOROUGHs	1,373	34	19	811	196	22	6	79	Total R.D.s	93	—	2	68	1	2	4	
Battersea	51	—	—	51	2	1	—	—	Southampton:	547	2	5	242	14	5	7	
Bermondsey	22	—	—	8	—	—	—	—	Total C.B.s	340	2	2	107	13	2	—	
Bethnal Green	25	1	—	10	3	1	—	1	Bournemouth C.B.	27	2	—	26	11	2	—	
Camberwell	78	5	—	35	3	1	—	1	Portsmouth C.B.	215	—	2	22	—	—	—	
Chelsea	18	—	—	14	37	—	—	2	Southampton C.B.	98	—	—	59	2	—	—	
Deptford	39	—	—	21	2	—	—	—	Total U.D.s	132	—	3	78	1	2	5	
Finsbury	12	—	10	15	9	2	—	—	Total R.D.s	75	—	—	57	—	1	2	
Fulham	53	—	—	11	—	—	—	—	Stafford:	768	23	4	624	84	9	3	
Greenwich	45	1	—	20	—	1	—	1	Total C.B.s	395	2	—	350	81	3	—	
Hackney	71	4	—	30	4	—	—	—	Burton upon	—	—	—	—	—	—	—	
Hammersmith	56	1	—	32	1	—	1	6	Trent C.B.	50	1	—	10	—	—	—	
Hampstead	27	—	—	24	3	1	1	5	Smethwick C.B.	35	—	—	39	67	1	—	
Holborn	3	—	—	3	—	—	—	—	Stoke on Trent C.B.	162	—	—	143	—	2	—	
Islington	63	6	2	64	42	—	—	19	Walsall C.B.	42	—	—	62	6	—	—	
Kensington	35	—	2	29	3	1	—	—	West Bromwich	—	—	—	—	—	—	—	
Lambeth	79	—	2	39	10	2	—	2	C.B.	33	—	—	12	—	—	—	
Lewisham	167	—	—	58	5	1	—	4	Wolverhampton	—	—	—	—	—	—	—	
Paddington	46	—	—	22	—	2	2	4	C.B.	73	1	—	84	8	—	—	
Poplar	20	1	—	57	6	1	—	—	Total U.D.s	251	20	3	217	3	4	2	
St. Marylebone	29	—	1	18	3	1	1	1	Total R.D.s	122	1	1	57	—	2	1	
St. Pancras	53	—	—	39	12	—	—	—	Suffolk, East:	158	3	—	70	4	—	—	
Shoreditch	16	10	—	10	11	—	—	—	Ipswich C.B.	69	3	—	5	—	—	—	
Southwark	54	—	—	9	4	—	—	1	Total U.D.s	46	—	—	24	—	—	—	
Stepney	20	2	—	28	10	—	—	1	Total R.D.s	43	—	—	41	4	—	—	
Stoke Newington	31	1	—	13	4	1	—	—	Suffolk, West:	83	—	—	17	—	—	—	
Wandsworth	191	1	1	94	14	2	—	28	Total U.D.s	15	—	—	—	—	—	—	
Westminster, City of	22	1	1	6	4	1	—	1	Total R.D.s	68	—	—	17	—	—	—	
Woolwich	49	—	—	51	4	3	1	2	Surrey:	987	2	2	271	12	14	4	
Middlesex:									Croydon C.B.	201	1	—	22	2	—	—	
Total U.D.s	1,450	2	3	673	47	22	4	13	Total U.D.s	711	1	2	228	10	12	4	
Norfolk:	273	2	—	142	25	19	8	5	Total R.D.s	75	—	—	21	—	2	—	
Total C.B.s	63	—	—	40	4	4	4	—	Sussex, East:	363	2	3	225	1	5	—	
Great Yarmouth	—	—	—	—	—	—	—	—	Total C.B.s	170	1	1	140	1	2	—	
C.B.	31	—	—	10	—	—	—	—	Brighton C.B.	72	1	1	120	—	2	—	
Norwich C.B.	32	—	—	30	4	4	4	—	Eastbourne C.B.	20	—	—	7	1	—	—	
Total U.D.s	54	1	—	19	2	4	—	—	Hastings C.B.	78	—	—	13	—	—	—	
Total R.D.s	156	1	—	83	19	11	4	5	Total U.D.s	103	1	—	48	—	2	—	
Northampton:	129	—	—	96	6	11	5	1	Total R.D.s	90	—	2	37	—	1	—	
Northampton C.B.	68	—	—	17	—	1	—	—	Sussex, West:	162	—	—	54	15	1	—	
Total U.D.s	22	—	—	38	—	6	5	1	Total U.D.s	83	—	—	34	2	—	—	
Total R.D.s	39	—	—	41	6	4	—	—	Total R.D.s	79	—	—	20	13	1	—	
Northumberland:	311	5	1	389	250	2	3	5	Warwick:	883	31	3	906	41	27	4	
Total C.B.s	121	2	1	190	178	1	3	4	Total C.B.s	631	26	2	688	29	24	4	
Newcastle upon	—	—	—	—	—	—	—	—	Birmingham C.B.	539	22	2	588	29	23	3	
Tyne C.B.	96	2	1	177	177	1	3	4	Coventry C.B.	92	4	—	100	—	1	1	
Tynemouth C.B.	25	—	—	13	1	—	—	—	Total U.D.s	178	4	—	138	1	2	—	
Total U.D.s	162	3	—	159	68	—	—	1	Total R.D.s	74	1	1	80	11	1	—	
Total R.D.s	28	—	—	40	4	1	—	—	Westmorland:	8	—	—	12	10	—	—	
Nottingham:	425	—	4	142	91	11	1	3	Total U.D.s	3	—	—	—	4	—	—	
Nottingham C.B.	115	—	2	63	90	8	—	—	Total R.D.s	5	—	—	12	6	—	—	
Total U.D.s	251	—	2	52	1	2	—	1	Isle of Wight:	27	—	—	12	—	2	1	
Total R.D.s	59	—	—	27	—	1	1	2	Total U.D.s	19	—	—	7	—	1	1	
Oxford:	50	1	2	56	3	6	—	1	Rural District	8	—	—	5	—	1	—	
Oxford C.B.	17	—	—	25	1	1	—	—	Wilts:	191	—	1	76	—	1	2	
Total U.D.s	12	1	—	8	—	2	—	—	Total U.D.s	73	—	—	32	—	—	—	
Total R.D.s	21	—	2	23	2	3	—	1	Total R.D.s	118	—	1	44	—	1	2	
Peterborough,									Worcester:	289	4	—	142	17	3	—	
Soke of:	31	—	—	23	1	—	1	1	Total C.B.s	54	2	—	59	—	—	—	
Urban District	30	—	—	17	1	—	—	1	Dudley C.B.	10	2	—	22	—	—	—	
Total R.D.s	1	—	—	6	—	—	1	—	Worcester C.B.	44	—	—	37	—	—	—	
Rutland:	6	—	2	7	3	—	—	—	Total U.D.s	173	2	—	57	17	3	—	
Urban District	1	—	1	1	—	—	—	—	Total R.D.s	62	—	—	26	—	—	—	
Total R.D.s	5	—	1	6	3	—	—	—									
Salop:	180	1	—	63	2	—	1	1									
Total U.D.s	61	1	—	26	1	—	—	—									
Total R.D.s	119	—	—	37	1	—	1	1									

TABLE VIII.—continued.

	Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	Food poisoning.		Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	Food poisoning.
Yorks, East Riding:	228	1	—	139	5	—	2	2	Carmarthen:	60	—	—	73	41	—	—	—
Kingston upon Hull C.B. —	153	1	—	80	3	—	2	1	Total U.D.s —	41	—	—	48	40	—	—	—
Total U.D.s —	55	—	—	29	2	—	—	1	Total R.D.s —	19	—	—	25	1	—	—	—
Total R.D.s —	20	—	—	30	—	—	—	—	Denbigh:	99	—	—	53	4	—	—	2
Yorks, North Riding:	189	10	—	148	93	2	—	—	Total U.D.s —	37	—	—	28	4	—	—	—
Riddlesbrough C.B. —	46	10	—	51	84	—	—	—	Total R.D.s —	62	—	—	25	—	—	—	2
Total U.D.s —	65	—	—	58	9	—	—	—	Flint:	59	2	—	52	—	1	—	—
Total R.D.s —	78	—	—	39	—	2	—	—	Total U.D.s —	20	1	—	15	—	—	—	—
Yorks, West Riding:	2,246	13	7	1,501	1,275	31	12	37	Total R.D.s —	39	1	—	37	—	1	—	—
Total C.B.s —	1,307	7	3	995	1,152	18	8	25	Glamorgan:	706	14	1	355	146	9	4	10
Barnsley C.B. —	73	3	—	95	32	1	—	6	Total C.B.s —	312	—	—	113	102	5	—	—
Bradford C.B. —	186	—	1	176	127	3	1	—	Cardiff C.B. —	123	—	—	58	102	—	—	—
Bewsbury C.B. —	38	—	1	6	37	—	—	—	Merthyr Tydfil C.B. —	9	—	—	8	—	—	—	—
Doncaster C.B. —	56	—	—	10	4	1	—	—	Swansea C.B. —	180	—	—	47	—	5	—	—
Halifax C.B. —	87	1	1	27	—	1	1	1	Total U.D.s —	329	7	—	189	28	3	1	9
Huddersfield C.B. —	83	2	—	49	2	1	—	—	Total R.D.s —	65	7	1	53	16	1	3	1
Leeds C.B. —	220	1	—	133	367	8	3	5	Merioneth:	7	—	—	2	—	—	—	—
Sheffield C.B. —	72	—	—	29	3	—	—	—	Total U.D.s —	5	—	—	—	—	—	—	—
Wakefield C.B. —	345	—	—	431	566	—	2	—	Total R.D.s —	2	—	—	2	—	—	—	—
York C.B. —	127	—	—	11	1	3	1	13	Monmouth:	387	5	—	144	26	—	1	—
Total U.D.s —	693	6	4	390	105	7	4	7	Newport C.B. —	101	3	—	39	23	—	—	—
Total R.D.s —	246	—	—	116	18	6	—	5	Total U.D.s —	253	2	—	101	3	—	1	—
Anglesey:	32	5	—	16	—	—	—	—	Total R.D.s —	33	—	—	4	—	—	—	—
Total U.D.s —	9	4	—	3	—	—	—	—	Montgomery:	8	—	—	14	—	—	—	—
Total R.D.s —	23	1	—	13	—	—	—	—	Total U.D.s —	2	—	—	4	—	—	—	—
Brecknock:	22	2	—	9	—	1	—	—	Total R.D.s —	6	—	—	10	—	—	—	—
Total U.D.s —	9	2	—	7	—	1	—	—	Pembroke:	18	—	—	9	—	—	—	—
Total R.D.s —	13	—	—	2	—	—	—	—	Total U.D.s —	10	—	—	5	—	—	—	—
Caernarvon:	43	—	—	9	—	1	—	—	Total R.D.s —	8	—	—	4	—	—	—	—
Total U.D.s —	29	—	—	6	—	1	—	—	Radnor:	4	—	—	11	—	—	—	—
Total R.D.s —	14	—	—	3	—	—	—	—	Total U.D.s —	—	—	—	2	—	—	—	—
Cardigan:	5	—	—	1	—	—	—	—	Total R.D.s —	4	—	—	9	—	—	—	—
Total U.D.s —	—	—	—	1	—	—	—	—	Port Health Districts:*	3	—	23	9	3	—	—	—
Total R.D.s —	5	—	—	—	—	—	—	—									

Original notifications of *Meningococcal infection* numbered 536, *Whooping cough* 23,440 and *Measles* 54,226. Corrected notifications were *Meningococcal infection* 360, *Whooping cough* 23,373 and *Measles* 54,182 distributed by counties as follows:—

	Meningo-coccal infection.	Whooping cough.	Measles.		Meningo-coccal infection.	Whooping cough.	Measles.		Meningo-coccal infection.	Whooping cough.	Measles.
Bedford —	1	102	240	Lincs. (Lindsey) —	1	807	476	Wilts —	4	177	35
Berks —	2	80	131	London —	25	954	727	Worcester —	2	418	148
Buckingham —	3	41	70	Middlesex —	24	786	1,370	Yorks (E. Riding) —	2	316	38
Cambridge —	2	51	20	Norfolk —	1	589	5,460	Yorks (N. Riding) —	2	845	1,368
Chester —	12	853	1,039	Northampton —	1	353	721	Yorks (W. Riding) —	—	—	—
Cornwall —	1	223	142	Northumberland —	10	545	1,199	(including York C.B.) —	38	3,294	1,948
Cumberland —	5	148	180	Nottingham —	4	247	64	Anglesey —	—	1	37
Derby —	6	669	266	Oxford —	1	35	443	Brecknock —	—	8	44
Devon —	3	425	187	Peterboro', Soke of —	—	6	452	Caernarvon —	—	7	4
Dorset —	2	111	87	Rutland —	—	5	1	Cardigan —	—	—	—
Durham —	26	799	5,041	Salop —	1	33	211	Carmarthen —	2	2	358
Ely, Isle of —	—	137	521	Somerset —	—	299	134	Denbigh —	—	23	111
Essex —	17	712	1,282	Southampton —	8	598	316	Flint —	—	32	12
Gloucester —	6	697	259	Stafford —	5	943	4,596	Glamorgan —	13	261	1,629
Hereford —	—	1	48	Suffolk, East —	5	40	3,303	Merioneth —	—	1	2
Hertford —	1	226	46	Suffolk, West —	—	72	455	Monmouth —	3	115	115
Huntingdon —	—	9	73	Surrey —	10	370	1,191	Montgomery —	—	—	1
Kent —	8	391	1,737	Sussex, East —	2	200	37	Pembroke —	5	4	5
Lancaster —	46	2,803	9,718	Sussex, West —	—	30	213	Radnor —	—	—	—
Leicester —	7	489	1,870	Warwick —	42	1,793	3,574				
Lincs. (Holland) —	2	11	344	Westmorland —	—	85	63				
Lincs. (Kesteven) —	—	89	15	Wight, Isle of —	1	2	5	Port Health Dists.*	—	—	31

Other diseases notified:—*Ophthalmia neonatorum*: Original 501; Corrected 501. *Acute encephalitis, Infective*: Original 36; Corrected 36. *Acute encephalitis, Post infectious*: Original 19; Corrected 17. *Erysipelas*: Original 2,589; Corrected 2,566. *Puerperal pyrexia*: Original 1,179; Corrected 1,167. No cases of *Cholera*, *Smallpox*, *Plague* or *Typhus fever* were notified.

* Uncorrected figures for 13 weeks ended 1st April, 1950, not included in totals for England and Wales.

TABLE VIII(a).—Corrected Notifications of Certain Infectious Diseases in the Quarter ended 31st March, 1950, analysed by sex and age. } **England and Wales.**

(See General Notes on page 3).

Age Group	Scarlet fever		Whooping cough		Diphtheria		Measles		Acute Poliomyelitis			
									Paralytic		Non-Paralytic	
	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	12,191	12,109	11,002	12,371	164	161	27,441	26,741	163	148	49	
0—	55	58	985	1,007	5	2	1,009	1,154	17	11	—	
1—	1,011	855	2,872	3,274	26	19	6,245	5,938	30	17	4	
3—	2,749	2,509	3,332	3,791	24	16	7,884	7,626	17	14	9	
5—	5,980	6,140	3,563	3,856	47	35	11,235	10,829	35	27	14	
10—	1,332	1,707	160	207	23	28	638	665	13	20	10	
15—	768	510	23	54	13	19	239	235	19	22	7	
25 and over	266	291	47	154	24	38	133	246	32	36	5	
Unknown	30	39	20	28	2	4	58	48	—	1	—	

Age Group	Enteric or Typhoid fever		Paratyphoid fevers		Meningococcal infection		Erysipelas		Dysentery		Acute Encephalitis				Acute pneumonia		Food poisoning
											Infective		Post-infectious				
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	
All Ages	25	33	19	21	206	154	1,131	1,435	1,801	1,987	21	15	14	3	7,368	6,249	230
0—	4	3	6	9	116	80	13	15	1,043	880	5	3	3	1	1,929	1,584	42
5—	4	7	4	3	41	36	46	45	416	374	6	3	8	—	1,002	846	42
15—	14	14	6	3	36	24	353	435	214	470	6	5	3	2	1,586	1,341	85
45—	3	5	2	5	9	12	489	618	71	153	3	3	—	—	1,781	1,227	38
65 & over	—	3	1	1	3	2	217	303	41	88	—	—	—	—	1,017	1,186	14
Unknown	—	1	—	—	1	—	13	19	16	22	1	1	—	—	53	65	9

TABLE IX.—Infant Mortality: Rates by Quarters and each completed Year, 1947-50. } **England and Wales and various other countries.**

(Deaths under 1 year per 1,000 live births).

COUNTRY	1947	1948	1949	1947			1948				1949				1950
				June	Sept.	Dec.	Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.	
England and Wales	41	34	32	40	32	38	41	31	28	35	40	30	26	32	31
Scotland — — —	56	45		53	50	57	51	43	40	44	50	36	35	44	41
Northern Ireland—	53	46		52	42	59	53	44	41	44	55	38	43	46	41
Australia — — —	29	28		27	32	28	25	29	31	27	26				
Belgium — — —	60	50	52	56	54	64	64	40	39	77	63	40	42	58	61
Canada — — —	45	43		44	40	46	56	43	35	40					
Chile — — —	161	160		133	145	182	196	145	138	162					
Denmark — — —	40	35		41	29	37	44	34	29	33	40	37			
† France — — —	67	51	61	60	63	61	57	52	45	51	71	62	57	55	61
Irish Republic —	68	49		65	47	64	63	46	38	48	55	50	44	58	61
Italy — — —	82	70	74	71	80	70	66	70	73	73	81	65	78	61	61
Netherlands — —	33	29	27	32	26	34	34	28	26	27	32	26	22	26	30
New Zealand — —	25	22		22	30	25	22	18	25	23	21	25	26	24	21
Sweden — — —	25	23	23	25	24	27	21	23	22	21	18	21	20	23	21
U.S.A. — — —	32	32	31	32	30	33	35	33	29	32	34	31	30	30	31

* Rate per 1,000 related live births.

† Rates for years prior to 1949 exclude live born infants who died before registration.

TABLE X.—Deaths from Certain Causes, by Quarters 1947-1949. England and Wales.

For corresponding figures for 1944-46 see Return for March Quarter 1947.

(See General Notes on page 3).

Sex	Quarter.	1947.	1948.	1949.	1947.	1948.	1949.	1947.	1948.	1949.	1947.	1948.	1949.	1947.	1948.	1949.
M.		1-2. Typhoid and Paratyphoid fevers.			6. Cerebro-spinal (meningococcal) meningitis.			8. Scarlet fever.			9. Whooping cough.			10. Diphtheria.		
	Mar. ...	2	5	2	110	43	60	5	8	5	165	92	96	36	36	19
	June ...	6	3	3	87	40	38	3	2	2	121	110	79	30	17	10
	Sept. ...	10	5	5	41	37	18	2	2	—	67	76	46	21	11	6
	Dec. ...	6	9	5	60	44	37	7	4	3	33	58	19	39	15	10
F.	Mar. ...	2	8	3	93	48	40	9	7	3	196	126	121	44	25	10
	June ...	1	8	4	65	37	32	5	2	2	161	116	86	19	17	14
	Sept. ...	6	2	5	38	21	26	6	5	3	100	98	54	27	24	10
	Dec. ...	1	7	5	40	30	35	5	7	2	62	72	27	28	11	6
	M.		11. Erysipelas.			12. Tetanus.			13. Tuberculosis, Respiratory.			14. Tuberculosis, Meninges & C.N.S.			15-22. Tuberculosis, remainder.	
Mar. ...		15	11	8	9	12	14	3,594	3,183	3,240	224	186	162	263	231	228
June ...		4	7	5	10	10	17	2,917	2,874	2,670	261	222	152	268	249	174
Sept. ...		3	4	7	16	21	16	2,504	2,487	2,143	180	120	143	212	163	150
Dec. ...		5	5	7	16	5	14	3,043	3,047	2,645	152	128	113	221	201	165
F.	Mar. ...	11	8	8	3	3	4	2,295	2,023	2,015	230	185	135	237	197	165
	June ...	9	4	8	6	5	7	1,956	1,782	1,637	237	214	148	234	206	119
	Sept. ...	7	8	2	10	4	6	1,784	1,684	1,467	163	146	136	210	162	127
	Dec. ...	7	4	8	3	9	3	2,063	2,008	1,607	119	120	116	183	165	125
	M.		27. Dysentery.			30 db, dc, dd. Syphilis (excluding tabes, G.P.I. aneurysm, congenital).			33. Influenza.			35. Measles.			36. Acute poliomyelitis and polioencephalitis.	
Mar. ...		12	17	8	119	128	114	1,286	281	1,776	184	51	88	12	39	15
June ...		15	10	4	104	112	107	163	93	592	98	54	53	26	20	17
Sept. ...		10	6	5	112	98	82	47	71	55	40	16	6	266	33	146
Dec. ...		14	2	8	84	92	109	211	231	251	16	42	5	122	50	185
F.	Mar. ...	10	10	2	64	51	43	1,244	271	2,075	167	44	74	12	30	11
	June ...	4	3	5	40	48	42	152	77	673	95	62	56	15	8	15
	Sept. ...	8	7	4	35	41	38	37	31	40	25	23	16	175	27	117
	Dec. ...	8	7	4	42	46	32	170	185	200	19	35	10	79	34	149
	M.		45-55. Cancer (all sites).			58. Rheumatic fever.			61. Diabetes.			63b. Exophthalmic goitre.			67-71. Vitamin deficiency diseases.	
Mar. ...		9,748	9,886	10,237	49	64	55	412	310	347	17	18	22	7	1	4
June ...		9,440	9,961	9,928	67	61	36	293	238	235	21	21	24	5	2	4
Sept. ...		9,735	9,923	10,211	34	39	29	198	225	215	19	10	16	3	4	—
Dec. ...		10,020	10,360	10,458	44	42	25	267	277	305	18	16	17	1	2	3
F.	Mar. ...	9,748	9,800	9,926	51	61	57	813	597	662	180	170	153	4	6	2
	June ...	9,516	9,729	9,655	58	71	56	538	540	548	171	132	107	7	5	3
	Sept. ...	9,740	9,945	10,149	36	57	39	466	468	507	128	110	110	3	6	5
	Dec. ...	9,903	9,933	10,149	61	51	39	547	600	626	137	138	133	4	3	3
	M.		73. Pernicious anemia.			74. Leukaemia.			83. Intracranial vascular lesions.			89. Diseases of ear and mastoid.			106. Bronchitis.	
Mar. ...		180	131	125	186	194	231	9,008	6,475	7,189	158	109	109	9,860	5,914	8,692
June ...		129	91	101	187	211	176	5,518	5,293	6,061	124	93	77	3,264	3,094	3,484
Sept. ...		99	95	75	170	179	211	4,576	4,916	5,167	101	78	60	1,704	2,147	1,707
Dec. ...		120	120	114	188	189	248	5,639	5,866	6,413	107	68	74	4,355	4,675	4,566
F.	Mar. ...	324	204	227	161	135	181	11,597	8,542	9,910	98	73	75	7,057	3,427	6,175
	June ...	202	197	196	164	159	195	7,687	7,281	8,353	86	70	39	2,021	1,601	2,076
	Sept. ...	190	181	173	162	178	202	6,317	7,074	7,171	50	45	33	807	1,038	873
	Dec. ...	238	189	199	172	176	181	7,906	8,451	9,005	74	63	33	2,406	3,017	2,862
	M.		107-109. Pneumonia.			117. Ulcer of stomach and duodenum.			121. Appendicitis.			130-132. Nephritis.			137. Diseases of prostate.	
Mar. ...		5,827	3,494	4,644	1,169	1,009	1,112	226	205	180	2,163	1,636	1,703	1,653	1,301	1,412
June ...		2,430	2,022	2,243	910	864	905	228	172	185	1,564	1,417	1,420	1,166	1,138	1,173
Sept. ...		1,412	1,492	1,378	713	821	767	202	182	209	1,266	1,260	1,146	1,070	1,134	1,178
Dec. ...		2,754	2,719	2,639	996	1,002	1,034	222	177	175	1,490	1,407	1,393	1,245	1,298	1,301
F.	Mar. ...	4,930	2,746	4,412	389	297	334	154	120	131	2,150	1,555	1,641			
	June ...	1,946	1,601	1,902	267	233	260	152	139	108	1,461	1,324	1,383			
	Sept. ...	1,152	1,156	1,177	219	239	232	187	135	142	1,189	1,161	1,136			
	Dec. ...	2,244	2,399	2,402	227	300	291	143	142	127	1,408	1,352	1,362			
	M.		142-150. Dis. of pregnancy and childbirth (excl. abortion).			163 and 164. Suicide.			170. Motor vehicle accidents.			158, 161. Other dis. of infancy (except malformation) (both sexes).			159. Premature birth (both sexes).	
Mar. ...					643	736	776	593	613	692	1,627	1,038	912	2,709	1,751	1,578
June ...					797	840	834	725	533	727	1,218	925	924	2,167	1,661	1,443
Sept. ...					747	746	764	832	723	729	926	754	810	1,751	1,535	1,255
Dec. ...					638	711	680	885	796	816	940	816	874	1,806	1,565	1,293
F.		142-150. Dis. of pregnancy and childbirth (excl. abortion).			163 and 164. Suicide.			170. Motor vehicle accidents.			158, 161. Other dis. of infancy (except malformation) (both sexes).			159. Premature birth (both sexes).		
	Mar. ...	263	179	157	372	411	413	221	244	233				160. Injury at birth (both sexes).		
	June ...	240	178	153	484	461	500	235	200	188				705	533	490
	Sept. ...	235	172	184	428	449	402	258	226	224				651	531	509
	Dec. ...	180	157	121	397	437	381	322	301	283				574	486	435
														493	470	469

METEOROLOGY *—ENGLAND AND WALES

FIRST QUARTER, 1950.

January

The weather of January was dry and dull; the first half of the month was very mild but a really cold spell occurred in the second half. Winds from between south and west predominated during the first half of the month but during the last fortnight winds from some easterly quarter were frequent. The month was quieter than usual, the total run of the wind being considerably below the average.

Mean temperature for the month was not very different from the average, the deviations for the districts ranging from 0.0°F. in the west to $+0.9^{\circ}\text{F.}$ in the north-east. The first half of the month was unusually mild and the remainder cold, particularly the week ending on the 28th. At some inland stations in the southern half of the country temperature remained at 32°F. or below on the three consecutive days 24th-26th. The extremes for the month were 61°F. at Aber on the 9th and 12°F. at Cantref on the 26th.

The general precipitation expressed as a percentage of the average for the period 1881-1915 was 54. More than the average occurred on the Essex coast and at a few isolated places in Lancashire and Cumberland, while less than 25 per cent. of the average was received in an area extending from west Dorset to mid Warwickshire and south Worcestershire. At Ross-on-Wye it was the driest January since 1898 and at Southport since 1911. Among the heavier falls in 24 hours were 1.60 in. at Dunsop Houses (Yorkshire) on the 1st and 1.71 in. at Bolton Water Works and 1.54 in. at Buxton on the 2nd. On the 30th and 31st considerable snowfall occurred roughly north of a line from mid Wales to Norfolk. Snow was 9 in. deep at Forrest-in-Teesdale and 6 in. deep at Ambleside and Chopwellwood on the 30th and 8 in. at Huddersfield (Oakes) and 6 in. at Bellingham, Harrogate and Bingley on the 31st.

The duration of bright sunshine was much below the average, particularly in eastern districts and the Midlands.

February

The weather of February was unsettled and excessively wet. Gales occurred frequently in some areas, particularly at exposed stations in the south-west. It was mild, especially in the southern half of the country.

Mean temperature exceeded the 1906-35 average by 2.3°F. , the deviations for the districts ranging from $+0.8^{\circ}\text{F.}$ in the north to $+3.4^{\circ}\text{F.}$ in the south-east. The warmest period occurred generally from about the 15th-18th. Low minimum temperatures occurred on the 1st and 26th-28th and day temperatures were low also on the 25th or 26th-28th. The extremes for the month were 63°F. in London (Kensington and Regents Park), Wealdstone and Pinner on the 17th and 12°F. at Bellingham (Northumberland) on the 1st.

The general precipitation expressed as a percentage of the 1881-1915 average was 220. Apart from the record wet February of 1923, it was the wettest in a record going back to 1869, although February 1937 was almost as wet. The frequent heavy rains during the first half of the month caused considerable flooding in some areas. Among the heavier falls in 24 hours were 2.43 in. at Treherbert (Glamorgan) and 2.35 in. at Ashburton (Devon) on the 1st, 2.29 in. at Borrowdale (Cumberland) and 2.18 in. at Cricket St. Thomas (Somerset) on the 2nd and 2.70 in. at Lake Vyrnwy (Montgomery) and 2.60 in. at Snowdon on the 9th.

The duration of bright sunshine was 103 per cent. of the average for the period 1906-35, but in Wales and south-west England it was mainly dull. The mean daily duration in hours varied from less than 1.5 over an inland area in south Wales to more than 3 in most of a coastal belt in north-east England and at most places on the south-east coast from Cromer round to the Isle of Wight.

March

The weather of the month was mainly mild and dry. Mean temperature exceeded the average by 3.7°F. It was cold on the 1st and rather cold from about the 10th-14th, while the periods 5th-8th and about the 15th-26th were mainly warm. The extremes for the month included 67°F. at Leeming on the 5th, Redcar on the 6th and Wisley on the 8th and 15°F. at Thetford (Norfolk) on the 1st.

The general precipitation expressed as a percentage of the average for the period 1881-1915 was 60. The deficiency was practically general, though more than the average occurred on the Cumberland coast and at Princetown, S. Devon. On the other hand less than 25 per cent. of the average was registered on the coast of Lincolnshire and over part of East Anglia. Thunderstorms occurred locally on the 15th and from the 17th to 22nd. Snow or sleet showers were recorded locally from the 11th-14th.

Sunshine exceeded the average on the whole, the percentage of the average for the period 1906-35 being 109. The distribution was however, variable, sunshine being somewhat below the average in the East Riding of Yorkshire, on the coast of East Anglia, in Cornwall and locally in the north-west.

METEOROLOGY—continued.

Values of Air Temperature, Rainfall and Sunshine for the First Quarter, 1950, expressed as differences from or percentages of the Average Values.

Districts of
England and Wales.

District.	Air Temperature.			Rainfall.		Sunshine.	Average Values 1881-1915.			
	Highest.	Lowest.	Difference from Average Daily Mean.	Percentage of Average.	Number of Days Difference from Average.	Percentage of Average.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
JANUARY, 1950.							JANUARY, 1881-1915.			
	°F.	°F.	°F.	%		%	°F.	mm.		hr.
England, N.E. - - -	58	16	+ 0.9	73	— 6	56	38.2	46	16	1.39
England, E. - - -	56	17	+ 0.2	69	— 6	69	37.9	46	17	1.70
Midland Counties - - -	58	16	+ 0.2	41	— 7	62	37.9	54	16	1.42
England, S.E. - - -	57	15	+ 0.3	40	— 8	77	39.4	56	16	1.68
England, N.W. - - -	61	16	0.0	63	— 6	83	39.4	77	18	1.32
England, S.W. - - -	59	12	0.0	35	— 7	81	41.0	91	19	1.67
Mean - - -	—	—	+ 0.3	53	— 7	71	39.0	62	17	1.53
FEBRUARY, 1950.							FEBRUARY, 1881-1915.			
England, N.E. - - -	59	12	+ 0.8	216	+ 1	132	38.8	39	15	2.53
England, E. - - -	61	17	+ 3.3	209	+ 4	104	38.8	39	15	2.66
Midland Counties - - -	60	15	+ 2.4	269	+ 3	97	38.8	47	15	2.34
England, S.E. - - -	63	18	+ 3.4	212	+ 3	105	40.1	52	15	2.64
England, N.W. - - -	61	18	+ 0.8	182	+ 1	105	39.8	64	17	2.34
England, S.W. - - -	61	21	+ 2.9	251	+ 3	72	41.1	77	17	2.63
Mean - - -	—	—	+ 2.3	223	+ 3	103	39.6	53	16	2.52
MARCH, 1950.							MARCH, 1881-1915.			
England, N.E. - - -	67	21	+ 3.9	47	— 5	119	40.7	47	17	3.87
England, E. - - -	64	15	+ 3.4	32	— 6	99	41.1	43	17	3.87
Midland Counties - - -	67	20	+ 3.7	62	— 3	111	41.0	48	15	3.47
England, S.E. - - -	67	17	+ 3.8	46	— 5	117	42.1	52	15	3.94
England, N.W. - - -	64	25	+ 3.3	71	— 3	104	41.3	65	17	3.56
England, S.W. - - -	66	24	+ 4.1	67	— 5	103	42.6	76	17	3.96
Mean - - -	—	—	+ 3.7	54	— 5	109	41.5	55	16	3.78
FIRST QUARTER, 1950.							FIRST QUARTER, 1881-1915.			
England, N.E. - - -	67	12	+ 1.9	112	— 3	102	39.2	132	48	2.60
England, E. - - -	64	15	+ 2.3	103	— 3	91	39.3	128	49	2.74
Midland Counties - - -	67	15	+ 2.1	124	— 2	90	39.2	149	46	2.41
England, S.E. - - -	67	15	+ 2.5	99	— 3	100	40.5	160	46	2.75
England, N.W. - - -	64	16	+ 1.4	105	— 3	97	40.2	206	52	2.41
England, S.W. - - -	66	12	+ 2.3	118	— 3	85	41.6	244	53	2.75
Mean - - -	—	—	+ 2.1	110	— 3	94	40.0	170	49	2.61

SURVEY OF SICKNESS IN DECEMBER QUARTER, 1949

RECORD OF ILLNESS, INJURIES, INCAPACITY AND MEDICAL CONSULTATIONS EXPERIENCED BY REPRESENTATIVE POPULATION SAMPLES IN ENGLAND AND WALES.

The Social Survey has, during 1944-48, interviewed a sample of approximately 3,000 persons aged 16 and over at the beginning of each month. From the beginning of 1949 the number was increased to 4,000. The sample is distributed over the whole of England and Wales in different localities each month so selected as to secure proper representation of each class of area; within each locality the persons to be interviewed are chosen by a random process from the registers of the local National Registration Office. In the course of interviews conducted by Social Survey workers at the homes of the persons selected, information is asked for about the illnesses, ailments and days of incapacity experienced during the three months preceding interview and as to medical consultations and social factors. Participation in the survey is entirely voluntary but refusals are so exceptional as to have no appreciable effect on the validity of the data. Coding of the diseases, symptoms and injuries described, according to the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948*, and the statistical analysis is carried out by the General Register Office.

Table A summarizes sickness experiences and Tables B, C, D show the numbers of illnesses, days of incapacity and medical consultations during the months of October, November and †December, 1949. Tables E, F, G show the numbers of persons affected by the experiences, with sex and age distinction, and Table H analyses them by occupation and economic group.

TABLE A.—Summary of sickness experiences during the months stated, based on interviews in the two following months.

	October				November				†December			
	16-64		65 +		16-64		65 +		16-64		65 +	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
No. of persons whose experience was recorded for the month stated — —	3,036	3,702	447	652	3,081	3,666	449	662	1,543	1,836	222	331
No. of persons reporting some illness or injury — — — — —	1,834	2,706	340	561	1,971	2,682	345	573	1,038	1,390	167	222
Rate per hundred persons interviewed —	60	73	76	86	64	73	77	87	63	72	73	81
No. of illnesses and injuries — — —	3,366	5,759	738	1,408	3,617	5,971	785	1,481	1,911	3,175	406	761
Rate per hundred persons interviewed —	111	156	165	216	117	163	175	224	115	164	168	222
No. of days of incapacity — — — —	2,666	3,568	817	1,513	3,106	3,804	1,062	2,189	1,564	1,820	613	1,111
Rate per hundred persons interviewed —	88	96	183	232	101	104	237	331	98	93	256	331
No. of medical consultations — — —	1,205	1,649	266	387	1,114	1,665	306	508	584	810	170	181
Rate per hundred persons interviewed —	40	45	60	59	36	45	68	77	37	42	70	76

TABLE B.—Distribution of Illnesses and Injuries reported as affecting persons aged 16-64, 65 and over, in each month, by severity.

Month of interview	Month of experience	Class	Ages 16-64					Ages 65 and over				
			Serious	Mod-erate, Mild	Minor	Ill-defined	Total	Serious	Mod-erate, Mild	Minor	Ill-defined	Total
November	October	Illness New —	8	144	1,048	134	1,334	1	20	114	17	152
		Recurrent —	12	45	695	373	1,125	16	5	124	40	185
		Continued —	66	108	1,574	661	2,409	84	31	519	123	757
		Injury — —	6	15	70	—	91	2	4	15	—	21
December	October	Illness New —	12	82	476	64	634	4	6	43	10	63
		Recurrent —	13	33	663	408	1,117	19	6	124	59	208
		Continued —	106	72	1,596	582	2,356	139	17	479	111	744
		Injury — —	4	13	42	—	59	2	3	9	—	14
December	November	Illness New —	17	149	1,142	123	1,431	6	26	115	20	167
		Recurrent —	14	34	685	411	1,144	20	9	123	64	216
		Continued —	112	122	1,680	619	2,533	143	38	477	110	768
		Injury — —	3	22	82	—	107	3	3	12	—	18
January	November	Illness New —	15	101	571	78	765	4	21	63	12	100
		Recurrent —	18	22	683	413	1,136	28	8	115	59	210
		Continued —	96	90	1,618	614	2,418	136	29	463	146	774
		Injury — —	3	12	38	1	54	4	2	7	—	13
January	December	Illness New —	11	148	950	153	1,262	9	14	116	19	158
		Recurrent —	16	28	713	427	1,184	26	8	115	58	207
		Continued —	98	131	1,694	641	2,564	141	40	476	155	812
		Injury — —	6	15	54	1	76	4	—	14	—	18
† February	December	Illness New —										
		Recurrent —										
		Continued —										
		Injury — —										

* See page 27.

† Figures for December are based on one month's interviews only (see Special Notes on page 4), but for comparison with previous months the rates (but not the numbers) have been corrected to allow for results expected from two months' interviews.

‡ No interviews were held in February—See Special Notes on page 4.

TABLE C(2).—Distribution of Illnesses and Injuries of Different Kinds according to Days of Incapacity at ages 16 and over.

Nature of Illness or Injury	Number of Illnesses and Injuries causing incapacity of the specified number of days during the month of experience															Total days of incapacity in month
	0	1	2	3	4	5	6	7	8	9	10	11-	18-	25 or over	Total	
October (November and December interviews)																
1. Tuberculosis of lungs - -	18	—	1	—	—	—	—	—	—	—	1	2	—	4	26	161
2. Psychoneuroses, mental disorders - - -	47	—	—	—	1	—	—	2	—	—	1	—	2	2	55	131
3. Eye affections - - -	539	—	1	1	—	1	3	3	—	—	1	2	1	—	552	109
4. Ear and mastoid - - -	330	—	—	—	1	1	—	—	2	1	—	1	—	—	336	50
5. Rheumatism (1) - - -	1,319	4	5	4	1	2	2	7	1	1	2	20	3	14	1,385	913
6. Heart and arteries - - -	239	—	1	1	2	—	3	3	2	2	2	7	2	2	266	315
7. Affections of veins - - -	246	—	5	1	1	2	1	2	—	—	3	1	1	6	269	294
8. Colds, influenza - - -	1,273	34	53	24	18	6	4	30	4	—	7	16	3	5	1,477	1,075
9. Sore throat (2) - - -	46	1	2	2	2	4	1	8	—	—	—	3	—	1	70	172
10. Other respiratory - - -	724	2	4	4	4	5	—	13	1	1	7	21	6	11	803	993
11. Dental disorders - - -	468	4	4	—	—	1	2	—	—	—	—	—	2	—	481	68
12. Ulcer of stomach and duodenum - - -	72	2	—	—	1	1	1	1	—	—	1	1	—	2	82	110
13. Other stomach - - -	683	7	2	3	1	—	2	2	—	—	—	5	—	4	709	231
14. Other digestive (3) - - -	447	—	3	2	1	1	4	4	1	—	5	3	1	3	475	290
15. Diseases of skin (4) - - -	294	2	1	1	—	1	—	6	—	1	—	6	3	6	321	398
16. Other defined illness - - -	816	10	15	5	6	1	3	18	1	1	6	23	8	18	931	1,331
17. Ill-defined symptoms - - -	2,692	26	20	15	12	5	5	15	3	1	9	29	3	13	2,848	1,303
18. Injuries - - -	139	1	3	2	4	2	1	6	1	1	2	10	5	8	185	620
Total - - -	10,392	93	120	65	55	33	32	120	16	9	47	150	40	99	11,271	8,564
November (December and January interviews)																
1. Tuberculosis of lungs - -	17	—	—	—	—	—	—	—	1	—	1	1	—	5	25	177
2. Psychoneuroses, mental disorders - - -	64	—	—	—	—	1	—	—	—	—	—	6	—	1	72	123
3. Eye affections - - -	498	—	—	—	3	2	5	—	1	—	1	1	1	—	512	106
4. Ear and mastoid - - -	327	—	—	1	—	4	1	1	—	—	1	2	—	1	338	103
5. Rheumatism (1) - - -	1,351	2	4	2	3	6	4	7	2	1	9	13	6	18	1,428	1,081
6. Heart and arteries - - -	230	1	2	—	3	3	4	4	1	1	5	2	1	5	262	342
7. Affections of veins - - -	275	2	1	1	2	—	1	2	—	—	5	5	1	5	300	324
8. Colds, influenza - - -	1,525	45	49	32	24	9	3	38	4	3	2	24	7	4	1,769	1,346
9. Sore throat (2) - - -	48	2	6	3	2	1	2	10	—	—	1	6	—	—	81	213
10. Other respiratory - - -	791	6	8	2	6	7	3	16	2	1	10	25	11	15	903	1,357
11. Dental disorders - - -	436	3	5	1	1	2	2	4	1	—	—	1	—	—	456	92
12. Ulcer of stomach and duodenum - - -	81	—	2	—	1	1	—	—	—	—	1	—	—	4	90	143
13. Other stomach - - -	671	3	5	7	3	—	5	5	1	—	2	5	1	3	711	319
14. Other digestive (3) - - -	447	—	3	1	3	2	4	5	—	—	5	7	—	3	480	322
15. Diseases of skin (4) - - -	283	4	4	—	4	3	3	4	1	—	2	7	1	4	320	359
16. Other defined illness - - -	825	11	12	5	9	8	2	12	4	4	12	26	18	16	964	1,619
17. Ill-defined symptoms - - -	2,790	15	17	14	12	9	10	13	4	—	21	26	2	18	2,951	1,524
18. Injuries - - -	137	2	5	7	3	2	1	13	1	1	1	7	3	9	192	611
Total - - -	10,796	96	123	76	79	60	50	134	23	11	79	164	52	111	11,854	10,161
(5) December (January interviews)																
1. Tuberculosis of lungs - -	6	—	—	—	—	—	—	—	—	—	—	1	1	2	10	92
2. Psychoneuroses, mental disorders - - -	32	1	1	—	—	—	—	1	—	—	—	3	—	1	39	86
3. Eye affections - - -	250	—	—	—	2	3	1	1	—	—	—	—	—	—	257	36
4. Ear and mastoid - - -	167	—	—	—	2	—	1	—	—	—	—	3	—	—	173	55
5. Rheumatism (1) - - -	682	3	2	2	2	4	3	5	2	1	4	6	2	8	726	529
6. Heart and arteries - - -	117	—	—	—	2	2	2	3	1	—	2	2	1	2	134	186
7. Affections of veins - - -	146	1	—	—	2	—	—	1	1	1	1	—	1	1	155	95
8. Colds, influenza - - -	891	24	20	17	9	7	2	22	4	3	7	11	2	2	1,021	732
9. Sore throat (2) - - -	43	—	2	2	1	—	—	3	2	—	1	3	—	—	57	103
10. Other respiratory - - -	393	1	—	4	2	3	2	7	1	1	1	19	1	7	442	628
11. Dental disorders - - -	226	—	1	—	—	2	1	2	—	—	—	—	—	—	232	32
12. Ulcer of stomach and duodenum - - -	37	—	1	2	1	—	—	1	1	—	—	1	1	3	48	152
13. Other stomach - - -	357	5	4	2	2	2	1	3	2	1	3	3	—	—	385	163
14. Other digestive (3) - - -	237	—	2	—	3	—	2	—	—	—	2	1	—	1	248	95
15. Diseases of skin (4) - - -	139	3	1	1	2	2	1	2	1	1	—	2	1	—	156	110
16. Other defined illness - - -	433	8	9	3	10	5	3	5	2	1	6	13	8	7	513	787
17. Ill-defined symptoms - - -	1,498	13	7	8	10	3	2	10	2	—	11	12	3	12	1,591	912
18. Injuries - - -	70	1	3	2	1	3	—	—	—	—	1	2	3	8	94	373
Total - - -	5,724	60	53	43	51	36	21	66	19	9	39	82	24	54	6,281	5,166

(1), (2), (3), (4)—see page 27.

(5) Based on one month's interviews only. See Special Notes on page 4.

Note:—When several illnesses and injuries occur concurrently sometimes only the total number of days incapacity caused by them jointly can be recorded. In such cases the whole of the incapacity is allocated to or divided between the most severe of the concurrent illnesses and injuries.

TABLE C(3).—Aggregate Numbers of Days of Incapacity and of all Illnesses and Injuries, by Sex, Age and Kind.

Nature of Illness or Injury	Number of Illnesses and Injuries								Total days lost in month							
	Ages 16-64				Ages 65 and over				Ages 16-64				Ages 65 and over			
	New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
October (November and December interviews)																
1. Tuberculosis of lungs -	1	—	12	10	—	1	—	2	31	—	73	57	—	—	—	—
2. Psychoneuroses, mental disorders -	6	8	15	21	—	1	2	2	31	14	27	59	—	—	—	—
3. Eye affections -	21	50	149	183	5	13	40	91	16	14	2	35	—	—	5	37
4. Ear and mastoid -	22	23	77	94	3	2	55	60	—	12	—	14	—	—	—	24
5. Rheumatism (1) -	159	275	146	413	39	50	82	221	109	125	107	146	14	21	141	250
6. Heart and arteries -	8	28	36	90	1	13	32	58	10	50	24	133	—	10	31	57
7. Affections of veins -	11	14	40	140	4	3	18	39	—	57	24	98	3	6	53	53
8. Colds, influenza -	564	692	33	43	43	89	8	5	290	527	—	71	21	137	22	7
9. Sore throat (2) -	24	35	3	6	—	2	—	—	31	131	5	3	—	2	—	—
10. Other respiratory -	94	115	227	206	27	22	56	56	246	184	102	136	68	54	50	153
11. Dental disorders -	73	123	111	155	2	1	5	11	6	1	20	23	—	—	5	13
12. Ulcer of stomach and duodenum -	12	2	49	10	—	—	4	5	—	—	75	—	—	—	35	—
13. Other stomach -	139	179	105	135	36	39	21	55	49	24	21	68	14	—	12	43
14. Other digestive (3) -	16	72	61	235	8	6	14	63	13	15	69	140	—	—	—	53
15. Diseases of skin (4) -	48	52	85	84	6	3	17	26	86	62	120	41	7	—	36	46
16. Other defined illness -	67	216	124	325	12	24	57	106	77	302	215	352	21	27	133	204
17. Ill-defined symptoms -	344	717	378	964	52	101	78	214	135	218	240	377	77	58	28	170
18. Injuries -	63	19	43	25	5	8	6	16	254	44	158	35	17	19	24	69
Total -	1,672	2,620	1,694	3,139	243	378	495	1,030	1,384	1,780	1,282	1,788	242	334	575	1,179
November (December and January interviews)																
1. Tuberculosis of lungs -	—	—	14	10	—	—	—	1	—	—	147	30	—	—	—	—
2. Psychoneuroses, mental disorders -	6	13	17	25	—	1	3	7	30	—	44	34	—	—	—	15
3. Eye affections -	23	45	133	167	4	11	42	87	21	4	—	9	—	12	17	43
4. Ear and mastoid -	19	21	93	94	1	5	45	60	—	21	28	18	—	—	—	36
5. Rheumatism (1) -	155	285	152	435	30	63	75	233	82	84	155	232	13	20	115	380
6. Heart and arteries -	7	30	42	87	3	9	31	53	—	17	46	109	8	13	27	122
7. Affections of veins -	16	23	50	148	3	2	20	38	11	7	25	183	2	6	40	50
8. Colds, influenza -	696	785	56	58	63	100	4	7	453	614	46	80	25	128	—	—
9. Sore throat (2) -	23	37	5	8	5	2	1	—	59	101	—	31	16	6	—	—
10. Other respiratory -	100	133	254	229	38	42	61	46	166	190	321	161	152	179	77	111
11. Dental disorders -	76	110	103	147	2	2	8	8	23	15	13	9	—	—	13	19
12. Ulcer of stomach and duodenum -	8	2	64	7	—	—	3	6	30	—	79	—	—	—	30	4
13. Other stomach -	148	176	107	139	33	39	19	50	67	20	31	101	29	7	16	48
14. Other digestive (3) -	22	59	64	242	7	13	11	62	—	24	30	166	—	21	9	72
15. Diseases of skin (4) -	51	51	87	81	5	3	12	30	93	41	76	16	—	—	73	60
16. Other defined illness -	56	204	138	362	11	18	74	101	124	217	251	631	7	21	168	200
17. Ill-defined symptoms -	357	739	373	960	51	127	105	239	135	126	202	421	23	98	123	396
18. Injuries -	60	39	42	20	4	5	11	11	219	77	99	15	14	32	65	90
Total -	1,823	2,752	1,794	3,219	260	442	525	1,039	1,513	1,558	1,593	2,246	289	543	773	1,646
(5) December (January interviews)																
1. Tuberculosis of lungs -	—	—	6	4	—	—	—	—	—	—	92	—	—	—	—	—
2. Psychoneuroses, mental disorders -	2	7	9	15	—	—	1	5	1	—	61	9	—	—	—	15
3. Eye affections -	15	21	48	93	2	4	23	51	7	4	—	10	—	6	9	—
4. Ear and mastoid -	16	12	44	46	4	3	20	28	4	14	4	—	16	—	—	17
5. Rheumatism (1) -	83	140	67	227	16	38	43	112	16	39	18	168	29	41	31	187
6. Heart and arteries -	2	17	24	45	3	3	15	25	7	21	42	23	10	6	30	47
7. Affections of veins -	6	16	29	77	—	1	12	14	—	21	14	48	—	—	12	—
8. Colds, influenza -	371	444	37	51	32	74	5	7	178	314	53	29	24	103	17	14
9. Sore throat (2) -	17	26	4	6	2	1	1	—	32	50	—	14	7	—	—	—
10. Other respiratory -	41	61	137	122	5	17	33	26	23	88	194	44	21	89	81	88
11. Dental disorders -	44	63	41	71	4	1	3	5	—	14	7	—	—	—	5	6
12. Ulcer of stomach and duodenum -	3	—	37	3	—	—	1	4	31	—	60	2	—	—	28	31
13. Other stomach -	89	104	56	67	9	25	12	23	44	36	53	2	12	10	—	6
14. Other digestive (3) -	15	28	37	114	3	12	6	33	2	—	—	63	—	10	4	16
15. Diseases of skin (4) -	25	21	45	43	1	3	5	13	21	18	6	18	—	21	8	18
16. Other defined illness -	33	110	74	198	5	8	38	47	52	123	64	348	—	19	93	88
17. Ill-defined symptoms -	199	415	203	484	25	64	68	133	44	156	167	105	41	80	99	220
18. Injuries -	32	14	20	10	1	6	8	3	168	8	99	31	—	—	36	31
Total -	993	1,499	918	1,676	112	260	294	529	630	906	934	914	160	385	453	784

(2), (3), (4) See page 27. (5). Based on one month's interviews only. See Special Notes on page 4.
See note under Table C(2).

TABLE D(2).—Distribution of Illnesses and Injuries of Different Kinds according to the Number of Medical Consultations.

Nature of Illness or Injury	Number of illnesses and injuries causing consultations of the specified number during the month								Total Consultations in the Month							
	Ages 16 and over							Total illness and injury	Ages 16-64				Ages 65 and over			
	0	1	2	3	4	5 or more A†	B†		New and Re-current	Con- tinued	New and Re-current	Con- tinued				
													M.	F.	M.	F.
October (November and December interviews)																
1. Tuberculosis of lungs -	11	4	3	1	3	4	31	26	4	—	45	7	—	—	—	—
2. Psychoneuroses, mental disorders -	39	7	—	6	2	1	6	55	7	4	7	19	—	—	1	1
3. Eye affections -	510	24	12	3	1	2	16	552	13	11	10	30	2	1	4	6
4. Ear and mastoid -	307	17	6	3	1	2	15	336	11	9	11	8	10	—	—	8
5. Rheumatism (1) -	1,229	78	36	9	13	20	164	1,385	52	40	38	145	8	9	48	53
6. Heart and arteries -	185	44	21	4	5	7	45	266	3	25	18	67	—	5	21	24
7. Affections of veins -	229	20	7	4	6	3	47	269	3	19	6	65	2	—	8	14
8. Colds, influenza -	1,330	82	39	12	6	8	59	1,477	116	116	—	15	8	16	7	1
9. Sore throat (2) -	47	7	4	10	1	1	5	70	13	35	3	3	—	—	—	—
10. Other respiratory -	690	55	28	9	13	8	73	803	71	61	38	42	18	6	8	19
11. Dental disorders -	469	9	1	—	—	2	19	481	2	1	9	16	—	—	—	2
12. Ulcer of stomach and duodenum -	48	19	7	2	5	1	5	82	3	—	47	4	—	—	7	3
13. Other stomach -	649	38	11	6	5	—	—	709	11	21	21	23	6	4	5	7
14. Other digestive (3) -	437	19	7	4	4	4	33	475	9	7	11	50	1	—	2	14
15. Diseases of skin (4) -	229	42	20	11	6	13	91	321	40	39	61	56	4	2	9	19
16. Other defined illness -	651	134	75	29	26	16	142	931	63	135	64	244	6	13	30	62
17. Ill-defined symptoms -	2,547	171	72	20	23	15	126	2,848	71	115	126	180	13	15	20	53
18. Injuries -	102	27	13	12	13	18	142	185	129	25	69	12	6	12	12	18
Total -	9,709	797	362	145	133	125	1,019	11,271	621	663	584	986	84	83	182	304
November (December and January interviews)																
1. Tuberculosis of lungs -	11	5	4	—	3	2	31	25	—	—	51	4	—	—	—	1
2. Psychoneuroses, mental disorders -	49	7	13	1	1	1	5	72	6	1	16	15	—	—	2	5
3. Eye affections -	467	30	7	4	3	1	6	512	14	11	12	18	3	2	6	8
4. Ear and mastoid -	313	15	5	2	1	2	13	338	1	19	10	6	—	—	3	9
5. Rheumatism (1) -	1,294	66	38	10	10	10	73	1,428	30	40	39	93	5	4	19	55
6. Heart and arteries -	189	37	23	5	6	2	21	262	—	10	19	56	3	11	12	32
7. Affections of veins -	259	21	8	4	6	2	14	300	5	3	4	51	2	1	12	9
8. Colds, influenza -	1,592	105	42	17	7	6	42	1,769	95	132	21	25	15	20	2	—
9. Sore throat (2) -	52	10	10	6	2	1	8	81	17	28	1	6	10	2	—	—
10. Other respiratory -	765	60	25	21	21	11	89	903	46	51	76	70	18	43	19	23
11. Dental disorders -	442	7	5	—	1	1	5	456	8	10	2	4	1	—	—	1
12. Ulcer of stomach and duodenum -	57	20	7	1	5	—	—	90	8	—	34	7	—	—	3	5
13. Other stomach -	646	37	16	5	5	2	12	711	20	19	24	26	2	5	5	15
14. Other digestive (3) -	446	13	12	4	2	3	22	480	2	10	2	48	—	3	—	14
15. Diseases of skin (4) -	226	40	24	7	11	12	99	320	70	62	30	44	11	—	18	17
16. Other defined illness -	694	119	66	24	30	31	263	964	50	111	128	247	4	16	71	79
17. Ill-defined symptoms -	2,623	187	81	15	26	19	167	2,951	62	106	88	244	13	27	37	88
18. Injuries -	107	37	16	8	13	11	89	192	91	64	32	24	5	3	5	10
Total -	10,232	816	402	134	153	117	959	11,854	525	677	589	988	92	137	214	371
‡ December (January interviews)																
1. Tuberculosis of lungs -	3	4	2	—	1	—	—	10	—	—	9	3	—	—	—	—
2. Psychoneuroses, mental disorders -	26	7	5	1	—	—	—	39	—	1	8	8	—	—	—	3
3. Eye affections -	240	13	1	2	1	—	—	257	4	6	3	7	2	2	—	1
4. Ear and mastoid -	151	14	6	—	1	1	6	173	13	7	4	2	6	—	2	2
5. Rheumatism (1) -	663	35	11	4	6	7	56	726	7	12	9	76	2	8	11	24
6. Heart and arteries -	99	17	12	1	3	2	19	134	—	15	14	20	3	—	4	19
7. Affections of veins -	138	10	3	2	1	1	5	155	—	5	2	17	—	—	7	—
8. Colds, influenza -	933	58	16	6	5	3	15	1,021	41	64	17	4	5	11	—	1
9. Sore throat (2) -	44	4	7	2	—	—	—	57	8	10	1	1	2	2	—	—
10. Other respiratory -	376	36	9	3	9	9	54	442	10	29	43	24	1	11	21	14
11. Dental disorders -	227	4	1	—	—	—	—	232	—	4	2	—	—	—	—	—
12. Ulcer of stomach and duodenum -	32	8	3	1	3	1	6	48	5	—	21	1	—	—	1	7
13. Other stomach -	345	25	11	2	—	2	14	385	14	13	27	3	1	5	4	—
14. Other digestive (3) -	234	11	1	1	1	—	—	248	3	4	2	9	1	1	—	—
15. Diseases of skin (4) -	112	22	13	5	—	4	30	156	34	10	15	17	—	2	14	1
16. Other defined illness -	384	59	28	7	18	17	143	513	18	81	52	131	2	1	52	14
17. Ill-defined symptoms -	1,434	82	38	9	18	10	94	1,591	34	99	58	81	5	14	19	41
18. Injuries -	58	11	4	2	8	11	105	94	81	16	25	30	—	5	5	—
Total -	5,499	420	171	48	75	68	547	6,281	272	376	312	434	30	62	140	127

(1), (2), (3), (4). See page 27.

†A. Number of illnesses and injuries.

B. Number of consultations.

‡ Based on one month's interviews only. See Special Notes on page 4.

Note:—When several illnesses and injuries occur concurrently sometimes only the total number of consultations caused by them jointly can be recorded. In such cases all the consultations are allocated to or divided between the most severe of the concurrent illnesses and injuries.

TABLE E.—Distribution by Age and Sex of Persons according to Number of Illnesses (with distinction of the highest grade) and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month.

			16-	25-	35-	45-	55-	65-	75-	Total	16-	25-	35-	45-	55-	65-	75-	Total	
			October (November interview)								October (December interview)								
Number of people interviewed	-	M.	244	348	381	305	220	157	63	1,718	218	346	381	358	235	152	75	1,765	
	-	F.	300	436	441	388	307	194	125	2,191	293	456	409	375	297	225	108	2,163	
Total illnesses in the month	-	M.	234	343	406	442	351	258	122	2,156	146	290	372	400	276	224	123	1,831	
	-	F.	442	638	691	724	597	432	282	3,806	301	619	533	647	523	431	239	3,293	
Total injuries in the month	-	M.	12	18	20	7	7	6	1	71	4	7	10	11	10	3	1	46	
	-	F.	5	4	4	7	7	6	8	41	3	3	2	6	3	8	2	27	
Number of people with one or more new or recurring illnesses starting in month (1)		M.	124	163	159	151	108	68	26	799	66	103	135	100	76	51	28	559	
		F.	166	241	240	224	150	96	60	1,177	120	186	171	171	115	84	33	880	
Grade of most severe illness suffered	Serious	-	M.	—	—	1	1	4	1	1	8	1	—	1	4	5	5	4	20
		-	F.	—	3	1	3	2	6	6	21	1	3	—	6	3	6	5	24
	Moderate or mild	-	M.	14	14	13	9	8	7	1	66	9	7	10	6	5	4	2	43
		-	F.	21	22	37	22	19	9	4	134	13	24	11	15	9	3	2	77
	Minor	-	M.	100	130	128	122	86	54	18	638	44	81	102	72	54	32	19	404
		-	F.	134	186	165	164	106	73	41	869	86	123	119	113	84	63	13	606
	Ill-defined symptom	-	M.	10	19	17	19	10	6	6	87	12	15	22	18	12	10	3	92
		-	F.	11	30	37	35	23	8	9	153	20	36	41	37	19	12	8	173
Number with continued illness but no new or recurrent one		M.	10	44	71	65	62	52	22	326	28	66	83	106	67	59	33	442	
		F.	52	85	95	86	101	72	47	538	49	99	106	124	116	104	60	658	
Number with an injury received in month (2)		M.	10	13	10	4	5	3	—	45	3	5	4	4	5	2	—	23	
		F.	3	2	4	2	3	1	2	17	—	2	—	1	1	4	—	8	
Number with continued trouble from injury (but no new injury) (2)		M.	2	5	9	3	2	2	1	24	1	2	6	7	5	1	1	23	
		F.	1	1	—	5	4	5	6	22	2	1	2	4	2	3	2	16	
Total with some illness or injury	-	M.	142	216	240	220	173	120	49	1,160	94	173	221	209	146	110	61	1,014	
	-	F.	218	327	336	312	253	169	108	1,723	169	286	278	296	231	191	93	1,544	
Total days of incapacity in month	-	M.	193	211	302	308	341	287	71	1,713	111	185	281	334	400	385	74	1,770	
	-	F.	333	355	518	406	387	291	275	2,565	168	330	252	474	345	470	477	2,516	
Total medical consultations in month	-	M.	90	85	202	171	135	112	52	847	60	75	132	131	124	71	31	624	
	-	F.	138	146	186	194	170	114	75	1,023	72	202	149	209	183	139	59	1,013	
			November (December interview)								November (January interview)								
Number of people interviewed	-	M.	218	346	381	358	235	152	75	1,765	202	382	392	326	241	164	58	1,765	
	-	F.	293	456	409	375	297	225	108	2,163	267	422	436	395	316	220	109	2,165	
Total illnesses in the month	-	M.	228	390	483	500	336	254	149	2,340	153	350	416	363	296	285	82	1,945	
	-	F.	389	778	673	736	595	479	269	3,919	313	503	654	648	623	488	229	3,458	
Total injuries in the month	-	M.	8	16	21	15	9	3	3	75	5	9	9	7	3	9	—	42	
	-	F.	4	6	10	9	9	8	4	50	2	4	6	4	5	2	2	25	
Number of people with one or more new or recurring illnesses starting in month (1)		M.	113	175	202	171	106	67	42	876	79	137	155	116	75	59	17	638	
		F.	169	280	241	209	152	104	52	1,207	112	187	205	155	137	95	39	930	
Grade of most severe illness suffered	Serious	-	M.	—	—	2	2	3	3	5	15	—	3	1	1	4	2	—	11
		-	F.	3	1	3	6	5	9	7	34	1	6	2	4	8	7	10	38
	Moderate or mild	-	M.	14	23	16	20	10	9	5	97	9	11	13	12	6	8	6	65
		-	F.	13	30	18	18	13	10	9	111	10	19	18	8	9	8	4	76
	Minor	-	M.	90	132	161	129	81	48	28	669	61	108	123	84	58	39	9	482
		-	F.	133	208	183	141	120	72	26	883	84	123	135	108	98	64	21	633
	Ill-defined symptom	-	M.	9	20	23	20	12	7	4	95	9	15	18	19	7	10	2	80
		-	F.	20	41	37	44	14	13	10	179	17	39	50	35	22	16	4	183
Number with continued illness but no new or recurrent one	-	M.	18	54	65	88	65	53	23	366	20	64	78	76	66	58	22	384	
	-	F.	35	66	79	101	101	90	45	517	41	75	85	123	116	93	54	587	
Number with an injury received in month (2)	-	M.	7	13	11	8	4	1	2	46	3	5	6	4	1	1	—	20	
	-	F.	2	4	8	4	6	1	2	27	—	3	4	3	2	2	—	14	
Number with continued trouble from injury (but no new injury) (2)	-	M.	1	3	8	7	5	2	1	27	2	4	3	3	2	7	—	21	
	-	F.	2	2	2	4	3	6	2	21	1	1	1	—	3	—	2	8	
Total with some illness or injury	-	M.	136	237	274	263	175	121	66	1,272	100	208	238	196	144	119	39	1,044	
	-	F.	205	348	323	311	254	195	97	1,733	153	262	292	279	255	188	93	1,522	
Total days of incapacity in month	-	M.	124	247	314	446	481	405	181	2,198	134	389	233	327	411	424	52	1,970	
	-	F.	240	338	411	691	472	682	618	3,452	209	235	344	429	435	464	425	2,541	
Total medical consultations in month	-	M.	68	135	124	144	145	98	51	765	34	161	93	102	108	110	47	655	
	-	F.	97	168	190	286	174	186	86	1,187	67	139	152	162	230	147	89	986	

Notes.—(1) Includes recurrent attacks of chronic illness.

(2) With or without an illness also.

TABLE E—continued.—Distribution by Age and Sex of Persons according to Number of Illnesses (with distinction of the highest grade) and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month.

		16-	25-	35-	45-	55-	65-	75-	Total
		‡ December (January interview)							
Number of people interviewed	{M.	202	382	392	326	241	164	58	1,765
	{F.	267	422	436	395	316	220	109	2,165
Total illnesses in the month	{M.	183	414	486	430	346	299	98	2,256
	{F.	385	595	731	745	695	523	257	3,931
Total injuries in the month	{M.	9	13	15	10	5	8	1	61
	{F.	3	3	2	7	9	5	4	33
Number of people with one or more new or recurring illnesses starting in month (1) -	{M.	93	171	191	151	115	60	24	805
	{F.	151	228	234	213	176	113	58	1,173
Grade of most severe illness suffered	Serious -	{M.	1	2	1	2	2	1	10
		{F.	—	1	2	3	10	10	36
	Moderate or mild -	{M.	7	14	14	14	13	6	71
		{F.	14	23	27	19	23	10	118
	Minor -	{M.	71	140	151	114	80	44	617
		{F.	121	170	153	152	122	78	837
	Ill-defined symptom -	{M.	14	15	25	22	20	8	107
		{F.	16	34	52	39	21	15	182
Number with continued illness but no new or recurrent one-	{M.	29	70	70	66	61	59	23	378
	{F.	40	68	85	102	88	81	38	502
Number with an injury received in month (2) - - -	{M.	6	7	11	5	2	—	1	32
	{F.	1	2	—	5	5	5	2	20
Number with continued trouble from injury (but no new injury) (2) - - -	{M.	2	5	4	3	3	7	—	24
	{F.	1	1	2	2	4	—	2	12
Total with some illness or injury - - - -	{M.	125	249	266	220	178	120	47	1,205
	{F.	191	296	320	316	267	194	97	1,681
Total days of incapacity in month - - - -	{M.	90	434	253	369	418	526	87	2,177
	{F.	238	304	324	444	510	638	531	2,989
Total medical consultations in month - - - -	{M.	45	162	145	127	105	126	44	754
	{F.	92	145	156	166	251	121	68	999

Notes:—(1) Includes recurrent attacks of chronic illness.

(2) With or without an illness also.

‡ Based on one month's interviews only. See Special Notes on page 4.

SHORT LIST USED IN TABLES C(2), C(3), AND D(2).

Composition in Terms of Code Groups of the International Classification.*

SHORT LIST	INTERNATIONAL CLASSIFICATION	SHORT LIST	INTERNATIONAL CLASSIFICATION
1. Tuberculosis of lungs - - -	001-008	11. Dental disorders - - - -	530-535
2. Psychoneuroses, mental disorders	300-326	12. Ulcer of stomach and duodenum -	540; 541
3. Eye affections - - - -	370-389	13. Other stomach - - - -	542-545
4. Ear and mastoid - - - -	390-398	14. Other digestive (3) - - - -	550-553; 570-587
5. Rheumatism (1) - - - -	400-402; 720-727	15. Diseases of skin (4) - - - -	690-716
6. Heart and arteries- - - -	410-456	16. Other defined illness - - - -	{ 010-299; 330-369; 467; 468; 536-539; 560; 561; 590-689; 730-776
7. Affections of veins - - - -	460-466		
8. Colds, influenza - - - -	470; 480-483	17. Ill-defined symptoms - - - -	780-795
9. Sore throat (2) - - - -	472; 473; 510	18. Injuries - - - -	N800-N999
10. Other respiratory - - - -	{ 471; 474; 475 490-502; 511-527		

(1) All forms except chronic heart affections of rheumatic origin; (2) Including chronic tonsillar conditions;
(3) Except hernia; (4) Including cellular tissue.

*The International Statistical Classification of Diseases, Injuries and Causes of Death, 1948,—obtainable from H.M. Stationery Office, price 30/- net.

TABLE F.—Distributions of Persons aged 16 and over according to Numbers of separate Illnesses and Injuries reported * and Days of Incapacity in the month.

Number of illnesses or injuries	OCTOBER		NOVEMBER		‡ DECEMBER		OCTOBER, NOVEMBER AND DECEMBER			
	According to interviews in		According to interviews in		According to interviews in		Ages 16-64		Ages 65 and over	
	Nov.	Dec.	Dec.	JAN.	JAN.		M.	F.	M.	F.
0	1,026	1,370	923	1,364	1,044		2,817	2,426	266	218
1	1,226	1,116	1,269	1,070	1,190		2,441	2,710	314	406
2	803	769	821	726	791		1,387	1,884	244	394
3	445	350	469	387	442		597	1,077	149	270
4	238	189	252	232	260		270	620	84	197
5	102	83	129	81	120		102	287	32	94
6	50	39	48	43	49		30	137	21	41
7	13	8	11	21	23		10	46	6	14
8 or over	7	4	6	6	11		6	17	2	9
Days of incapacity										
0	3,472	3,614	3,418	3,585	3,481		6,950	8,237	976	1,407
1	58	26	60	23	49		97	111	5	3
2	67	31	70	37	42		98	135	8	6
3	33	21	42	26	32		54	85	5	10
4	26	15	30	18	29		39	65	6	8
5	15	7	12	12	20		21	36	3	6
6	10	5	6	8	8		14	20	—	3
7	60	47	69	39	56		79	157	12	23
8	11	2	10	4	12		15	15	4	5
9	4	2	7	9	11		12	16	1	4
10	14	15	18	14	25		34	35	10	7
11-	58	41	67	42	55		92	127	22	22
18-	25	20	26	28	28		54	49	11	13
25 and over	56	82	93	85	82		101	116	55	126
Total people - -	3,909	3,928	3,928	3,930	3,930		7,660	9,204	1,118	1,643
Total days - -	4,278	4,286	5,650	4,511	5,166		7,336	9,192	2,492	4,871

* Including new and continued illness or injury affecting the person during the month. Some of the 'separate' illnesses and injuries described were merely symptoms, but no grouping together of these is practicable for the purpose of these tables.

‡ Based on one month's interviews only. See Special Notes on page 4.

TABLE G.—Distribution of Persons aged 16 and over according to Numbers of Medical Consultations in the month.

Number of Consultations in month	OCTOBER		NOVEMBER		‡ DECEMBER		OCTOBER, NOVEMBER AND DECEMBER			
	According to interviews in		According to interviews in		According to interviews in		Ages 16-64		Ages 65 and over	
	Nov.	Dec.	Dec.	JAN.	JAN.		M.	F.	M.	F.
0	3,164	3,282	3,089	3,322	3,221		6,541	7,511	824	1,202
1	346	283	400	263	338		502	805	132	191
2	147	151	190	140	158		218	389	77	102
3	99	52	84	57	54		119	162	26	39
4	77	91	100	77	89		154	181	30	69
5	21	19	19	12	24		32	42	9	12
6	14	22	10	19	14		31	32	3	13
7	3	2	6	7	4		8	12	1	1
8	14	8	11	13	9		20	23	7	5
9	3	3	2	1	2		3	7	1	—
10-	19	13	17	15	12		28	33	6	9
20 and over	2	2	—	4	5		4	7	2	—
Total Consultations	1,870	1,637	1,952	1,641	1,753		2,903	4,124	742	1,084

‡ Based on one month's interviews only. See Special Notes on page 4.

TABLE H.—Incidence of Illness, etc., amongst Men and Women aged 16 and over in different Occupations and Income Groups of Chief Wage Earner.

Occupation and Economic Group†	Sex	October (November and December interviews)					November (December and January interviews)					‡December (January interviews)				
		No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consultations	No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consultations	No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consultations
Professional and Managerial (1)	{ M. — F. —	545	337	601	247	181	560	365	656	345	128	277	189	338	284	71
Clerical	{ M. — F. —	136	84	155	141	79	137	88	166	105	37	63	41	80	21	11
	{ M. — F. —	206	130	226	241	105	201	129	233	147	62	94	56	104	39	21
	{ M. — F. —	263	178	304	176	85	253	164	311	271	95	126	88	160	129	44
Operatives and Other grades:—																
Manufacturing	{ M. — F. —	852	523	969	823	310	856	540	970	990	360	428	275	509	513	200
	{ M. — F. —	368	243	510	508	156	330	222	458	390	147	155	110	232	112	63
Transport and Public Services (2)	{ M. — F. —	341	198	366	255	112	326	198	363	197	103	172	107	183	98	53
	{ M. — F. —	13	9	22	7	—	16	11	29	14	4	9	6	22	—	2
Mining and Quarrying	{ M. — F. —	128	75	139	238	70	124	87	149	114	45	58	49	88	125	23
	{ M. — F. —	5	3	4	—	—	2	2	2	—	—	—	—	—	—	—
Building and Roadmaking	{ M. — F. —	253	150	257	179	79	270	183	321	312	99	132	87	149	52	35
	{ M. — F. —	6	5	12	14	4	4	3	3	—	1	2	1	3	—	1
Agriculture	{ M. — F. —	194	111	193	135	59	189	108	191	172	49	100	71	115	62	26
	{ M. — F. —	22	15	19	3	3	10	7	9	4	—	4	2	2	—	—
Distributive	{ M. — F. —	210	125	216	90	67	186	113	203	136	50	89	55	96	45	37
	{ M. — F. —	139	98	197	162	57	137	94	191	134	64	62	42	80	21	16
Other industries	{ M. — F. —	285	154	304	224	119	330	206	382	366	113	175	123	231	230	68
	{ M. — F. —	242	164	350	227	94	250	193	419	276	117	137	114	237	94	54
Housewives	{ M. — F. —	2,795	2,180	4,912	2,791	1,313	2,840	2,175	5,106	3,476	1,410	1,439	1,132	2,747	1,885	669
Retired, part-time, unemployed or un-	{ M. — F. —	469	371	833	1,051	369	488	387	934	1,389	411	240	193	504	729	220
stated	{ M. — F. —	365	288	682	1,052	245	349	296	758	1,323	298	168	145	401	727	139
Economic Group of Chief Wage Earner																
Up to £3 per week	{ M. — F. —	245	196	464	607	227	246	204	532	916	210	119	96	278	448	90
	{ M. — F. —	570	467	1,172	1,163	367	577	485	1,266	1,454	402	296	259	704	779	183
Over £3 and up to £5	{ M. — F. —	776	496	951	897	391	731	488	921	1,030	304	347	224	428	652	154
	{ M. — F. —	976	732	1,643	1,200	437	962	715	1,648	1,242	474	474	357	835	612	249
Over £5 and up to £7 10s. Od.	{ M. — F. —	1,596	924	1,670	1,351	567	1,564	1,006	1,848	1,617	630	780	527	962	704	349
	{ M. — F. —	1,596	1,162	2,472	1,534	684	1,584	1,163	2,543	1,726	679	783	608	1,370	801	321
Over £7 10s. Od. and up to £10	{ M. — F. —	399	240	438	267	120	386	273	467	246	103	235	160	281	128	65
	{ M. — F. —	372	280	589	433	172	445	278	630	485	162	206	146	340	210	40
Over £10	{ M. — F. —	269	172	319	163	102	245	153	293	166	68	125	86	158	155	27
	{ M. — F. —	247	170	324	215	90	227	165	363	326	146	100	76	174	168	79
Not ascertained	{ M. — F. —	258	146	262	198	64	299	192	341	193	105	159	112	210	90	69
	{ M. — F. —	593	456	967	536	286	592	449	1,002	760	310	306	235	541	419	127
Totals		7,837	5,441	11,271	8,564	3,507	7,858	5,571	11,854	10,161	3,593	3,930	2,886	6,281	5,166	1,753

*As defined in Tables B and E.

†The occupation and economic groups are those used by the Social Survey.

‡Based on one month's interviews only. See Special Notes on page 4.

(1) includes inspectors and supervisors.

(2) includes Shipping, Fishing and Gas, Water and Electricity Works.

APPENDIX 'A'—Estimated Civilian Population
Mid-Year 1949, and Births, Civilian Deaths
(distinguishing Deaths of Infants under 1 year
of age) and Deaths from Certain Causes,
registered in the year 1949.*

England and Wales, Great Towns
Metropolitan Boroughs, Great
London, and 4 Scottish and Irish
Towns.

Area	Civilian Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from								
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Ac. poliomyelitis and polioencephalitis	Pneumonia	Enteritis and Diarrhoea	
ENGLAND AND WALES	43,100,000	731,179	16,977	510,735§	23,882	32	527	84	19,722	5,658	1,012	20,781	2,098	
† Annual Rates—														
England and Wales —		16.7†	22.7	11.8	32	0.00	0.01	0.00	0.46	0.13	0.02	0.48	2.2	
Great Towns —		17.2	22.5	11.9	34	0.00	0.01	0.00	0.53	0.13	0.01	0.54	3.3	
London —		16.8	19.7	11.7	27	0.00	0.01	0.00	0.52	0.11	0.01	0.61	1.1	
GREAT TOWNS —	20,956,650	360,713	8,319	249,579§	12,104	16	297	43	11,102	2,678	301	11,403	1,222	
Northern														
Carlisle C.B. —	65,730	1,196	30	817	44	—	—	—	49	1	2	29	—	
Darlington C.B. —	84,690	1,386	34	981	60	—	—	—	39	—	—	48	—	
Gateshead C.B. —	114,910	2,265	54	1,444	110	—	1	—	101	16	2	49	—	
Middlesbrough C.B. —	145,050	3,077	62	1,752	157	—	4	3	108	20	1	86	—	
Newcastle upon Tyne C.B. —	294,540	5,377	100	3,757	213	—	3	—	245	22	—	161	—	
South Shields C.B. —	108,360	2,127	43	1,401	97	—	—	2	111	32	1	86	—	
Stanley U.D. (Durham) —	48,890	880	17	555	30	—	—	—	17	4	—	16	—	
Stockton on Tees M.B. —	73,030	1,480	41	886	81	—	—	—	47	4	2	31	—	
Sunderland C.B. —	181,340	3,609	100	2,385	206	—	7	2	141	28	—	121	—	
Tynemouth C.B. —	66,480	1,311	36	762	48	—	3	—	40	5	—	27	—	
West Hartlepool C.B. —	72,350	1,502	34	878	63	—	—	—	45	3	1	33	—	
East and West Ridings														
Barnsley C.B. —	72,250	1,436	27	804	59	—	—	—	37	11	5	33	—	
Bradford C.B. —	291,600	5,048	130	4,223	191	—	1	2	141	76	7	204	11	
Dewsbury C.B. —	52,740	1,011	23	767	31	1	—	—	18	8	4	33	—	
Doncaster C.B. —	80,010	1,426	34	884§	56	—	—	1	31	8	2	31	—	
Halifax C.B. —	97,780	1,611	29	1,508	53	—	1	—	32	12	1	71	—	
Huddersfield C.B. —	128,300	1,965	56	1,887	66	1	—	—	53	13	20	47	—	
Keighley M.B. —	56,570	931	27	872	29	—	—	—	26	14	1	24	—	
Kingston upon Hull C.B. —	296,400	6,210	162	3,597	259	1	6	—	199	25	1	263	33	
Leeds C.B. —	504,900	8,441	200	6,452	254	—	5	—	277	75	11	301	17	
Rotherham C.B. —	82,020	1,533	38	872	81	—	—	1	29	10	2	55	23	
Sheffield C.B. —	513,700	8,087	179	6,431	281	—	4	—	264	99	16	288	23	
Wakefield C.B. —	60,170	1,012	28	698	36	—	—	—	22	12	—	38	—	
York C.B. —	104,600	1,815	40	1,249	39	—	5	—	30	8	4	34	—	
North Western														
Ashton under Lyne M.B. —	47,280	832	24	738	38	—	—	1	39	21	1	39	—	
Barrow-in-Furness C.B. —	67,950	1,204	29	895	59	—	1	—	46	1	—	40	—	
Birkenhead C.B. —	141,460	2,795	88	1,753	111	—	2	2	106	19	1	81	11	
Blackburn C.B. —	111,100	1,655	54	1,728	77	1	1	—	52	25	2	73	—	
Blackpool C.B. —	149,300	1,819	59	2,253	47	1	1	—	68	17	1	36	—	
Bolton C.B. —	167,800	2,720	77	2,265	84	—	2	—	63	31	—	74	—	
Bootle C.B. —	70,000	1,541	33	783	84	—	5	—	73	7	1	55	11	
Burnley C.B. —	84,590	1,384	44	1,313	59	—	1	—	45	26	—	45	—	
Bury C.B. —	58,620	902	27	868	40	—	—	—	20	15	—	31	—	
Chester C.B. —	47,470	886	21	578	29	—	—	—	37	1	2	16	—	
Crosby M.B. —	59,400	917	25	739	36	—	—	—	32	9	1	23	—	
Liverpool C.B. —	800,800	16,551	353	9,400	736	3	58	4	618	92	6	586	93	
Manchester C.B. —	699,600	13,129	331	9,036	502	—	29	—	456	108	8	396	81	
Oldham C.B. —	120,600	1,966	49	1,799	82	—	1	—	48	22	—	62	—	
Preston C.B. —	119,500	2,170	62	1,469	94	—	2	—	57	21	—	55	—	
Rochdale C.B. —	88,920	1,362	39	1,320	56	1	—	—	19	13	1	36	—	
St. Helens C.B. —	112,100	2,001	70	1,200	83	—	2	1	65	21	—	53	—	
Salford C.B. —	178,900	3,609	88	2,346	191	—	5	1	124	33	—	137	—	
Southport C.B. —	85,540	985	22	1,344	38	1	1	—	31	8	—	31	—	
Stockport C.B. —	141,460	2,279	64	1,865	93	—	4	—	71	16	1	58	—	
Stretford M.B. —	61,960	1,139	28	732	41	—	—	—	26	21	—	33	—	
Wallasey C.B. —	100,720	1,784	37	1,317	64	—	1	—	59	19	1	50	—	
Warrington C.B. —	78,860	1,499	54	1,057	121	—	2	—	37	19	2	58	—	
Wigan C.B. —	84,770	1,443	67	1,059	68	—	—	—	49	33	—	50	—	
North Midland														
Chesterfield M.B. —	67,780	1,130	24	720	39	—	—	—	18	2	—	30	—	
Derby C.B. —	142,720	2,512	49	1,763	91	—	3	—	82	6	—	77	—	
Grimsby C.B. —	91,210	1,872	38	1,124	61	—	4	1	47	11	4	81	—	
Leicester C.B. —	283,400	5,077	128	3,274	121	—	5	—	165	16	3	128	—	
Lincoln C.B. —	68,810	1,077	31	829	36	—	1	—	39	15	—	28	—	
Northampton C.B. —	104,300	1,646	29	1,261	49	1	—	—	38	11	1	42	—	
Nottingham C.B. —	300,640	5,703	116	3,556	219	—	1	—	201	30	3	235	—	
Midland														
Birmingham C.B. —	1,106,800	20,278	477	11,865	618	1	18	1	649	193	11	583	—	
Burton upon Trent C.B. —	48,660	935	22	641	36	—	4	—	24	6	—	23	—	
Coventry C.B. —	254,400	4,743	94	2,414	187	—	2	2	154	32	—	121	—	
Dudley C.B. —	62,880	1,120	27	728	53	—	5	—	33	20	—	33	—	
Newcastle-under-Lyme M.B. —	69,950	1,188	39	716	43	—	2	—	35	4	—	25	—	
Smethwick C.B. —	77,430	1,329	29	977	56	—	2	—	50	20	—	46	—	
Stoke on Trent C.B. —	274,500	5,139	143	3,180	179	—	3	—	155	57	3	137	—	
Walsall C.B. —	113,400	2,211	62	1,327	123	—	5	—	105	20	—	51	—	
West Bromwich C.B. —	86,770	1,689	44	1,008	83	—	6	2	77	23	—	49	—	
Wolverhampton C.B. —	160,000	2,903	81	1,788	113	—	—	1	96	20	—	94	—	
Worcester C.B. —	62,020	999	29	701	30	—	—	—	32	4	—	33	—	

* Corrected for inward and outward transfers to place of residence.

† Live Birth and Death rates are per 1,000 civilian population, stillbirth rates per 1,000 total (live and still) births and infant mortality rates per 1,000 related live births, Enteritis and Diarrhoea rates per 1,000 live births registered in 1949.

‡ Rate per 1,000 total population (i.e., including non-civilians).

§ Including deaths from Smallpox as follows:—England and Wales, 5; Great Towns, 2; Doncaster C.B., 1.

APPENDIX 'A'—continued.

Area	Civilian Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from								Enteritis and Diarrhoea under 2 years
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Ac. poliomyelitis and polioencephalitis	Pneumonia		
Eastern														
Cambridge M.B. - -	90,210	1,331	24	963	35	—	—	—	23	7	1	27	3	
Great Yarmouth C.B. - -	50,450	813	24	644	28	—	—	—	18	5	—	19	1	
Ipswich C.B. - - -	103,800	1,932	28	1,195	36	—	—	—	23	18	—	38	1	
Luton M.B. - - -	109,240	1,821	49	1,064	48	—	—	—	55	7	—	41	5	
Norwich C.B. - - -	119,000	2,045	53	1,448	62	—	—	—	49	13	—	67	11	
Southend-on-Sea C.B. - -	148,600	2,366	36	1,929	61	—	—	—	53	13	2	107	2	
Thurrock U.D. - - -	76,950	1,509	25	714	42	—	1	—	26	3	1	29	4	
Watford M.B. - - -	73,220	1,081	24	792	20	—	—	—	26	13	6	31	1	
London and South Eastern														
Greater London - - -	8,358,701	131,883	2,664	88,803	3,048	4	57	15	3,608	863	134	4,349	188	
Great Towns in Greater London*														
London - - -	3,375,470	56,545	1,134	39,457§	1,517	2	27	9	1,741	372	50	2,050	98	
City of London - - -	4,647	29	4	40	3	—	—	—	2	—	—	4	—	
The Temples - - -	183	—	—	—	—	—	—	—	—	—	—	—	—	
Metropolitan Boro's.														
Battersea - - -	117,510	2,023	43	1,426	51	—	1	—	54	10	4	66	3	
Bermondsey - - -	60,440	1,140	20	723	33	—	—	5	41	3	—	45	2	
Bethnal Green - - -	59,120	1,032	21	748	33	—	—	1	19	7	—	35	1	
Camberwell - - -	178,110	3,185	64	2,135	77	1	1	1	94	18	2	103	5	
Chelsea - - -	51,990	875	17	588	23	—	1	—	15	9	—	30	1	
Deptford - - -	76,370	1,433	26	925	42	—	1	—	44	9	1	48	2	
Finsbury - - -	36,010	671	16	495	17	—	—	—	20	4	—	33	1	
Fulham - - -	124,040	2,038	49	1,499	53	1	2	—	60	7	—	99	5	
Greenwich - - -	87,680	1,552	24	944	36	—	1	—	46	9	—	49	1	
Hackney - - -	173,020	2,710	52	1,959	61	—	2	—	92	28	2	126	4	
Hammersmith - - -	118,440	1,971	41	1,309	55	—	1	—	51	13	2	75	2	
Hampstead - - -	97,000	1,429	28	1,018	41	—	2	—	27	4	2	44	2	
Holborn - - -	25,440	325	10	284	12	—	—	—	15	1	—	13	1	
Islington - - -	239,580	4,390	89	2,958	119	—	1	2	136	37	3	190	8	
Kensington - - -	174,220	2,681	39	1,819	64	—	1	—	59	19	4	99	6	
Lambeth - - -	229,400	4,107	80	2,736	119	—	2	—	133	28	5	126	13	
Lewisham - - -	227,700	3,823	63	2,326	73	—	1	—	107	16	3	79	4	
Paddington - - -	130,640	2,240	47	1,489§	58	—	1	—	85	12	—	96	2	
Poplar - - -	74,570	1,362	31	957	50	—	—	—	45	6	—	33	5	
St. Marylebone - - -	78,050	895	25	937	20	—	—	—	28	12	2	54	2	
St. Pancras - - -	141,330	2,289	46	1,773	70	—	1	—	105	10	5	118	2	
Shoreditch - - -	45,200	864	15	594	33	—	1	—	38	6	1	26	4	
Southwark - - -	96,720	1,897	53	1,262	56	—	1	—	66	16	2	75	3	
Stepney - - -	100,550	1,830	42	1,340	59	—	—	—	71	9	1	78	4	
Stoke Newington - - -	46,510	949	18	502	15	—	—	—	25	7	—	43	1	
Wandsworth - - -	334,840	5,055	109	3,991	131	—	3	—	152	45	5	163	3	
Westminster - - -	102,160	1,246	24	1,111	42	—	2	—	52	14	2	49	6	
Woolwich - - -	144,000	2,504	38	1,569	71	—	1	—	59	13	4	51	5	
Acton M.B. - - -	67,690	1,040	21	730	24	—	—	—	24	7	4	41	—	
Barking M.B. - - -	79,460	1,328	24	735	33	—	—	1	41	8	3	44	—	
Beckenham M.B. - - -	75,570	1,076	24	798	29	—	1	—	23	10	1	21	2	
Brentford & Chiswick M.B. - - -														
Croydon C.B. - - -	59,700	966	14	634	23	—	—	—	25	7	—	31	1	
Dagenham M.B. - - -	249,740	4,016	86	2,734	116	—	2	1	94	33	2	97	7	
Ealing M.B. - - -	113,800	1,950	29	756	55	—	1	—	55	5	3	44	—	
East Ham C.B. - - -	188,100	2,716	43	1,872	56	—	—	—	76	13	1	91	7	
Edmonton M.B. - - -	121,900	1,934	48	1,342	48	—	—	2	44	18	1	74	3	
Edmonton M.B. - - -	105,950	1,527	36	1,075	38	—	1	—	69	1	2	44	—	
Enfield U.D. - - -	111,150	1,726	36	1,047	46	—	—	—	42	7	3	51	2	
Finchley M.B. - - -	70,760	981	20	834	19	—	—	—	23	7	3	30	2	
Harrow U.D. - - -	220,400	3,083	66	1,890	64	—	2	—	57	13	3	75	2	
Hendon M.B. - - -	167,130	2,257	44	1,522	50	—	2	—	54	13	6	76	6	
Heston & Isleworth M.B. - - -														
Hornsey M.B. - - -	106,900	1,449	27	1,051	25	—	—	—	34	6	1	53	1	
Ilford M.B. - - -	98,580	1,589	38	1,153	38	—	—	—	38	18	7	63	1	
Leyton M.B. - - -	185,000	2,630	61	1,728	53	—	1	—	53	18	4	62	1	
Mitcham M.B. - - -	106,700	1,630	34	1,232	43	—	—	—	37	16	1	59	4	
Mitcham M.B. - - -	67,060	1,064	26	615	27	—	—	—	21	8	1	28	—	
Southgate M.B. - - -	74,350	944	21	820	24	—	1	—	30	9	2	41	—	
Tottenham M.B. - - -	130,040	2,010	36	1,440	50	—	—	—	67	12	—	67	1	
Twickenham M.B. - - -	106,900	1,603	32	1,204	34	—	1	—	42	13	2	56	3	
Walthamstow M.B. - - -	123,400	1,836	27	1,299	54	—	1	—	52	16	4	67	2	
Wembley M.B. - - -	132,240	1,655	39	1,075	36	—	—	—	38	8	1	42	1	
West Ham C.B. - - -	173,700	3,263	66	1,942	78	—	4	1	95	35	1	95	3	
Willesden M.B. - - -	181,120	2,895	74	1,880	74	—	—	—	75	15	3	86	3	
Wimbledon M.B. - - -	58,340	875	23	754	22	—	1	—	22	8	2	30	1	
Wood Green M.B. - - -	52,740	719	16	631	18	—	—	—	19	5	1	33	—	
Brighton C.B. - - -	155,050	2,243	52	2,285	82	—	—	—	60	12	3	132	9	
Canterbury C.B. - - -	26,120	458	9	330	13	—	—	—	12	4	—	12	1	
Eastbourne C.B. - - -	56,880	740	19	870	16	—	—	—	22	3	—	27	2	
Gillingham M.B. - - -	63,680	1,154	15	829	42	—	—	—	32	9	1	33	2	
Hastings C.B. - - -	64,980	902	22	1,104	25	—	1	—	30	12	1	52	1	
Hove M.B. - - -	68,580	784	15	1,172	19	—	—	—	27	13	—	45	—	
Southern														
Bournemouth C.B. - -	138,840	1,692	45	2,137	54	—	—	—	62	19	4	58	5	
Oxford C.B. - - -	107,100	1,641	20	1,071	44	—	1	—	28	6	2	38	2	
Poole M.B. - - -	81,130	1,273	22	1,004	24	—	—	—	30	3	2	22	—	
Portsmouth C.B. - - -	218,250	4,160	77	2,631	100	—	1	1	107	9	1	114	9	
Reading C.B. - - -	115,200	1,873	41	1,260	49	—	—	—	39	7	6	66	2	
Southampton C.B. - -	180,330	3,339	105	2,107	128	—	5	—	86	18	5	92	13	

* These Great Towns do not comprise the whole of Greater London and the figures given do not aggregate to the Greater London total.

§ Including 1 death from smallpox.

APPENDIX 'A'—continued.

Area	Civilian Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from								Enteritis and Diarrhoea
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Ac. poliomyelitis and polioencephalitis	Pneumonia		
South Western														
Bath C.B. - - -	77,280	1,174	22	1,077	34	—	1	—	35	9	4	55	—	
Bristol C.B. - - -	439,740	7,506	157	4,884	192	1	2	—	217	61	5	211	—	
Cheltenham M.B. - - -	64,150	1,123	23	806	34	—	—	—	21	6	1	27	—	
Exeter C.B. - - -	76,590	1,192	31	1,002	30	—	1	—	40	13	1	27	—	
Gloucester C.B. - - -	64,660	1,159	15	767	47	—	1	—	32	7	—	36	—	
Plymouth C.B. - - -	190,860	3,768	98	2,507	129	—	5	1	125	13	2	101	—	
Swindon M.B. - - -	68,380	1,117	12	825	23	—	3	—	29	5	—	44	—	
Wales														
Cardiff C.B. - - -	243,300	4,760	139	2,784	149	1	4	—	164	17	4	95	12	
Merthyr Tydfil C.B. - - -	60,880	1,083	44	839	51	—	—	—	36	13	—	25	10	
Newport C.B. - - -	105,800	1,861	60	1,162	76	—	1	—	74	11	—	36	10	
Rhondda U.D. - - -	112,630	1,883	54	1,552	81	—	—	—	65	22	2	28	8	
Swansea C.B. - - -	160,100	2,713	80	1,984	122	—	6	—	117	12	—	78	12	
†Edinburgh - - -	489,000	8,154	203	6,099	263	—	6	—	291	52	—	273	20	
†Glasgow - - -	1,099,700	20,922	639	14,201	1,033	—	21	5	1,239	104	1	719	164	
Belfast - - -	—	—	—	Not available	—	—	—	—	—	—	—	—	—	
†Dublin - - -	—	—	—	Not available	—	—	—	—	—	—	—	—	—	

† Non-civilians are included in the figures of deaths and populations for Edinburgh, Glasgow and Dublin.

APPENDIX 'B'.—Estimated Civilian Population Mid-Year 1949, and Births, Civilian Deaths (distinguishing Deaths of Infants under 1 year of age) and Deaths from Certain Causes registered in the year 1949.* } **Smaller Towns.**

Area	Civilian Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from								Enteritis and Diarrhoea
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Ac. poliomyelitis and polioencephalitis	Pneumonia		
SMALLER TOWNS														
† Annual Rates - -	6,185,960	102,476	2,362	71,585	3,357	8	63	13	2,819	747	101	2,666	260	
		16.5	22.7	11.6	33	0.00	0.01	0.00	0.46	0.12	0.02	0.43	2.6	
Northern														
Ashington U.D. - -	28,850	533	10	359	16	—	—	—	8	3	—	19	2	
Bedlingtonshire U.D. -	28,220	515	11	309	20	—	—	—	15	1	—	9	1	
Bishop Auckland U.D. -	36,070	755	20	422	25	—	—	—	26	3	—	19	2	
Blaydon U.D. - - -	30,770	541	13	329	15	—	—	—	16	—	—	12	—	
Blyth M.B. - - -	35,300	708	15	429	30	—	—	—	26	4	—	15	3	
Consett U.D. - - -	38,900	708	26	463	29	—	—	—	24	6	—	12	1	
Crook & Willington U.D. -	27,420	445	13	356	21	—	1	—	13	4	—	9	1	
Eston U.D. - - -	33,060	762	28	385	42	1	—	—	25	3	—	18	5	
Felling U.D. - - -	25,420	489	6	312	13	—	—	—	19	4	—	9	2	
Houghton le Spring U.D. -	29,750	577	15	348	31	—	1	—	14	7	—	14	4	
Jarrow M.B. - - -	28,530	589	17	407	37	—	4	—	37	5	—	23	5	
Scarborough M.B. - - -	43,810	631	23	689	31	—	—	—	20	2	—	21	2	
Seaham U.D. - - -	25,900	557	13	267	26	—	1	1	12	2	—	15	2	
Seaton Valley U.D. - - -	26,490	448	16	280	21	—	1	—	7	1	—	8	4	
Wallsend M.B. - - -	48,830	1,013	26	564	45	—	1	—	30	7	1	31	5	
Whitley Bay U.D. - - -	32,290	479	15	458	17	—	—	—	15	4	—	13	1	
Workington M.B. - - -	28,900	524	12	376	25	—	4	—	20	3	—	15	4	
East & West Ridings														
Batley M.B. - - -	40,020	709	19	520	22	—	1	—	10	6	3	18	—	
Brighouse M.B. - - -	30,760	505	9	433	12	—	—	—	17	13	—	7	—	
Castleford U.D. - - -	43,540	858	23	497	42	—	—	—	17	1	—	26	1	
Harrogate M.B. - - -	51,930	690	14	771	25	—	—	—	20	10	—	21	2	
Morley M.B. - - -	39,800	685	15	519	26	—	1	—	14	7	—	13	4	
Shipley U.D. - - -	32,630	546	13	401	12	—	—	1	10	5	—	8	—	
Spenborough U.D. - - -	36,750	579	15	509	25	—	1	—	11	6	4	9	3	
North Western														
Accrington M.B. - - -	40,210	652	13	652	32	—	—	1	21	17	—	22	6	
Altrincham M.B. - - -	39,450	596	15	446	14	—	—	—	14	9	1	10	—	
Bebington M.B. - - -	47,030	706	19	471	24	—	—	—	25	2	1	11	2	
Chadderton U.D. - - -	31,340	473	13	406	13	—	—	—	12	9	—	10	1	
Chorley M.B. - - -	32,650	561	19	434	18	—	2	—	15	17	1	11	2	
Crewe M.B. - - -	53,120	866	18	673	30	—	—	—	24	4	4	16	2	
Darwen M.B. - - -	30,870	451	14	525	13	—	1	—	10	1	1	8	1	
Eccles M.B. - - -	43,980	723	19	569	27	—	1	1	20	9	2	13	8	
Farnworth M.B. - - -	28,320	491	13	364	18	—	1	—	7	6	—	14	1	
Heywood M.B. - - -	25,240	424	12	321	24	—	—	—	6	2	—	16	—	
Hyde M.B. - - -	31,450	461	10	477	16	—	1	—	13	12	—	17	2	
Lancaster M.B. - - -	51,120	827	20	598	32	—	—	—	15	5	2	12	—	

* Corrected for inward and outward transfers to place of residence.

† See footnote on page 30.

APPENDIX 'B'—continued.

Area	Civilian Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from								
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Ac. poliomyelitis and polioencephalitis	Pneumonia	Enteritis and Diarrhoea under 2 years	
Leigh M.B. - - -	48,360	843	27	600	35	—	—	—	18	8	1	18	3	
Lytham St. Annes M.B. - -	30,110	327	12	475	11	—	—	—	9	1	1	8	—	
Macclesfield M.B. - - -	36,200	471	14	500	21	—	—	—	12	8	—	18	3	
Middleton M.B. - - -	32,340	526	9	436	17	—	—	—	13	3	—	16	—	
Nelson M.B. - - -	34,530	478	14	548	17	—	—	—	21	12	—	12	2	
Radcliffe M.B. - - -	27,680	449	12	384	19	—	—	—	11	3	—	6	2	
Rawtenstall M.B. - - -	25,220	386	5	389	11	—	—	—	9	3	—	6	1	
Sale M.B. - - -	43,090	617	17	499	10	1	—	—	13	3	2	13	1	
Stalybridge M.B. - - -	22,420	382	14	322	11	—	—	—	10	9	—	16	1	
Swinton & Pendlebury M.B. - - -	41,480	647	19	517	13	—	—	—	22	9	3	16	1	
Widnes M.B. - - -	48,090	1,013	23	514	54	1	1	—	34	1	1	31	7	
North Midland														
Beeston & Stapleford U.D. -	48,180	834	17	437	37	—	1	—	23	9	2	23	1	
Carlton U.D. - - -	33,980	587	7	381	24	—	—	—	12	1	—	12	3	
Cleethorpes M.B. - - -	28,970	537	10	357	27	—	—	—	12	6	1	11	1	
Hinckley U.D. - - -	38,750	691	20	396	17	—	1	—	19	2	3	12	—	
Ilkeston M.B. - - -	33,510	604	9	376	22	—	—	—	13	9	—	12	3	
Kettering M.B. - - -	37,110	557	8	402	19	—	1	—	29	2	—	11	—	
Loughborough M.B. - - -	35,570	597	20	376	17	—	—	—	13	1	—	15	—	
Mansfield M.B. - - -	51,180	875	23	534	24	—	—	—	28	5	1	29	2	
Peterborough M.B. - - -	54,120	820	19	628	23	—	—	—	12	10	—	21	2	
Scunthorpe M.B. - - -	52,030	1,022	21	445	45	—	—	1	18	2	2	11	2	
Sutton in Ashfield U.D. - -	39,880	723	13	451	31	—	—	—	18	13	—	15	1	
Wellingborough U.D. - - -	28,200	456	6	366	15	—	—	—	8	2	—	9	—	
Worksop M.B. - - -	31,520	618	17	311	9	—	—	—	21	4	3	11	1	
Midland														
Bilston M.B. - - -	32,990	627	14	336	29	—	2	1	14	3	1	20	4	
Brierley Hill U.D. - - -	48,490	804	29	563	34	—	—	—	41	12	—	21	—	
Cannock U.D. - - -	40,890	776	21	451	29	—	—	—	17	2	—	15	5	
Coseley U.D. - - -	33,480	610	14	317	13	—	—	2	20	5	—	13	2	
Halesowen M.B. - - -	39,860	587	14	428	20	—	—	1	25	3	—	17	—	
Kidderminster M.B. - - -	37,280	702	16	471	23	—	5	—	14	9	—	8	1	
Nuneaton M.B. - - -	53,350	1,005	29	553	22	—	1	—	34	4	—	54	2	
Oldbury M.B. - - -	53,380	879	17	535	30	—	—	1	32	8	—	32	4	
Rowley Regis M.B. - - -	49,440	793	16	502	28	—	—	1	35	7	—	21	5	
Royal Leamington Spa M.B. - - -	36,020	648	14	488	24	—	—	1	18	5	—	26	2	
Rugby M.B. - - -	45,860	797	7	505	21	—	—	—	15	7	5	29	2	
Shrewsbury M.B. - - -	45,360	688	18	524	24	—	—	—	19	3	—	15	—	
Solihull U.D. - - -	66,850	1,052	18	589	33	1	1	—	12	13	—	80	3	
Stafford M.B. - - -	38,700	755	17	377	16	—	—	—	11	5	—	9	2	
Stourbridge M.B. - - -	36,830	559	11	484	19	—	1	—	17	10	—	21	—	
Sutton Coldfield M.B. - - -	46,580	654	13	515	14	—	—	—	12	2	1	17	—	
Tipton M.B. - - -	38,910	761	16	332	33	—	2	—	25	3	—	16	5	
Wednesbury M.B. - - -	34,910	652	19	378	26	—	—	—	30	5	—	21	4	
Willenhall U.D. - - -	30,800	569	12	292	27	—	5	—	11	3	1	12	1	
Eastern														
Bedford M.B. - - -	52,990	800	14	613	21	—	1	—	19	8	1	21	—	
Billerica U.D. - - -	42,230	714	11	591	28	—	2	—	18	3	1	32	1	
Chelmsford M.B. - - -	36,930	602	12	396	12	—	—	—	13	—	—	25	—	
Colchester M.B. - - -	52,520	858	16	576	21	—	—	—	17	9	—	18	1	
Hornchurch U.D. - - -	102,300	1,640	40	914	29	—	—	—	35	9	1	31	—	
Lowestoft M.B. - - -	43,170	716	22	479	21	—	—	—	16	4	—	19	3	
Romford M.B. - - -	73,640	1,329	29	658	22	—	—	—	31	9	3	25	1	
St. Alban M.B. - - -	42,130	765	17	483	10	1	—	—	14	4	—	18	—	
London & South Eastern														
Barnes M.B. - - -	40,960	516	4	471	7	—	—	—	21	3	—	13	—	
Beddington & Wallington M.B. - - -	32,890	435	7	382	4	—	—	—	13	4	1	9	—	
Bexley M.B. - - -	89,180	1,250	40	727	30	—	1	—	39	5	—	39	—	
Bromley M.B. - - -	64,090	1,030	23	699	16	—	1	—	20	5	—	38	1	
Carshalton U.D. - - -	62,260	825	16	521	24	—	1	—	22	4	—	32	—	
Chatham M.B. - - -	41,750	857	19	531	25	—	—	—	30	2	—	22	1	
Chislehurst & Sidcup U.D. -	73,510	1,158	21	582	22	—	2	—	35	8	1	22	1	
Coulsdon & Purley U.D. - -	64,030	834	20	622	21	1	—	—	24	4	1	33	1	
Dartford M.B. - - -	40,580	656	13	369	18	—	1	—	20	1	2	12	—	
Dover M.B. - - -	33,520	650	17	416	25	—	—	—	20	4	—	20	—	
Epsom & Ewell M.B. - - -	68,140	845	18	637	22	—	—	—	27	5	—	27	—	
Erith M.B. - - -	46,730	796	13	465	19	—	—	—	9	7	—	25	1	
Esher U.D. - - -	51,280	745	10	497	13	—	—	—	16	3	1	21	1	
Folkestone M.B. - - -	42,350	723	16	608	14	—	—	—	20	11	—	16	1	
Gravesend M.B. - - -	43,250	751	14	456	26	—	1	—	26	2	1	8	3	
Guildford M.B. - - -	46,350	802	15	568	21	—	—	—	16	—	2	21	—	
Kingston upon Thames M.B. - - -	40,660	729	10	500	15	—	—	—	11	5	3	28	1	
Maldstone M.B. - - -	53,250	858	18	637	17	1	—	—	35	1	3	18	5	
Margate M.B. - - -	41,180	589	10	548	17	—	—	1	12	4	1	20	1	
Merton & Morden U.D. - -	75,470	986	14	678	24	1	—	—	30	10	1	24	—	
Orpington U.D. - - -	59,190	975	18	636	21	—	—	—	18	4	1	24	—	
Penge U.D. - - -	24,850	518	12	279	10	—	—	—	10	3	—	10	—	
Ramsgate M.B. - - -	35,530	614	16	471	19	—	1	—	23	1	1	20	4	

APPENDIX 'B'—continued.

Area	Civilian Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Ac. poliomyelitis and polioencephalitis	Pneumonia	Enteritis and
Reigate M.B. - -	42,150	624	18	518	23	—	—	—	13	16	2	13	
Richmond M.B. - -	42,060	710	9	508	15	—	—	—	18	11	1	23	
Rochester M.B. - -	42,610	774	18	477	18	—	—	—	34	3	—	25	
Royal Tunbridge Wells M.B. - -	38,780	529	11	646	15	—	—	—	12	6	—	25	
Southall M.B. - -	56,300	871	14	531	55	—	2	—	24	2	2	33	
Surbiton M.B. - -	59,720	892	11	574	21	—	—	—	14	13	2	25	
Sutton & Cheam M.B. - -	81,180	1,074	23	796	23	—	—	—	23	11	—	28	
Uxbridge U.D. - -	52,550	883	9	481	28	—	1	—	12	2	—	28	
Walton & Weybridge U.D. - -	37,770	607	13	367	13	—	1	—	9	7	—	20	
Wanstead & Woodford M.B. - -	61,960	839	22	687	31	—	—	—	21	6	—	27	
Woking U.D. - -	46,130	687	11	488	17	—	1	—	13	—	2	14	
Worthing M.B. - -	67,930	798	20	1,209	16	—	—	—	18	11	1	35	
Southern													
Aldershot M.B. - -	28,150	708	14	276	17	—	—	—	13	3	1	10	
Gosport M.B. - -	49,690	1,037	15	515	22	—	—	—	27	3	1	18	
High Wycombe M.B. - -	40,720	712	22	404	18	—	—	—	15	2	—	20	
Slough M.B. - -	66,320	1,176	22	533	30	—	—	—	22	2	—	17	
Weymouth & Melcombe Regis M.B. - -	35,970	573	9	450	12	—	—	—	9	5	2	19	
South-Western													
Camborne-Redruth U.D. - -	35,650	571	22	520	22	—	—	—	23	6	2	19	
Salisbury M.B. - -	33,690	483	13	368	17	—	1	—	12	2	3	13	
Taunton M.B. - -	33,340	612	9	417	21	—	—	—	10	—	—	16	
Torquay M.B. - -	50,480	662	14	819	20	—	—	—	24	6	—	34	
Weston super Mare M.B. - -	39,830	562	13	620	13	—	—	—	18	—	1	17	
Wales													
Aberdare U.D. - -	40,850	609	11	642	31	—	—	—	28	7	—	10	
Abertillery U.D. - -	28,070	495	13	372	31	—	—	—	19	4	1	12	
Barry M.B. - -	41,680	786	13	446	22	—	—	—	26	3	—	9	
Bedwellty U.D. - -	28,910	642	20	338	38	—	—	—	21	—	3	12	
Caerphilly U.D. - -	34,430	718	22	431	42	—	1	—	27	5	—	16	
Ebbw Vale U.D. - -	29,440	514	13	404	37	—	—	—	19	13	—	16	
Gelligaer U.D. - -	36,390	759	22	422	27	—	—	—	26	3	1	19	
Llanelly M.B. - -	33,630	449	15	442	17	—	2	—	25	1	—	13	
Llwhwr U.D. - -	25,680	354	9	271	7	—	—	—	22	—	—	5	
Maesteg U.D. - -	23,100	463	11	303	22	—	—	—	17	3	—	14	
Mountain Ash U.D. - -	31,900	542	13	450	25	—	—	—	18	2	—	10	
Neath M.B. - -	32,030	509	15	379	22	—	—	—	24	—	—	15	
Ogmore & Garw U.D. - -	22,710	426	13	283	13	—	—	—	13	1	—	2	
Pontypool U.D. - -	42,650	740	23	531	28	—	—	—	24	3	1	21	
Pontypridd U.D. - -	39,440	681	24	525	28	—	—	—	19	6	—	26	
Port Talbot M.B. - -	43,670	785	25	491	43	—	—	—	39	2	2	19	

APPENDIX 'C'—Population, Births and Deaths in } London and certain Cities abroad.
the Year 1949.

CITIES	POPULATION (enumerated or estimated)	LIVE BIRTHS	STILLBIRTHS	TOTAL DEATHS (excluding Stillbirths)	Rate per 1,000 living		Deaths from							
					Live Births	Deaths (excluding Stillbirths)	Typhoid and paratyphoid fevers	Smallpox	Whooping cough	Diphtheria *	Tuberculosis (all forms)	Influenza	Ac. poliomyelitis and polioencephalitis	Enteritis and Diarrhoea under 2 years †
LONDON - -	3,375,470‡	56,547	1,134	39,457‡	16.8	11.7	2	—	27	9	1,741	372	50	98
BOMBAY - -	1,764,000	58,081	3,324	39,935	32.9	22.6	1,125	559	8	93	2,326	4	65	613
CALCUTTA - -	2,896,000	47,125	3,577	41,860	16.3	14.5	1,614	578	18	138	3,092	52	4	1,503
CAPE TOWN - -	180,805	4,553	66	2,232	25.2	12.3	—	—	—	—	—	—	—	—
COPENHAGEN - -	762,100	11,502	220	7,489	15.1	9.8	2	2	8	2	176	1	3	2
GOthenBURG - -	349,323	?	?	2,723	?	7.8	2	2	1	—	90	—	3	5
OSLO - -	427,493	5,994	108	3,869	14.0	9.1	—	—	4	4	119	2	2	5
PARIS - -	2,725,374	50,646	1,269	29,453	18.6	10.8	29	1	115	17	1,681	469	41	499
STOCKHOLM - -	725,714	12,263	251	6,423	16.9	8.9	1	—	2	1	272	2	5	7

* Including deaths from Croup in Bombay.

† The deaths in this column relate to all ages for Oslo, and to children under 1 year of age for Gothenburg.

‡ Civilians only. § Per 1,000 related live births.

APPENDIX D.—Deaths (excluding non-civilians) registered in } London.
the Year 1949, by Ages and Causes.*

Abridged List No.	Causes of Death.	Ages at Death.											
		ALL AGES.	Under 1 year.	1-2 years.	2-5 years.	5-15 years.	15-25 years.	25-35 years.	35-45 years.	45-55 years.	55-65 years.	65-75 years.	75 years and up-wards.
	ALL CAUSES - - - - -	39,457	1,517	112	172	231	488	862	1,486	3,205	6,329	11,047	14,008
(1)	Typhoid and paratyphoid fevers - - - - -	2	—	—	—	1	—	—	—	—	—	1	—
	Cerebro-spinal fever - - - - -	19	8	2	4	—	—	1	—	2	—	—	2
	Scarlet fever - - - - -	1	—	—	—	1	—	—	—	—	—	—	—
	Whooping cough - - - - -	27	20	4	3	—	—	—	—	—	—	—	—
	Diphtheria - - - - -	9	—	—	3	6	—	—	—	—	—	—	—
	Erysipelas - - - - -	1	—	—	—	—	—	—	—	—	—	—	1
(2)	Tuberculosis of respiratory system - - -	1,585	2	3	2	5	154	261	250	298	325	228	57
	Other tuberculosis - - - - -	156	3	12	14	19	17	26	13	25	12	14	1
	Purulent infection and septicaemia - - -	8	4	1	1	—	—	—	—	—	—	1	1
	Syphilitic diseases - - - - -	270	2	—	—	—	—	2	8	48	75	94	41
	Influenza - - - - -	372	15	2	3	3	5	8	14	31	64	114	113
	Measles - - - - -	16	3	6	5	1	1	—	—	—	—	—	—
(3)	Acute poliomyelitis, polioencephalitis - -	50	1	3	8	11	11	10	5	1	—	—	—
(5)	Acute infective encephalitis (lethargic) - -	19	—	—	—	—	—	4	7	4	2	1	1
	Hodgkin's disease - - - - -	58	—	—	—	1	9	9	16	11	3	6	3
	Other infective diseases - - - - -	22	3	—	2	5	—	—	2	1	3	2	4
M (2) F	Cancer :— Buccal cavity and oesophagus - - - - -	387	—	—	—	3	2	5	15	31	65	144	122
(1)	Stomach and duodenum - - - - -	1,106	—	—	—	—	—	13	41	112	255	399	286
F	Respiratory system - - - - -	1,448	—	1	—	1	3	11	67	261	476	470	158
	Uterus - - - - -	318	—	—	1	—	—	6	25	52	86	91	57
(3)	Breast - - - - -	678	—	—	—	—	—	10	54	117	173	176	148
	Other sites - - - - -	3,153	3	3	11	14	16	49	132	367	629	1,077	852
(6)	Rheumatic fever - - - - -	16	—	—	—	6	4	3	2	1	—	—	—
(7)	Diabetes - - - - -	248	—	1	—	1	4	3	3	16	35	106	79
(8)	Exophthalmic goitre - - - - -	38	—	—	—	—	2	4	1	5	12	9	5
	Diseases of the blood - - - - -	291	2	—	12	10	8	13	20	28	57	77	64
(9)	Cerebral vascular lesions - - - - -	3,602	2	—	1	1	2	8	40	191	539	1,197	1,621
(1)	Diseases of the ear and mastoid antrum - -	41	13	—	—	4	3	4	4	8	—	3	2
(2)	Chronic endocarditis - - - - -	1,205	—	—	—	2	29	57	110	183	234	311	279
(3)	Myocardial degeneration - - - - -	5,747	—	1	—	—	1	4	13	69	406	1,432	3,821
(4)	Coronary disease, angina pectoris - - -	3,555	—	—	—	—	1	14	79	260	782	1,369	1,050
	Other diseases of the heart - - - - -	652	—	1	3	1	3	19	20	47	70	196	292
	Other diseases of circulatory system - - -	2,179	1	—	1	1	1	14	30	112	288	640	1,091
(1)	Bronchitis - - - - -	3,042	36	2	3	—	5	10	43	184	510	988	1,261
	Pneumonia (all forms) - - - - -	2,050	187	23	15	7	13	14	54	112	263	538	824
	Other diseases of respiratory system - - -	492	5	3	1	1	4	11	31	57	115	147	117
	Diseases of pharynx and tonsils - - - - -	9	—	—	3	—	—	1	2	—	2	1	—
	Peptic ulcer - - - - -	560	—	—	—	—	3	7	35	78	153	184	100
(2)	Diarrhoea (under 2 years) - - - - -	98	87	11	—	—	—	—	—	—	—	—	—
(3)	Appendicitis - - - - -	107	—	—	4	5	5	9	3	16	21	28	16
(4)	Cirrhosis of liver - - - - -	86	—	—	—	—	—	1	3	22	26	27	7
	Other diseases of liver - - - - -	144	2	1	1	2	3	5	7	9	23	43	48
	Other diseases of digestive system - - - -	498	6	—	5	3	5	18	16	49	91	144	166
(10)	Nephritis - - - - -	623	1	—	1	7	19	26	39	66	111	159	194
(11)	Pyelitis and diseases of the bladder - - -	178	1	—	—	—	2	5	10	14	36	50	60
(1)	Diseases of the prostate - - - - -	389	—	—	—	—	—	—	—	2	32	132	223
(1)	Septic abortion - - - - -	13	—	—	—	—	5	6	2	—	—	—	—
(2)	Other abortion - - - - -	4	—	—	—	—	1	1	2	—	—	—	—
(2)	Puerperal sepsis - - - - -	1	—	—	—	—	1	—	—	—	—	—	—
	Other maternal causes - - - - -	22	—	—	—	—	2	10	8	1	1	—	—
(1)	Premature birth - - - - -	357	357	—	—	—	—	—	—	—	—	—	—
(2)	Injury at birth - - - - -	140	140	—	—	—	—	—	—	—	—	—	—
(12)	Congenital malformations and infantile diseases - - - - -	647	499	10	12	12	11	15	16	21	24	15	12
	Old age - - - - -	352	—	—	—	—	—	—	—	—	3	26	323
(4,14)	Suicide - - - - -	469	—	—	—	—	28	51	81	104	103	63	39
	Road traffic accidents - - - - -	257	—	2	19	36	29	25	23	17	27	35	44
	Other violent causes - - - - -	834	88	9	24	39	45	47	58	59	69	110	286
(13)	Other defined causes - - - - -	802	26	11	10	22	30	47	82	112	127	199	136
	Ill defined causes - - - - -	4	—	—	—	—	1	—	—	1	1	—	1

* Corrected for inward and outward transfers to place of residence.

APPENDIX E.—Infant Mortality } { **England and Wales, Standard Regions and certain large towns.**

1947-49.

(Deaths under 1 year per 1,000 related live births).

—	1947	1948	1949*	—	1947	1948	1949
ENGLAND AND WALES - - -	41	34	32	<i>Towns with population over 200,000—cont.</i>			
<i>Regional Summary:</i>				Coventry C.B. - - - - -	45	45	39
Northern - - - - -	48	42	42	Croydon C.B. - - - - -	38	27	28
East and West Ridings - - - - -	46	38	36	Harrow U.D. - - - - -	24	28	28
North Western - - - - -	54	42	39	Kingston upon Hull C.B. - - - - -	51	46	41
North Midland - - - - -	42	37	32	Leeds C.B. - - - - -	50	34	36
Midland - - - - -	42	36	33	Leicester C.B. - - - - -	47	38	22
Eastern - - - - -	32	26	25	Liverpool C.B.— - - - -	69	52	44
London and South Eastern - - - - -	33	27	25	London Admin. County - - - - -	34	30	27
Southern - - - - -	33	27	26	Islington Met. B. - - - - -	32	35	27
South Western - - - - -	35	28	29	Lambeth Met. B. - - - - -	33	27	29
Wales - - - - -	49	39	39	Lewisham Met. B. - - - - -	33	28	19
				Wandsworth Met. B. - - - - -	33	31	26
<i>Towns with population over 200,000</i>				Manchester C.B. - - - - -	60	42	38
Birmingham C.B. - - - - -	40	31	30	Newcastle on Tyne C.B. - - - - -	44	37	39
Bradford C.B. - - - - -	60	43	37	Nottingham C.B. - - - - -	50	44	38
Bristol C.B. - - - - -	29	24	25	Portsmouth C.B. - - - - -	33	23	24
				Sheffield C.B. - - - - -	41	32	34
				Stoke on Trent C.B. - - - - -	62	41	34
				Cardiff C.B. - - - - -	54	36	31

* Provisional figures.

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased from

York House, Kingsway, LONDON, W.C.2 429 Oxford Street, LONDON, W.1

P.O. Box 569 LONDON, S.E.1

13a Castle Street, EDINBURGH, 2

1 St. Andrew's Crescent, CARDIFF

39 King Street, MANCHESTER, 2

Tower Lane, BRISTOL, 1

2 Edmunds Street, BIRMINGHAM, 3

80 Chichester Street, BELFAST

or from any Bookseller

1950

Price 1s. 0d. net

1950
2nd Qtr.



No. 406

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S
QUARTERLY RETURN FOR
ENGLAND AND WALES

BIRTHS, DEATHS AND
MARRIAGES
INFECTIOUS DISEASES
WEATHER
SURVEY OF SICKNESS
POPULATION ESTIMATES

Quarter ended 30th June, 1950

Crown Copyright Reserved.



LONDON : HIS MAJESTY'S STATIONERY OFFICE,
1950

One Shilling Net.

TABLE OF CONTENTS

	Page:
General Notes	3
Non-Quarterly Statistics	4
Special Notes	4
Notes on the Quarter	5
Approximate Reproduction Rates	5
Births, Deaths, Marriages and Infectious Diseases	
Table I Marriages, Live Births, Stillbirths and Deaths—Total numbers registered. England and Wales. Years 1940-50 and in each Quarter of those years ...	6
Table II Persons Married, Live Births and Deaths—Annual rates per 1,000 total population. Stillbirths—Rates per 1,000 total live and still births. Deaths under 1 year—Rates per 1,000 related live births. England and Wales. Years 1940-50 and in each Quarter of those years	6
Table III Birth Rates, Death Rates from All Causes and from several diseases (annual rate) for each of the last Five Quarters. England and Wales, Great Towns and Smaller Towns	7
Table IV Estimated Home Population. Marriages, Births and Deaths (distinguishing Deaths of Infants under 1 year of age) registered in the Quarter. England and Wales and Administrative Counties with associated County Boroughs ...	8
Table V Estimated Home Population. Births, Deaths (distinguishing Deaths of Infants under 1 year of age) and Deaths from Certain Causes registered in the Quarter. Great Towns, Metropolitan Boroughs, Greater London, and 4 Scottish and Irish Towns	9
Table VI Estimated Home Population. Births, Deaths (distinguishing Deaths of Infants under 1 year of age) and Deaths from Certain Causes registered in the Quarter. Smaller Towns	11
Table VII Population, Births and Deaths in the last two Quarters. London and certain Cities abroad	14
Table VIII Notifications of Certain Infectious Diseases in the Quarter. England and Wales, Counties, County Boroughs, London and Metropolitan Boroughs and Port Health Districts	15
Table VIIIa Corrected Notifications of Certain Infectious Diseases in the Quarter, analysed by sex and age. England and Wales.	18
Table IX Infant Mortality. Rates by Quarters and each completed year, 1947-50. England and Wales and various other countries	18
Table X Deaths from Certain Causes, by Quarters 1948-1950. England and Wales	19
Meteorology	
Notes on the Quarter	21
Values of Air Temperature, Rainfall and Sunshine for the Quarter, expressed as differences from or percentages of the Average Values. Districts of England and Wales	22
Survey of Sickness: England and Wales	
Table A Summary of sickness experiences during the months stated, based on interviews in the two following months	23
Table B Distribution of Illnesses and Injuries reported as affecting persons aged 16-64, 65 and over, in each month, by severity	23
Table C(2) Distribution of Illnesses and Injuries of Different Kinds according to Days of Incapacity at ages 16 and over	24
Table C(3) Aggregate Numbers of Days of Incapacity and of all Illnesses and Injuries, by Sex, Age and Kind	25
Table D(2) Distribution of Illnesses and Injuries of Different Kinds according to the Number of Medical Consultations	26
Table E Distribution by Age and Sex of Persons according to Number of Illnesses and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month	27

	Page
International Statistical Classification of Diseases, Injuries and Causes of Death—Short List	28
Table F Distribution of Persons aged 16 and over according to Numbers of separate Illnesses and Injuries reported and Days of Incapacity in the month	29
Table G Distribution of Persons aged 16 and over according to Numbers of Medical Consultations in the month	29
Table H Incidence of Illness, etc., amongst Men and Women aged 16 and over in different Occupations and Income Groups of Chief Wage Earner	30

GENERAL NOTES

1. Introduction.—The figures in this return are provisional. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of births and deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of marriages and others, and notifications of infectious diseases (Tables VIII and VIIIa) from special quarterly statements furnished to the Registrar General by Medical Officers of Health.

Information relating to the incidence of sickness (Tables A-H) is obtained for the Registrar General by the Social Survey of the Central Office of Information by interviewing a representative sample of the population.

Meteorological data (pages 21-22) are furnished by the Director of the Meteorological Office (Air Ministry).

2. Definition of Areas.—London=administrative county of London; Great Towns=London, all county boroughs and, in addition, municipal boroughs and urban districts within whose present areas there was a resident population exceeding 50,000 at the Census, 1931. These Great Towns number 126; Smaller Towns=municipal boroughs and urban districts within whose present areas there was a resident population of 25,000-50,000 at the Census, 1931. These Smaller Towns number 148; C.B.=county borough; M.B.=municipal borough; U.D.=urban district; R.D.=rural district; Greater London=aggregate of the City of London and of the boroughs and county districts falling entirely within the area of the Metropolitan Police District as defined in the Police Act, 1946, i.e., an area of approximately 15 miles radius from Charing Cross.

3. Total Population is the population of England and Wales *including* members of the armed forces and merchant navy serving at home and abroad. The Civilian Population *excludes* members of the armed forces serving at home and abroad: it *includes* all members of the merchant navy. The Home Population is the Civilian Population plus the armed forces *stationed* in each area.

4. Non-civilians are *included* except where otherwise stated.

5. Births and Deaths for England and Wales, and the parts thereof, are those registered in the quarter and relate to the area of occurrence, except in the case of some non-quarterly statistics (*see* page 4) where they are assigned to the area of residence.

6. Cause of Death assignments (Tables V and VI) are provisional, and final figures are published in the Registrar General's annual Statistical Review (Tables 24 and 24A).

7. The notifications of infectious diseases (Tables VIII and VIIIa) have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

8. Estimates of national total populations are shown in Table II, and of national and local home populations in Tables IV, V and VI.

NON-QUARTERLY STATISTICS

The following non-quarterly information is published in the Quarterly Returns as stated below:—

Half-yearly

June and December Returns—Lists of the changes in boundaries of administrative areas during the six months ending 30th June and 31st December.

September and December Returns—Estimates of the sex and age distribution of the total and civilian population of England and Wales as a whole as at 30th June and 31st December respectively.

Yearly

March Return—(1) Civilian deaths, registered during the preceding year and assigned to London, analysed by cause and age.

(2) Estimated mid-year civilian populations for the preceding year; births, civilian deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year showing

(a) those assigned to the Great Towns, Metropolitan Boroughs and Greater London, with comparative figures for four Scottish and Irish Towns.

(b) those assigned to the Smaller Towns.

(3) Populations, births and deaths for the previous year in London and certain cities abroad, distinguishing deaths from certain causes.

(4) Infant Mortality in England and Wales, Standard Regions and certain large towns in the previous three years.

December Return—(1) A textual summary of the vital statistics of England and Wales for the year then ended.

(2) A summary table showing the number of marriages, births, *civilian* deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales and each administrative county during the year.

Occasional

From time to time additional population and medical data are given in the form of notes, tables or diagrams, particulars of which are, in each case, given in Special Notes on this page.

SPECIAL NOTES

Populations

The estimates of populations given for local areas in tables relating to the second quarter of 1950 are *home* populations (i.e., the resident civilian populations plus the armed forces stationed in the area).

Deaths

As from the beginning of 1950 the numbers of deaths shown are the *total numbers registered* (i.e., they include deaths of non-civilians). The basis of figures for periods before 1st January, 1950, is explained in the headings and notes to the relevant tables.

The causes of death for the March quarter, 1950, shown in Table X. have been classified in accordance with the International Classification of Diseases, Injuries and Causes of Death, 1948. Where necessary, figures for the earlier periods shown have been adjusted to preserve comparability. Where no comparison is yet possible, no figures are shown for the earlier periods.

Survey of Sickness

The figures given in Tables A-H. relating to sickness experience in recent months, are normally based on information reported by two samples, interviewed immediately after the month of experience and one month later. Because of the General Election in February, no interviews were held during that month and the experience for January, 1949, is therefore based on March interviews only. The *rates* shown for January in Table A have been corrected to allow for the slightly lower figures which might have been expected from February interviews on the basis of the January experience shown by February and March interviews in previous years.

NOTES ON THE SECOND QUARTER OF 1950. ENGLAND AND WALES.

Births

The number of births registered during this quarter was 181,784, representing a birth rate based on the total population of England and Wales for 1949, of 16·7 per thousand. These figures compare with 180,062 births and a rate of 16·7 for the preceding quarter, 192,038 births and a rate of 17·6 for the corresponding quarter of 1949, and an average birth rate for the second quarters of the five years 1944-1948, of 19·0.

Of the births registered 93,369 were males and 88,415 females, a proportion of 1,056 males to 1,000 females. The average proportion for the second quarters of the ten years 1940-1949 was 1,062 males per 1,000 females.

The number of illegitimate births, included in the total, was 9,263 or 5·1 per cent. of the total births registered, comparing with 9,794 or 5·1 per cent. in the corresponding quarter of 1949.

Stillbirths

The 4,178 stillbirths registered represent 22·5 per 1,000 of the total live and still births. This rate is 0·4 lower than for the second quarter of 1949.

The stillbirth rate per 1,000 total population was 0·38.

Deaths

The number of deaths registered was 120,746, representing a death rate based on the 1949 total population, of 11·1 per 1,000; it compares with 11·0 for the corresponding quarter of 1949, and an average death rate for the second quarters of the five years 1944-1948 of 10·6. Of the deaths registered 61,499 were males and 59,247 females, a proportion of 1,038 males to 1,000 females.

The deaths of children under one year of age numbered 5,026, representing an infant mortality rate, provisionally corrected, of 28 per 1,000 related live births; this was the lowest ever recorded for any second quarter in this country, being 2 per 1,000 below that for the second quarter of 1949 and 16 per 1,000 below the average rate for the second quarters of the ten preceding years 1939-1948. The diarrhoea death rate for children under two years of age was 1·7 per 1,000 births (300 deaths) compared with 2·4, 2·6, 2·9 and 2·6 in the four preceding quarters.

Deaths from acute poliomyelitis (provisional total) numbered 71 compared with 28, 250, 319 and 86 in the four preceding quarters.

There were no deaths from smallpox registered during the quarter. There were 4 cases notified; 3 in Halifax C.B. and 1 in Liverpool Port Health District.

Natural Increases

The births registered exceeded the deaths by 61,038, the corresponding increases for the second quarters of the years 1947, 1948 and 1949 being respectively 117,181, 93,336 and 72,066.

Marriages

The number of persons married during the quarter was 161,082 which was 38,084 less than the average for the corresponding quarters of the preceding five years 1945-1949.

APPROXIMATE REPRODUCTION RATES

These approximate reproduction rates correspond to the births which occurred in each year and make allowance for a continuing improvement in survivorship conditions.

Year	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
Reproduction Rate	0·810	0·808	0·772	0·761	0·853	0·900	0·996	0·909	1·103	1·205	1·070	1·02†

Provisional.

TABLE I.—Marriages, Live Births, Stillbirths and Deaths—Total numbers registered. { **England and Wales. Years 1940-50 and in each Quarter of those years.**

	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949(a)	1950(2a)
Marriages - - -	470,549	388,921	369,744	296,432	302,714	397,626	385,606	401,210	396,891	373,132	
Live Births - - -	607,029	587,228	654,039	683,212	744,842	685,273	819,894	886,820	776,971	731,172	
Stillbirths - - -	22,731	20,902	22,335	21,275	21,212	19,452	22,915	21,916	18,469	16,977	
Deaths: All ages -	581,537	535,180	480,137	501,412	492,176	488,108	492,090	517,615	469,898	510,736	
" under 1 year -	33,892	34,550	32,258	33,431	33,455	31,959	33,548	36,849	26,766	23,882	
MARRIAGES. (c)											
March Quarter - -	109,322	81,034	88,280	62,684	62,879	76,975	78,237	75,241	95,443	81,433	86,488
June " - - -	116,700	105,576	100,992	82,577	82,583	99,709	101,213	109,146	92,822	95,026	80,544
September " - -	131,894	104,702	96,445	81,569	82,312	119,447	109,750	119,426	123,157	113,695	
December " - -	112,633	97,609	84,027	69,602	74,940	101,495	96,406	97,397	85,469	82,978	
LIVE BIRTHS.											
March " - - -	154,345	147,027	158,225	172,271	183,973	177,946	181,220	241,530	202,047	186,611	180,066
June " - - -	166,686	147,414	167,611	180,709	199,039	175,221	203,808	235,196	203,593	192,038	181,788
September " - -	149,092	147,621	168,335	169,306	183,594	167,807	213,051	216,508	191,858	183,221	
December " - -	136,906	145,166	159,868	160,926	178,237	164,299	221,815	193,586	179,473	169,302	
STILLBIRTHS.											
March " - - -	6,223	5,632	5,652	5,783	5,587	5,190	5,202	6,347	5,045	4,446	4,223
June " - - -	5,994	5,407	5,787	5,577	5,496	4,853	5,767	5,831	4,748	4,496	4,177
September " - -	5,371	4,970	5,437	4,980	5,018	4,676	5,831	5,073	4,447	4,118	
December " - -	5,143	4,893	5,459	4,935	5,111	4,733	6,115	4,665	4,231	3,917	
DEATHS (excluding Stillbirths).											
March " - - -	205,183	178,637	151,262	137,578	146,039	157,743	155,227	181,736	132,628	161,265	151,127
June " - - -	119,706	140,186	116,937	112,911	115,548	110,972	113,908	118,015	110,257	119,972	120,744
September " - -	111,733	101,336	97,336	98,469	107,254	97,157	100,409	97,099	101,548	101,190	
December " - -	144,915	115,021	114,602	152,454	123,335	122,236	122,546	120,765	125,465	128,309	
DEATHS OF INFANTS UNDER 1 YEAR.											
March " - - -	11,948	11,062	9,771	10,067	10,152	10,676	9,637	12,561	8,387	7,532	6,533
June " - - -	7,713	8,787	7,868	8,106	7,983	7,227	7,657	9,195	6,357	5,758	5,029
September " - -	6,371	6,470	6,821	6,851	7,376	6,429	7,100	7,141	5,514	4,915	
December " - -	7,860	8,231	7,798	8,407	7,944	7,627	9,154	7,952	6,508	5,677	

TABLE II.—Persons Married, Live Births and Deaths—Annual rates per 1,000 total population. Stillbirths—Rates per 1,000 total live and stillbirths. Deaths under 1 year—Rates per 1,000 related live births. { **England and Wales. Years 1940-50 and in each Quarter of those years.**

Estimated Population of England and Wales in thousands.	41,862 (b)	41,748 (b)	41,897 (b)	42,259 (b)	42,449 (b)	42,636 (b)	42,737 (b)	43,050 (b)	43,502 (b)	43,785 (b)	
	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949(a)	1950(2a)
Persons married - -	22.5	18.6	17.7	14.0	14.3	18.7	18.0	18.6	18.2	17.0	
Live Births - - -	14.5	14.1	15.6	16.2	17.5	16.1	19.2	20.6	17.9	16.7	
Stillbirths - - -	36.1	34.4	33.0	30.2	27.7	27.6	27.2	24.1	23.2	22.7	
Deaths: All ages - -	13.9	12.8	11.5	11.9	11.6	11.4	11.5	12.0	10.8	11.7	
" under 1 year -	57	60	51	49	45	46	43	41	34	32	
PERSONS MARRIED. (c)											
March Quarter - -	21.0	15.7	17.1	12.0	11.9	14.6	14.8	14.2	17.6	15.1	16.0
June " - - -	22.4	20.3	19.3	15.7	15.6	18.8	19.0	20.3	17.2	17.4	14.8
September " - -	25.1	19.9	18.3	15.3	15.4	22.2	20.4	22.0	22.5	20.6	
December " - -	21.4	18.6	15.9	13.1	14.0	18.9	17.9	18.0	15.6	15.0	
LIVE BIRTHS.											
March " - - -	14.8	14.3	15.3	16.5	17.4	16.9	17.2	22.8	18.7	17.3	16.0
June " - - -	16.0	14.2	16.0	17.2	18.9	16.5	19.1	21.9	18.8	17.6	16.7
September " - -	14.2	14.0	15.9	15.9	17.2	15.6	19.8	20.0	17.5	16.6	
December " - -	13.0	13.8	15.1	15.1	16.7	15.3	20.6	17.8	16.4	15.3	
STILLBIRTHS.											
March " - - -	38.8	36.9	34.5	32.5	29.5	28.3	27.9	25.6	24.4	23.3	22.9
June " - - -	34.7	35.4	33.4	29.9	26.9	27.0	27.5	24.2	22.8	22.9	22.5
September " - -	34.8	32.6	31.3	28.6	26.6	27.1	26.6	22.9	22.7	22.0	
December " - -	36.2	32.6	33.0	29.8	27.9	28.0	26.8	23.5	23.0	23.6	
DEATHS (excluding Stillbirths).											
March " - - -	19.7	17.4	14.6	13.2	13.8	15.0	14.7	17.1	12.3	14.9	14.0
June " - - -	11.5	13.5	11.2	10.7	10.9	10.4	10.7	11.0	10.2	11.0	11.1
September " - -	10.6	9.6	9.2	9.2	10.1	9.0	9.3	8.9	9.3	9.2	
December " - -	13.8	10.9	10.9	14.3	11.6	11.4	11.4	11.1	11.5	11.6	
DEATHS OF INFANTS UNDER 1 YEAR.											
March " - - -	7.9	7.7	6.5	6.0	5.8	6.0	5.6	5.5	4.1	4.0	3.7
June " - - -	5.1	6.1	4.9	4.7	4.2	4.1	4.0	4.0	3.1	3.0	2.8
September " - -	4.2	4.5	4.2	4.0	4.0	3.7	3.5	3.2	2.8	2.7	
December " - -	5.5	5.7	4.8	5.0	4.3	4.5	4.3	3.8	3.5	3.2	

(a) Provisional.

(b) Including Armed Forces and Mercantile Marine at home and abroad.

(c) Note:—An exceptional number of marriages is celebrated at Easter which usually falls in the second quarter of the year. In the years under review, however, Easter Sunday fell in the first quarter in 1940 and 1948, with a consequential influence on the quarterly marriage totals for those years.

(d) Provisional rates based on 1949 population.

TABLE III.—Birth Rates, Death Rates from All Causes and from several diseases { England and Wales, Great Towns and Smaller Towns. (annual rate) for each of the last Five Quarters.

All rates for 1949 are calculated on *civilian* population estimated to the middle of the year, and deaths of non-civilians have been excluded. Birth rates for England and Wales based on total population are shown in Table II.

For 1950, deaths of non-civilians are included and all rates calculated on *home* population estimated at 31st December, 1949.

	Quarter	Rate per 1,000 Population	Rate per 1,000 Total (Live and Still) births	Rate per 1,000 Population	Rate per 1,000 Related Live Births	Death rate per million Population				Pneumonia	Enteritis and Diarrhoea (under 2 years)	
		Live Births	Still-births	Deaths (All Ages)	Deaths Under 1 year	Whooping cough	Diphtheria	Influenza	Ac: poliomyelitis and polioencephalitis			
ENGLAND AND WALES	1949											
	Second	17.9	22.7	11.1	30	15	2	139	3	419	2.4	
	Third	16.9	21.9	9.3	27	9	1	12	23	259	2.6	
	Fourth	15.6	22.5	11.8	32	4	1	47	29	490	2.9	
	1950											
GREAT TOWNS	First	16.7	22.9	14.1	37	8	2	226	8	718	2.6	
	Second	16.7	22.5	11.1	28	9	1	84	7	385	1.7	
	1949											
	Second	19.6	24.8	11.5	35	21	3	103	3	444	2.9	
	Third	18.5	23.7	9.7	31	10	2	11	33	271	3.7	
SMALLER TOWNS	Fourth	17.1	24.5	12.6	38	6	2	52	39	546	3.7	
	1950											
	First	18.6	24.8	14.7	40	12	3	206	13	789	2.9	
	Second	18.4	24.5	11.6	33	11	1	69	11	406	2.2	
	1949											
	Second	19.0	21.6	10.9	28	14	1	142	2	419	2.1	
	Third	17.7	20.4	9.2	26	8	1	10	21	268	1.8	
	Fourth	16.6	21.3	11.7	29	5	3	43	37	480	2.4	
	1950											
	First	17.6	23.1	14.0	38	7	2	241	6	708	2.6	
	Second	17.5	22.2	11.1	26	9	1	65	6	389	0.9	

TABLE IV.—Estimated Home Population at 31st December, 1949, and Marriages, Births and Deaths (distinguishing Deaths of Infants under 1 year of age) registered in the Quarter ended 30th June, 1950.

{ England and Wales and Administrative Counties with associated County Boroughs }

(See General Notes on page 3).

ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGH	Home Population (thousands)	Marriages	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year	ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGH	Home Population (thousands)	Marriages	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year
ENGLAND & WALES ...	43,753	80,541	181,784	4,178	120,746	5,023	ENGLAND—cont.						
ENGLAND* ...	41,162	76,081	170,781	3,867	112,836	4,703	RUTLAND ...	22	33	55	—	52	
County of—							SALOP ...	289	560	1,257	21	737	
BEDFORD ...	309	529	1,221	37	748	30	SOMERSET ...	554	1,049	2,025	53	1,719	
BERKS ...	408	791	1,751	21	1,072	36	SOUTHAMPTON	1,192	2,196	5,210	91	3,211	
BUCKINGHAM	385	690	1,456	35	913	16	STAFFORD ...	1,612	2,864	6,904	186	4,250	
CAMBRIDGE...	176	331	704	27	492	21	SUFFOLK, E.	322	562	1,314	27	853	
CHESTER ...	1,247	2,223	5,299	123	3,363	131	SUFFOLK, W.	117	199	515	13	350	
CORNWALL ...	341	646	1,142	47	1,068	30	SURREY ...	1,607	2,912	5,969	109	4,154	
CUMBERLAND	283	576	1,305	36	818	37	SUSSEX, E.	619	1,053	2,085	42	2,131	
DERBY ...	825	1,500	3,177	84	2,119	92	SUSSEX, W.	316	529	1,187	20	1,102	
DEVON ...	795	1,535	3,117	80	2,622	77	WARWICK ...	1,857	3,477	8,459	205	4,605	
DORSET ...	290	535	997	15	834	23	WESTMORLAND	66	121	271	9	224	
DURHAM ...	1,469	2,422	6,551	161	3,926	218	WIGHT, ISLE OF ...	93	157	351	10	333	
ELY, ISLE OF	89	155	376	4	264	6	WILTS ...	382	669	1,568	41	926	
ESSEX ...	2,024	3,754	7,354	138	4,675	158	WORCESTER	524	1,006	1,842	31	1,310	
GLOUCESTER	939	1,711	4,153	92	2,606	101	YORKS, E.R.	508	907	2,380	61	1,360	
HEREFORD ...	127	262	572	12	358	11	YORKS, N.R.	521	908	2,265	63	1,518	
HERTFORD ...	601	1,041	2,688	53	1,508	45	YORKS, W.R. (including YORK, C.B.)	3,589	6,287	15,078	365	10,700	
HUNTINGDON	68	105	213	1	166	3	WALES* ...	2,591	4,460	11,003	311	7,890	
KENT ...	1,554	2,607	6,429	135	4,226	123	County of—						
LANCASTER...	5,132	9,181	22,333	513	15,902	784	ANGLESEY ...	50	82	145	—	156	
LEICESTER ...	632	1,252	2,741	66	1,617	77	BRECKNOCK	56	83	175	1	143	
LINCOLN HOLLAND	103	222	440	13	303	16	CAERNARVON	123	210	559	13	488	
KESTEVEN	128	228	549	16	380	20	CARDIGAN ...	54	105	180	3	217	
LINDSEY	468	928	2,129	42	1,302	61	CARMARTHEN	171	302	656	33	494	
LONDON ...	3,411	7,683	15,798	309	9,295	418	DENBIGH ...	169	292	748	29	609	
MIDDLESEX	2,293	4,386	6,746	142	4,528	147	FLINT ...	144	280	607	16	374	
NORFOLK ...	535	990	2,227	48	1,552	50	GLAMORGAN	1,202	2,022	5,283	132	3,671	
NORTHAMPTON	357	666	1,378	30	1,021	33	MERIONETH	41	77	73	1	133	
NORTHUMBERLAND ...	799	1,506	3,804	122	2,442	140	MONMOUTH	426	700	1,929	63	1,172	
NOTTINGHAM	838	1,502	3,682	86	2,247	118	MONTGOMERY	46	129	192	8	132	
OXFORD ...	281	508	1,370	24	767	41	PEMBROKE ...	89	142	386	9	250	
PETERBORO', SOKE OF	65	127	344	8	187	3	RADNOR ...	20	36	70	3	51	

* The County of Monmouth is included in Wales and not in England.

TABLE V.—Estimated Home Population at 31st December, 1949, and Births, Deaths (distinguishing Deaths of Infants under 1 year of age), and Deaths from Certain Causes registered in the Quarter ended 30th June, 1950.

Great Towns, Metropolitan Boroughs, Greater London, and 4 Scottish and Irish Towns.

(See General Notes on page 3).

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia	Enteritis and Diarrhoea under 2 years
126 GREAT TOWNS	21,150,020	97,249	2,447	60,927	3,128	4	58	3	2,259	363	56	2,143	212
Northern													
Carlisle C.B. - -	67,150	454	15	225	12	—	—	—	5	—	—	5	5
Darlington C.B. - -	85,030	401	20	267	10	—	—	—	6	—	—	5	—
Gateshead C.B. - -	115,130	589	18	333	25	—	1	—	26	—	—	32	1
Middlesbrough C.B. - -	145,820	916	42	470	52	—	2	—	35	3	—	18	11
Newcastle upon Tyne C.B. -	294,980	1,635	72	1,081	85	—	—	—	62	4	1	67	10
South Shields C.B. - -	109,010	467	14	337	12	—	—	1	14	1	—	6	—
Stanley U.D. (Durham) - -	48,800	150	1	91	3	—	—	—	4	—	—	2	—
Stockton on Tees M.B. - -	73,420	408	8	196	12	—	—	—	9	1	1	5	—
Sunderland C.B. - -	181,120	1,099	33	523	60	—	1	—	32	2	—	30	1
Tynemouth C.B. - -	66,870	438	20	234	10	—	—	—	11	—	—	4	—
West Hartlepool C.B. - -	72,580	341	6	197	14	—	—	—	16	—	—	9	1
East and West Ridings													
Barnsley C.B. - -	75,600	466	3	255	22	—	1	—	1	2	1	15	5
Bradford C.B. - -	292,520	1,336	23	1,130	48	—	1	—	21	—	1	42	7
Dewsbury C.B. - -	53,100	393	26	229	12	—	—	—	5	1	—	9	5
Doncaster C.B. - -	80,130	565	20	295	25	—	—	—	12	3	—	14	1
Halifax C.B. - -	98,480	710	20	460	30	—	2	—	10	1	—	12	—
Huddersfield C.B. - -	128,520	641	21	436	11	—	—	—	14	—	—	10	—
Keighley M.B. - -	56,690	232	5	211	7	—	—	—	2	2	—	3	1
Kingston upon Hull C.B. -	297,920	1,452	41	798	43	1	—	—	33	5	—	23	—
Leeds C.B. - -	568,340	2,347	68	1,568	76	—	3	—	46	7	2	63	3
Rotherham C.B. - -	82,370	492	9	268	26	—	—	—	9	1	—	15	6
Sheffield C.B. - -	514,350	2,130	51	1,563	72	—	2	—	51	19	1	59	11
Wakefield C.B. - -	60,310	389	20	281	30	—	—	—	13	—	1	15	6
York C.B. - -	107,150	522	11	328	13	—	—	—	10	—	—	4	—
North Western													
Ashton under Lyne M.B. -	48,350	395	8	274	15	—	1	—	7	3	—	12	—
Barrow in Furness C.B. - -	67,800	333	10	229	10	—	1	—	5	5	—	10	2
Birkenhead C.B. - -	141,600	748	17	446	29	—	—	—	20	2	—	15	4
Blackburn C.B. - -	111,300	557	15	464	19	—	—	—	4	3	—	24	1
Blackpool C.B. - -	148,300	526	15	563	16	—	—	—	7	4	—	18	—
Bolton C.B. - -	168,900	448	9	456	7	—	—	—	9	6	—	11	—
Bootle C.B. - -	70,140	218	2	103	6	—	—	—	7	—	—	2	—
Burnley C.B. - -	84,750	436	14	433	22	—	—	—	12	9	—	13	—
Bury C.B. - -	59,100	390	12	231	7	—	—	—	7	1	—	4	2
Chester C.B. - -	49,550	494	20	188	16	—	—	—	3	1	—	—	1
Crosby M.B. - -	59,500	192	7	125	3	—	—	—	4	1	—	1	—
Liverpool C.B. - -	805,050	4,698	93	2,474	155	—	3	1	148	9	1	154	7
Manchester C.B. - -	704,430	3,332	102	2,126	152	—	3	—	102	9	1	96	12
Oldham C.B. - -	120,100	712	13	503	28	—	—	—	15	3	—	31	3
Preston C.B. - -	120,100	554	11	383	22	—	1	—	10	6	2	10	2
Rochdale C.B. - -	89,120	185	2	176	6	—	—	—	16	1	—	12	1
St. Helens C.B. - -	112,000	518	12	284	11	—	—	—	11	—	—	7	1
Salford C.B. - -	179,120	907	19	567	32	—	1	—	22	4	1	14	6
Southport C.B. - -	85,540	276	3	300	4	—	—	—	3	5	—	4	—
Stockport C.B. - -	141,520	711	18	547	22	—	1	—	14	3	2	17	1
Stretford M.B. - -	62,290	190	3	132	3	—	—	—	4	3	1	3	—
Wallasey C.B. - -	101,320	403	9	217	6	—	—	—	7	—	—	4	—
Warrington C.B. - -	79,720	490	12	296	20	—	1	—	8	—	—	8	3
Wigan C.B. - -	85,230	237	1	272	14	—	—	—	10	5	—	9	1
North Midland													
Chesterfield M.B. - -	67,980	502	15	239	23	—	—	—	7	1	—	5	1
Derby C.B. - -	143,830	919	34	489	39	—	2	—	13	2	—	34	6
Grimsby C.B. - -	91,350	449	12	302	16	—	—	1	7	—	—	14	—
Leicester C.B. - -	286,200	1,505	42	912	56	—	3	—	26	2	—	30	1
Lincoln C.B. - -	69,380	362	5	236	16	—	—	—	7	3	3	3	1
Northampton C.B. - -	104,700	658	16	364	20	—	1	—	8	1	—	15	1
Nottingham C.B. - -	304,060	1,841	56	1,012	77	—	—	—	28	3	—	59	2
Midland													
Birmingham C.B. - -	1,114,250	4,833	127	2,908	180	—	7	—	139	10	18	93	6
Burton upon Trent C.B. -	48,920	335	14	179	15	—	1	—	5	1	—	10	1
Coventry C.B. - -	256,410	972	30	448	32	—	1	—	29	9	—	16	1
Dudley C.B. - -	63,310	149	2	153	13	—	—	—	8	2	1	2	—
Newcastle under Lyme M.B.													
Smethwick C.B. - -	77,650	138	2	147	6	—	2	—	6	3	3	4	1
Stoke on Trent C.B. - -	275,140	1,378	42	895	71	—	—	—	38	9	1	26	4
Walsall C.B. - -	114,000	543	12	342	15	—	—	—	22	6	—	11	—
West Bromwich C.B. - -	87,150	502	13	264	18	—	—	—	14	3	—	9	2
Wolverhampton C.B. - -	161,100	1,003	45	500	42	—	—	—	17	4	1	21	3
Worcester C.B. - -	61,960	280	5	219	6	—	—	—	5	—	—	9	—

TABLE V.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from								
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia.	Enteritis and Diarrhoea under 2 years	
Eastern														
Cambridge M.B. —	91,170	576	22	305	18	—	—	—	3	3	—	4	—	
Great Yarmouth C.B. —	52,660	231	7	167	4	—	—	—	5	—	—	5	—	
Ipswich C.B.—	104,130	587	11	298	16	—	—	—	9	—	—	7	1	
Luton M.B. —	110,000	538	20	267	13	—	—	—	4	—	—	3	1	
Norwich C.B. —	119,900	630	16	451	22	—	1	—	7	3	—	17	1	
Southend-on-Sea C.B. —	150,740	220	3	351	5	—	—	—	11	—	—	4	—	
Thurrock U.D. —	79,090	394	2	208	11	—	—	—	5	1	—	3	1	
Watford M.B. —	73,450	399	9	221	12	—	—	—	4	—	—	4	—	
London and South Eastern														
Greater London —	8,436,140	32,200	630	19,712	738	3	10	1	677	107	7	651	41	
Great Towns in Greater London*														
London —	3,410,720	15,798	309	9,295	418	2	5	—	357	53	4	309	23	
City of London	4,661	151	4	80	6	—	—	—	—	—	—	—	1	
The Temples	159	—	—	—	—	—	—	—	—	—	—	—	—	
Metropolitan Boro's														
Battersea —	117,990	521	13	407	18	—	—	—	23	4	—	7	—	
Bermondsey —	60,500	124	2	173	2	—	—	—	8	—	—	7	—	
Bethnal Green —	59,100	182	5	142	7	—	—	—	11	—	—	4	—	
Camberwell —	179,120	750	13	495	19	—	1	—	22	4	—	16	—	
Chelsea —	53,170	293	11	263	11	—	—	—	8	—	—	14	—	
Deptford —	76,950	146	1	90	3	—	—	—	2	1	—	1	—	
Finsbury —	36,060	70	—	48	—	—	—	—	—	—	—	1	—	
Fulham —	124,190	236	7	251	5	—	—	—	12	2	1	12	2	
Greenwich —	89,310	358	5	368	7	—	1	—	26	1	—	17	1	
Hackney —	172,720	1,097	19	471	24	—	—	—	40	2	—	15	1	
Hammersmith —	120,070	1,317	18	346	28	—	—	—	8	2	—	9	—	
Hampstead —	98,520	642	10	280	15	—	1	—	4	2	—	6	1	
Holborn —	25,900	12	—	143	29	—	—	—	7	—	—	3	2	
Islington —	240,370	1,481	27	609	29	—	—	—	18	2	—	24	—	
Kensington —	178,870	502	5	413	17	—	—	—	18	4	—	17	1	
Lambeth —	230,960	1,498	37	654	35	—	1	—	22	5	1	19	1	
Lewisham —	228,770	681	13	497	29	—	—	—	12	3	—	19	1	
Paddington —	132,250	779	16	406	16	1	—	—	18	1	—	16	1	
Poplar —	74,230	275	8	199	8	—	—	—	6	1	—	8	—	
St. Marylebone —	79,650	471	11	295	10	1	—	—	8	—	—	8	—	
St. Pancras —	143,260	680	10	383	22	—	—	—	22	1	—	11	4	
Shoreditch —	44,940	75	1	123	1	—	—	—	9	2	—	6	—	
Southwark —	97,340	406	11	266	7	—	—	—	2	1	—	4	1	
Stepney —	101,050	1,015	13	375	25	—	—	—	10	1	1	12	—	
Stoke Newington —	47,600	245	3	45	3	—	—	—	1	1	—	3	1	
Wandsworth —	337,430	767	10	842	12	—	1	—	26	10	1	29	4	
Westminster —	105,950	547	19	295	17	—	—	—	6	1	—	8	1	
Woolwich —	149,630	477	17	336	13	—	—	—	8	2	—	13	—	
Acton M.B. —	68,590	68	—	97	2	—	—	—	3	—	—	5	1	
Barking M.B. —	79,350	370	4	95	7	—	—	—	8	—	—	4	—	
Beckenham M.B. —	75,830	317	6	148	2	—	—	—	3	2	—	9	—	
Brentford & Chiswick M.B. —	60,350	342	13	82	1	—	—	—	9	—	—	4	—	
Croydon C.B. —	252,290	1,105	20	631	17	—	—	—	12	3	—	17	—	
Dagenham M.B. —	114,530	228	4	139	5	—	—	—	11	2	—	4	1	
Ealing M.B. —	189,200	572	10	294	6	—	—	—	7	—	—	7	1	
East Ham C.B. —	121,990	226	12	157	4	—	1	—	6	2	—	1	—	
Edmonton M.B.—	106,060	525	19	338	19	—	—	—	10	—	—	4	—	
Enfield U.D. —	111,280	380	7	243	9	—	—	—	6	2	—	6	—	
Finchley M.B. —	71,120	217	1	127	2	—	—	—	4	2	—	5	—	
Harrow U.D. —	223,370	394	9	322	3	—	—	—	3	—	—	7	—	
Hendon M.B. —	159,820	591	14	412	14	1	—	—	11	4	—	4	—	
Heston & Isleworth M.B. —														
Hornsey M.B. —	99,240	273	4	141	2	—	—	—	14	—	1	15	2	
Ilford M.B. —	186,120	508	14	398	3	—	—	—	2	3	—	5	—	
Leyton M.B. —	106,820	85	—	515	3	—	—	—	16	2	—	36	—	
Mitcham M.B. —	67,160	134	3	84	4	—	—	—	11	—	—	12	—	
Southgate M.B. —	74,470	169	—	141	6	—	—	—	4	—	—	2	—	
Tottenham M.B. —	129,730	162	2	217	5	—	—	—	6	1	—	4	—	
Twickenham M.B. —	108,220	303	4	190	5	—	—	—	5	—	—	3	2	
Walthamstow M.B. —	123,410	434	8	170	4	—	—	—	7	1	—	4	—	
Wembley M.B. —	132,810	364	10	167	2	—	—	—	5	—	—	3	—	
West Ham C.B. —	173,810	955	19	268	18	—	—	—	4	1	—	1	—	
Willesden M.B. —	182,590	640	13	441	29	—	1	—	16	1	1	4	—	
Wimbledon M.B. —	58,760	161	2	150	—	—	—	—	16	2	—	15	9	
Wood Green M.B. —	53,040	49	—	76	—	—	—	—	4	2	—	1	—	
Brighton C.B. —	156,460	762	15	612	34	—	—	—	1	—	—	—	—	
Canterbury C.B. —	27,010	207	10	137	8	—	—	—	12	3	—	13	3	
Eastbourne C.B. —	57,090	245	10	242	4	—	—	—	2	1	—	3	—	
Gillingham M.B. —	75,670	226	5	138	4	—	—	—	8	—	—	3	—	
Hastings C.B. —	65,470	334	10	299	7	—	—	—	5	1	—	7	—	
Hove M.B. —	69,200	71	1	224	—	—	—	—	7	4	—	10	—	
Southern														
Bournemouth C.B. —	139,410	600	12	567	23	—	—	—	—	1	—	—	—	
Oxford C.B. —	108,260	791	16	352	28	—	—	—	17	3	1	28	2	
Poole M.B. —	82,430	250	6	248	6	—	—	—	13	5	—	1	—	
Portsmouth C.B. —	240,690	1,120	25	676	33	—	2	—	5	2	—	1	1	
Reading C.B. —	115,760	663	13	343	15	—	—	—	29	3	1	12	3	
Southampton C.B.—	181,280	933	19	498	34	—	—	—	10	2	1	11	1	
									24	6	—	11	1	

* These Great Towns do not comprise the whole of Greater London and the figures given do not aggregate to the Greater London total.

TABLE V.—continued.

Area.	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia.	Enteritis and Diarrhoea under 2 years
South Western													
Bath C.B. - - -	77,940	385	13	286	9	—	—	—	3	2	—	6	—
Bristol C.B. - - -	442,220	2,077	46	1,338	53	—	1	—	56	13	—	66	—
Cheltenham M.B. - - -	64,520	523	15	221	18	—	1	—	4	2	—	5	—
Exeter C.B. - - -	76,940	375	14	317	10	—	1	—	7	7	—	6	1
Gloucester C.B. - - -	67,770	310	9	238	11	—	1	—	10	3	—	10	—
Plymouth C.B. - - -	209,610	1,004	21	630	32	—	—	—	28	—	—	38	3
Swindon M.B. - - -	68,650	388	13	142	10	—	—	—	4	2	—	—	—
Wales													
Cardiff C.B. - - -	244,910	1,366	29	700	32	—	1	—	43	3	—	22	1
Merthyr Tydfil C.B. - - -	61,070	280	11	237	15	—	—	—	23	1	—	11	1
Newport C.B. - - -	106,600	528	18	325	15	—	—	—	13	2	—	7	1
Rhondda U.D. - - -	112,550	528	15	327	13	—	1	—	13	4	2	9	—
Swansea C.B. - - -	160,850	549	16	504	18	—	—	—	32	9	—	14	—
†Edinburgh - - -	487,700	2,029	52	1,378	36	—	—	—	71	2	—	46	2
†Glasgow - - -	1,089,400	5,382	158	3,344	207	1	3	—	273	2	3	111	20
†Belfast - - -				Not	avail								
†Dublin - - -				Not	avail								

† The births and deaths for Edinburgh, Glasgow, Belfast and Dublin are classified according to area of residence. Non-civilians are included in the figures of deaths and populations for Edinburgh, Glasgow and Dublin.

TABLE VI.—Estimated Home Population at 31st December, 1949, and Births, Deaths (distinguishing Deaths of Infants under 1 year of age), and Deaths from Certain Causes registered in the Quarter ended 30th June, 1950.

Smaller Towns.

(See General Notes on page 3).

Area.	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia.	Enteritis and Diarrhoea under 2 years
SMALLER TOWNS	6,265,890	27,376	621	17,375	707	—	14	2	504	102	9	607	24
Northern													
Ashington U.D. - - -	28,920	50	2	73	4	—	—	—	2	1	—	6	—
Bedlingtonshire U.D. - - -	28,530	73	1	47	6	—	—	—	—	—	—	4	—
Bishop Auckland U.D. - - -	36,220	231	6	111	4	—	—	1	9	—	—	8	—
Blaydon U.D. - - -	30,950	62	1	59	2	—	—	—	1	—	—	2	—
Blyth M.B. - - -	35,220	71	—	68	2	—	—	—	—	—	—	2	—
Consett U.D. - - -	39,050	209	8	142	5	—	—	—	1	—	—	10	—
Crook & Willington U.D. - - -	27,490	75	—	62	—	—	—	—	3	—	—	1	—
Eston U.D. - - -	33,270	119	1	77	2	—	—	—	3	—	—	3	—
Felling U.D. - - -	25,460	91	—	58	2	—	—	—	1	—	—	—	—
Houghton le Spring U.D. - - -	30,040	121	—	55	4	—	—	—	1	1	—	5	—
Jarrow M.B. - - -	28,570	168	2	67	2	—	—	—	4	—	—	6	—
Scarborough M.B. - - -	43,620	239	5	209	7	—	—	—	5	1	—	4	1
Seaham U.D. - - -	25,940	113	3	42	2	—	—	—	2	—	—	—	—
Seaton Valley U.D. - - -	26,530	49	—	69	1	—	—	—	—	—	—	1	1
Wallsend M.B. - - -	48,850	278	5	119	6	—	—	—	8	—	—	2	—
Whitley Bay U.D. - - -	32,600	26	—	77	2	—	—	—	—	—	—	1	—
Workington M.B. - - -	28,980	165	3	98	6	—	—	—	6	—	—	10	1
East and West Ridings													
Batley M.B. - - -	40,180	137	4	108	4	—	—	—	1	1	—	2	—
Brighouse M.B. - - -	30,810	37	—	72	—	—	—	—	—	—	—	1	—
Castleford U.D. - - -	43,640	174	3	103	1	—	—	—	3	—	—	11	—
Harrogate M.B. - - -	51,870	304	6	200	11	—	1	—	3	—	1	5	—
Morley M.B. - - -	39,930	121	3	75	—	—	—	—	1	1	—	3	—
Shipley U.D. - - -	32,820	172	8	64	2	—	—	—	2	—	—	5	—
Spenborough U.D. - - -	36,840	62	1	92	2	—	—	—	3	—	—	—	—
North Western													
Accrington M.B. - - -	40,310	121	1	135	2	—	—	—	3	1	—	5	1
Altrincham M.B. - - -	39,490	199	3	82	1	—	—	—	3	—	—	5	—
Bebington M.B. - - -	47,230	308	9	183	16	—	1	—	7	—	—	14	—
Chadderton U.D. - - -	31,200	42	—	54	—	—	—	—	3	—	—	3	—
Chorley M.B. - - -	32,770	194	8	128	4	—	—	—	2	6	—	5	—
Crewe M.B. - - -	53,070	159	4	116	5	—	—	—	1	2	1	3	—
Darwen M.B. - - -	30,920	93	3	78	2	—	—	—	—	1	—	1	—
Eccles M.B. - - -	44,370	167	—	136	1	—	—	—	4	—	—	1	—
Farnworth M.B. - - -	28,380	516	15	264	30	—	—	—	2	—	—	18	—
Heywood M.B. - - -	25,340	41	2	35	1	—	—	—	—	—	—	—	—
Hyde M.B. - - -	31,460	104	—	75	2	—	—	—	4	—	—	4	1
Lancaster M.B. - - -	52,090	309	5	228	18	—	—	—	11	—	—	10	2

TABLE VI.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from								
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia	Enteritis and Diarrhoea under 2 years	Smallpox
Leigh M.B. - - -	48,650	249	6	130	3	—	—	—	3	1	—	1	—	—
Lytham St. Annes M.B.	29,970	141	5	110	6	—	—	—	3	—	—	2	—	—
Macclesfield M.B.	36,210	212	8	129	8	—	—	—	2	—	—	5	—	—
Middleton M.B. - - -	32,570	61	—	65	1	—	—	—	4	—	—	—	—	—
Nelson M.B. - - -	34,600	117	—	108	—	—	—	—	2	2	—	6	—	—
Radcliffe M.B. - - -	27,910	82	1	78	1	—	—	—	—	1	—	3	—	—
Rawtenstall M.B. - -	25,130	144	6	141	5	—	—	—	1	—	—	4	—	—
Sale M.B. - - -	43,290	126	—	79	—	—	—	—	1	—	—	1	—	—
Stalybridge M.B. - - -	22,580	35	1	42	—	—	—	—	1	—	—	7	2	—
Swinton & Pendlebury M.B.	41,600	60	2	111	18	—	—	—	4	1	—	1	—	—
Widnes M.B. - - -	48,500	197	1	67	3	—	—	—	1	—	—	—	—	—
North Midland														
Beeston & Stapleford U.D.	49,990	139	1	78	4	—	—	—	3	2	—	—	—	—
Carlton U.D. - - -	34,280	83	—	68	1	—	—	—	2	—	—	2	—	—
Cleethorpes M.B. - - -	29,700	191	4	61	3	—	—	—	1	—	—	—	1	—
Hinckley U.D. - - -	38,780	92	1	73	3	—	—	—	—	—	—	4	—	—
Ilkeston M.B. - - -	33,620	89	3	73	2	—	—	—	3	—	—	—	—	—
Kettering M.B. - - -	37,120	145	4	99	5	—	—	—	8	—	—	1	—	—
Loughborough M.B. - -	36,580	209	5	100	4	—	—	—	1	—	—	2	—	—
Mansfield M.B. - - -	51,110	301	5	210	11	—	—	—	8	—	—	13	—	—
Peterborough M.B. - -	54,790	326	7	169	3	—	—	—	1	1	—	7	—	—
Scunthorpe M.B. - - -	52,740	372	11	145	10	—	—	—	6	—	1	1	—	—
Sutton in Ashfield U.D.	40,100	98	2	87	3	—	1	—	2	—	—	5	—	—
Wellingborough U.D. - -	28,340	177	4	72	3	—	—	—	2	1	—	2	—	—
Worksop M.B. - - -	32,240	291	11	109	8	—	—	—	7	—	—	9	1	—
Midland														
Bilston M.B. - - -	33,120	102	3	60	9	—	3	—	6	1	2	1	—	—
Brierley Hill U.D. - - -	48,710	243	1	137	7	—	1	—	5	3	—	—	—	—
Cannock U.D. - - -	41,020	182	5	102	3	—	—	—	5	1	—	1	—	—
Coseley U.D. - - -	33,670	89	2	60	1	—	—	—	2	1	1	1	—	—
Halesowen M.B. - - -	39,870	62	—	67	—	—	—	—	2	1	—	2	—	—
Kidderminster M.B. - -	37,510	195	4	166	6	—	—	—	8	9	—	3	—	—
Nuneaton M.B. - - -	53,640	353	4	128	7	—	—	—	7	—	—	11	—	—
Oldbury M.B. - - -	53,640	124	1	78	2	—	—	—	—	1	—	—	—	—
Rowley Regis M.B. - - -	49,460	142	1	88	4	—	—	—	6	1	—	1	—	—
Royal Leamington Spa M.B.	36,190	238	4	120	14	—	—	—	2	1	—	8	1	—
Rugby M.B. - - -	46,190	98	7	144	2	—	—	—	2	—	—	7	—	—
Shrewsbury M.B. - - -	46,270	145	7	163	4	—	—	—	4	—	1	7	—	—
Solihull U.D. - - -	67,460	302	4	119	4	—	—	—	3	1	1	3	—	—
Stafford M.B. - - -	39,410	210	2	140	5	—	—	—	3	—	—	12	1	—
Stourbridge M.B. - - -	37,010	181	2	64	3	—	—	—	1	1	—	1	—	—
Sutton Coldfield M.B. - -	47,550	169	3	91	—	—	—	—	2	1	—	1	—	—
Tipton M.B. - - -	38,960	135	4	64	1	—	—	—	4	3	—	—	—	—
Wednesbury M.B. - - -	34,930	123	1	38	1	—	—	—	6	2	—	1	—	—
Willenhall U.D. - - -	30,910	79	4	60	2	—	—	—	4	—	—	4	—	—
Eastern														
Bedford M.B. - - -	53,180	368	11	206	16	—	—	—	4	—	—	13	2	—
Billericay U.D. - - -	42,740	161	2	121	1	—	—	—	2	—	—	10	—	—
Chelmsford M.B. - - -	36,960	400	7	144	11	—	—	—	1	—	—	6	—	—
Colchester M.B. - - -	56,900	430	8	205	10	—	—	—	2	2	—	—	—	—
Hornchurch U.D. - - -	103,390	192	2	226	—	—	—	—	2	1	—	4	—	—
Lowestoft M.B. - - -	44,160	191	4	91	3	—	—	—	1	—	—	3	—	—
Romford M.B. - - -	76,700	576	24	265	21	—	—	—	9	2	—	7	—	—
St. Alban M.B. - - -	42,550	207	5	126	4	—	—	—	3	—	—	3	—	—
London & South Eastern														
Barnes M.B. - - -	41,430	41	4	81	2	—	—	—	1	—	—	1	—	—
Beddington & Wallington M.B.	32,770	36	3	59	—	—	—	—	—	—	—	—	—	—
Bexley M.B. - - -	89,580	272	5	102	3	—	—	—	2	1	—	1	—	—
Bromley M.B. - - -	64,750	357	7	146	2	—	—	—	4	—	—	3	—	—
Carshalton U.D. - - -	62,500	652	12	254	15	—	—	—	8	1	—	6	2	—
Chatham M.B. - - -	46,850	361	12	141	6	—	—	—	10	—	—	4	—	—
Chislehurst & Sidcup U.D.	76,630	152	2	122	5	—	—	—	4	1	—	—	—	—
Coulsdon & Purley U.D. -	64,650	90	2	184	2	—	—	—	6	—	—	11	—	—
Dartford M.B. - - -	40,760	352	4	163	7	—	—	—	1	—	—	12	—	—
Dover M.B. - - -	34,010	231	6	112	8	—	—	—	4	1	—	3	—	—
Epsom & Ewell M.B. - - -	68,520	425	7	243	11	—	—	—	7	1	—	20	—	—
Erith M.B. - - -	46,970	160	3	87	4	—	—	—	4	—	—	3	—	—
Esher U.D. - - -	51,770	59	—	77	2	—	—	—	2	—	—	1	—	—
Folkestone M.B. - - -	45,150	214	6	129	5	—	—	—	2	1	—	1	—	—
Gravesend M.B. - - -	43,870	203	4	119	7	—	—	—	1	—	—	2	—	—
Guildford M.B. - - -	46,890	396	9	206	8	—	—	—	5	1	—	13	—	—
Kingston upon Thames M.B.	42,140	394	10	178	9	—	—	—	4	1	—	26	—	—
Maidstone M.B. - - -	54,020	208	6	188	2	—	—	—	7	—	—	8	—	—
Margate M.B. - - -	40,860	155	7	155	3	—	—	—	5	1	—	1	—	—
Merton & Morden U.D. - -	75,370	208	7	127	2	—	—	—	2	—	—	2	—	—
Orpington U.D. - - -	60,710	376	14	231	16	—	—	—	5	—	—	—	—	—
Penge U.D. - - -	25,030	43	—	52	1	—	—	—	—	—	—	1	—	—
Ramsgate M.B. - - -	35,520	158	2	126	2	—	—	—	5	—	—	2	—	—

TABLE VI.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from								
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Polioyelitis	Pneumonia	Enteritis and Diarrhoea under 2 years	
Reigate M.B. - -	42,340	381	11	168	11	—	—	—	4	3	—	6	—	
Richmond M.B. - -	42,150	57	—	121	1	—	—	—	3	2	—	3	—	
Rochester M.B. - -	42,860	109	1	128	2	—	—	—	3	1	—	2	1	
Royal Tunbridge Wells M.B. - -	38,630	160	—	174	—	—	—	—	2	2	—	8	—	
Southall M.B. - -	56,220	41	1	108	—	—	—	—	5	—	—	8	—	
Surbiton M.B. - -	60,660	124	—	101	2	—	—	—	3	—	—	—	—	
Sutton & Cheam M.B. -	81,200	139	1	201	1	—	—	—	6	2	—	7	—	
Uxbridge U.D. - -	54,060	543	12	233	20	—	1	1	6	—	—	5	—	
Walton & Weybridge U.D.	38,030	110	3	91	—	—	—	—	—	1	—	4	—	
Wanstead & Woodford M.B.	62,250	399	3	145	10	—	—	—	1	1	—	9	—	
Woking U.D. - -	48,100	353	8	137	8	—	—	—	4	—	—	2	—	
Worthing M.B. - -	68,120	185	3	337	5	—	1	—	7	5	—	4	—	
Southern														
Aldershot M.B. - -	41,660	253	4	52	5	—	—	—	—	—	—	1	—	
Gosport M.B. - -	59,480	222	3	123	5	—	—	—	4	2	—	9	—	
High Wycombe M.B. -	40,880	171	7	86	—	—	—	—	1	—	—	2	—	
Slough M.B. - -	66,860	160	3	127	1	—	—	—	6	1	—	2	—	
Weymouth & Melcombe Regis M.B. - -	36,300	218	2	117	5	—	—	—	3	1	—	3	—	
South Western														
Camborne-Redruth U.D.	35,680	392	23	156	12	—	—	—	6	1	—	7	—	
Salisbury M.B. - -	34,030	284	7	132	5	—	—	—	2	1	—	1	—	
Taunton M.B. - -	34,270	214	6	151	12	—	1	—	8	—	—	4	—	
Torquay M.B. - -	50,970	178	7	215	5	—	—	—	8	1	—	—	1	
Weston super Mare M.B.	39,960	156	6	142	1	—	—	—	1	3	—	1	—	
Wales														
Aberdare U.D. - -	40,800	124	7	138	5	—	—	—	11	1	—	—	—	
Abertillery U.D. - -	27,950	47	3	60	6	—	—	—	2	1	—	3	1	
Barry M.B. - -	41,860	161	3	84	1	—	—	—	6	—	—	5	—	
Bedwellty U.D. - -	29,060	81	3	56	5	—	1	—	2	—	—	2	1	
Caerphilly U.D. - -	34,340	183	2	80	5	—	—	—	5	—	—	3	—	
Ebbw Vale U.D. - -	29,490	136	5	81	5	—	—	—	5	—	—	3	—	
Gelligaer U.D. - -	36,600	121	4	73	3	—	—	—	4	—	—	2	—	
Llanelli M.B. - -	33,620	143	3	126	1	—	—	—	3	—	1	1	—	
Llwchwr U.D. - -	25,680	114	4	64	4	—	—	—	2	4	—	1	—	
Maesteg U.D. - -	23,130	113	1	73	6	—	—	—	8	—	—	2	1	
Mountain Ash U.D. -	31,720	130	3	80	4	—	—	—	5	1	—	5	—	
Neath M.B. - -	32,120	346	11	179	15	—	—	—	6	—	—	6	—	
Ogmore & Garw U.D.	22,650	45	—	57	1	—	—	—	2	1	—	3	—	
Pontypool U.D. - -	42,650	84	4	123	6	—	—	—	3	1	—	2	—	
Pontypridd U.D. - -	39,410	52	3	135	1	—	—	—	2	—	—	4	1	
Port Talbot M.B. - -	43,890	76	—	101	1	—	1	—	5	—	—	8	—	

Changes in Boundaries, Names, etc., of Boroughs, Urban Districts and Rural Districts during the six months ended 30th June, 1950.

There were no changes during this period.

CORRIGENDUM

The Registrar General's Quarterly Return No. 405.
(Quarter ended 31st March, 1950)

Appendix A. Page 30. Deaths from acute poliomyelitis and polioencephalitis.
England and Wales—for 1,012 read 651.

TABLE VII.—Population, Births and Deaths in the First } London and certain Cities abroad.
Quarter, 1950, and where available Second Quarter 1950. }

CITIES	POPULATION (enumerated or estimated)	LIVE BIRTHS	STILLBIRTHS	TOTAL DEATHS (excluding Stillbirths)	Rate per 1,000 living		Deaths from											Deaths under 1 year per 1,000 Live Births
					Live Births	Deaths (ex- cluding Still- births)	Typhoid and paratyphoid fevers	Smallpox	Whooping cough	Diphtheria*	Tuberculosis (all forms)	Influenza	Ac. Poliomyelitis and polioencephalitis	Enteritis and Diarrhoea (under 2 years)†				
First Quarter, 1950																		
LONDON - -	3,410,720	15,761	329	12,112	18.7	14.4	—	—	4	2	423	145	7	21			31†	
AMSTERDAM - -	832,554	4,065	93	1,661	19.8	8.1	—	—	1	9	49	14	—	—			24	
BOMBAY - - -	1,796,000	13,542	795	8,666	30.2	19.3	76	102	5	14	583	4	3	90			149	
CALCUTTA - - -	2,991,000	9,721	848	12,393	13.0	16.6	196	1,726	3	15	633	10	1	411			268	
CAPE TOWN - -	180,805	1,142	10	566	25.6	12.7	—	—	—	—	?	—	?	—			39	
COLOGNE - - -	578,044	2,128	42	1,836	14.9	12.9	1	—	1	5	70	—	—	11			97	
COPENHAGEN - -	762,100	3,037	71	2,003	16.2	10.7	—	?	—	—	41	1	—	?			30	
DURBAN - - -	117,228	776	10	341	26.8	11.8	—	—	—	—	?	—	?	—			28	
FRANKFURT-ON- MAIN - - -	515,988	1,507	31	1,362	11.8	10.6	1	—	2	2	34	14	?	?			76	
GOTHENBURG - -	349,323	?	?	727	?	8.4	—	?	—	—	19	—	—	1			?	
HAMBURG - - -	1,573,000	4,199	76	4,201	10.8	10.8	—	—	5	7	186	8	1	11			50	
JOHANNESBURG -	322,268	2,324	52	764	29.2	9.6	—	—	—	4	?	—	?	—			30	
MONTREAL - - -	1,067,000	7,132	240	2,751	27.1	10.5	—	—	3	2	86	13	1	17			44	
MUNICH - - -	831,345	2,090	60	2,405	10.0	11.6	2	—	—	12	72	25	1	3			68	
NEW YORK - - -	8,258,000	38,659	3,968	21,896	19.0	10.8	—	—	1	—	670	20	1	19			26	
ROME - - -	1,656,087	7,248	182	3,671	17.8	9.0	4	—	—	26	290	11	9	20			?	
STOCKHOLM - -	733,615	3,061	56	1,769	16.7	9.6	—	—	1	1	41	—	—	—			19	
TORONTO - - -	673,104	2,822	72	1,835	17.0	11.1	—	—	—	—	25	8	—	4			28	
ZURICH - - -	385,250	1,396	35	897	14.5	9.3	—	—	—	—	18	5	—	—			24	
Second Quarter, 1950																		
LONDON - - -	3,410,720	15,798	309	9,295	18.6	10.9	2	—	5	—	357	53	4	23			27†	
AMSTERDAM - -	835,811	3,883	123	1,601	18.6	7.7	1	—	3	3	39	11	—	—			32	
BOMBAY - - -	1,796,000	13 103	719	8,938	29.2	19.9	113	93	4	19	635	—	2	156			168	
CALCUTTA - - -	2,991,000	9,508	766	15,648	12.7	20.9	384	2,275	4	47	788	24	2	570			287	
COLOGNE - - -	585,269	2,188	48	1,719	15.0	11.8	1	—	1	2	80	—	—	17			83	
COPENHAGEN - -	763,700	3,248	70	1,821	17.1	9.6	—	?	1	—	37	—	—	?			26	
DURBAN - - -	117,228	840	8	366	28.7	12.5	—	—	—	—	?	1	?	1			26	
FRANKFURT-ON- MAIN - - -	524,800	1,497	38	1,191	11.5	9.2	—	—	1	4	31	8	?	?			60	
GOTHENBURG - -	349,323	?	?	731	?	8.4	—	?	—	—	21	—	—	—			?	
HAMBURG - - -	1,589,800	4,367	78	4,075	11.0	10.3	—	—	1	2	156	4	—	6			39	
JOHANNESBURG -	322,268	2,289	47	856	28.5	10.7	—	—	2	6	?	—	?	2			35	
MONTREAL - - -	1,067,000	6,224	284	2,760	23.4	10.4	—	—	3	—	93	5	—	26			65	
MUNICH - - -	839,631	2,162	58	2,299	10.4	11.0	—	—	4	3	83	23	1	16			65	
NEW YORK - - -	8,258,000	37,815	3,950	19,694	18.4	9.6	—	—	—	2	594	17	3	16			25	
ROME - - -	1,665,667	6,384	166	3,045	15.4	7.3	6	—	—	11	253	2	14	30			40	
STOCKHOLM - -	733,615	3,131	51	1,601	17.1	8.7	—	—	—	—	44	1	—	2			14	
ZURICH - - -	385,280	1,395	24	839	14.5	8.7	—	—	—	—	15	1	—	—			24	

* Including deaths from croup in Bombay. † Per 1,000 related live births.

‡ The deaths in this column relate to all ages for Oslo, and to children under 1 year of age for Gothenburg.

TABLE VIII.—Notifications of Certain Infectious Diseases in the Quarter ended 30th June, 1950.

(England and Wales, Counties, County Boroughs, London and Metropolitan Boroughs and Port Health Districts.)

Note.—Total original and corrected notifications are distinguished for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.
(See General Notes on page 3).

	Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	Food poisoning.		Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	Food poisoning.	
England and Wales:	15050	678	171*	6834	4533	531	187	2086	Original Notifications	Essex:	975	4	9	310	102	20	3	99
										Total C.B.s—	305	—	1	72	6	2	2	7
										East Ham C.B.	74	—	—	10	—	—	—	—
										Southend on Sea C.B.	137	—	—	38	6	1	—	6
										West Ham C.B.	94	—	1	24	—	1	2	1
England and Wales:	14768	240	123*	6782	4381	474	138	2041	Corrected Notifications	Total U.D.s	576	3	7	221	94	16	1	89
										Total R.D.s	94	1	1	17	2	2	—	3
Bedford:	172	—	—	82	9	3	1	25		Gloucester:	377	1	1	186	94	5	1	72
Total U.D.s	89	—	—	36	6	3	1	2		Total C.B.s—	245	—	—	133	16	3	—	38
Total R.D.s	83	—	—	46	3	—	—	23		Bristol C.B.	231	—	—	123	16	3	—	17
										Gloucester C.B.	14	—	—	10	—	—	—	21
Berks:	194	—	1	56	1	3	1	10		Total U.D.s	51	—	—	13	16	1	1	—
Reading C.B.	44	—	—	11	—	—	1	1		Total R.D.s	81	1	1	40	62	1	—	34
Total U.D.s	42	—	1	11	—	1	—	2		Hereford:	47	—	2	19	—	1	—	1
Total R.D.s	108	—	—	34	1	2	—	7		Total U.D.s	15	—	—	5	—	1	—	—
										Total R.D.s	32	—	2	14	—	—	—	1
Buckingham:	150	3	1	23	14	—	—	5		Hertford:	186	—	12	40	14	6	3	26
Total U.D.s	62	3	1	14	3	—	—	—		Total U.D.s	113	—	10	31	3	5	1	6
Total R.D.s	88	—	—	9	11	—	—	5		Total R.D.s	73	—	2	9	11	1	2	20
Cambridge:	65	—	—	4	14	—	—	1		Huntingdon:	16	—	—	10	—	—	—	—
Urban District	38	—	—	—	14	—	—	1		Total U.D.s	13	—	—	4	—	—	—	—
Total R.D.s	27	—	—	4	—	—	—	—		Total R.D.s	3	—	—	6	—	—	—	—
Chester:	569	16	5	209	38	9	—	18		Kent:	612	—	5	210	23	7	7	68
Total C.B.s	167	13	1	61	33	4	—	16		Canterbury C.B.	3	—	—	—	—	—	—	3
Birkenhead C.B.	62	11	—	44	10	—	—	—		Total U.D.s	527	—	3	167	21	7	5	54
Chester C.B.	14	—	—	4	—	—	—	—		Total R.D.s	82	—	2	43	2	—	2	11
Stockport C.B.	51	—	1	7	22	4	—	16		Lancaster:	1745	29	4	748	1031	31	7	141
Wallasey C.B.	40	2	—	6	1	—	—	—		Total C.B.s—	1006	21	2	466	709	16	3	91
Total U.D.s	326	1	1	110	3	4	—	2		Barrow in Furness C.B.	16	—	—	9	1	—	—	—
Total R.D.s	76	2	3	38	2	1	—	—		Blackburn C.B.	17	—	—	12	7	—	—	4
Cornwall:	72	3	1	62	4	6	1	4		Blackpool C.B.	46	4	—	4	—	1	—	35
Total U.D.s	54	2	1	25	4	3	1	4		Bolton C.B.	23	—	—	16	7	—	1	1
Total R.D.s	18	1	—	37	—	3	—	—		Bootle C.B.	26	—	—	2	—	—	—	11
Cumberland:	113	—	—	41	8	3	—	—		Burnley C.B.	29	—	—	29	40	—	—	3
Carlisle C.B.	61	—	—	10	1	—	—	—		Bury C.B.	5	—	—	5	1	1	—	—
Total U.D.s	14	—	—	9	5	2	—	—		Liverpool C.B.	313	14	1	101	22	7	1	5
Total R.D.s	38	—	—	22	2	1	—	—		Manchester C.B.	302	—	1	138	267	3	1	10
Derby:	354	2	2	160	19	9	1	47		Oldham C.B.	39	—	—	18	201	2	—	—
Derby C.B.	64	—	—	30	10	2	—	1		Preston C.B.	33	—	—	14	115	—	—	2
Total U.D.s	127	1	1	53	7	2	1	—		Rochdale C.B.	15	2	—	4	7	—	—	—
Total R.D.s	163	1	1	77	2	5	—	46		St. Helens C.B.	20	—	—	4	—	—	—	—
Devon:	183	10	2	120	13	—	1	225		Salford C.B.	56	1	—	61	22	2	—	4
Total C.B.s—	78	10	1	50	4	—	—	5		Southport C.B.	30	—	—	15	6	—	—	16
Exeter C.B.	10	—	—	22	4	—	—	2		Warrington C.B.	18	—	—	13	13	—	—	—
Lymington C.B.	68	10	1	28	—	—	—	3		Wigan C.B.	18	—	—	21	—	—	—	—
Total U.D.s	40	—	—	34	9	—	1	171		Total U.D.s	621	7	2	238	304	10	4	46
Total R.D.s	65	—	1	36	—	—	—	49		Total R.D.s	118	1	—	44	18	5	—	4
Dorset:	38	—	—	66	—	—	1	13		Leicester:	202	—	3	121	15	4	1	2
Total U.D.s	14	—	—	34	—	—	—	11		Leicester C.B.	98	—	3	24	4	3	—	—
Total R.D.s	24	—	—	32	—	—	1	2		Total U.D.s	54	—	—	50	7	1	1	—
										Total R.D.s	50	—	—	47	4	—	—	—
Durham:	414	30	5	380	643	8	6	70		Lincoln, Parts of Holland:	28	—	1	9	—	2	—	—
Total C.B.s—	128	6	2	162	215	4	1	52		Total U.D.s	8	—	—	3	—	1	—	—
Marlington C.B.	8	—	—	9	1	—	—	13		Total R.D.s	20	—	1	6	—	1	—	—
Wateshead C.B.	54	1	1	35	32	2	—	7		Lincoln, Parts of Kesteven:	64	—	—	18	2	1	—	7
South Shields C.B.	19	2	1	25	132	—	—	29		Total U.D.s	22	—	—	9	1	—	—	—
Underland C.B.	33	1	—	83	20	—	—	2		Total R.D.s	42	—	—	9	1	1	—	7
West Hartlepool C.B.	14	2	—	10	30	2	1	1		Lincoln, Parts of Lindsey:	104	2	—	43	15	6	1	3
Total U.D.s	204	13	2	107	401	2	4	18		Total C.B.s—	46	—	—	14	11	2	—	3
Total R.D.s	82	11	1	111	27	2	1	—		Grimsby C.B.	17	—	—	7	—	—	—	—
Isle of Ely:	16	2	1	15	—	—	—	5		Lincoln C.B.	29	—	—	7	11	2	—	3
Total U.D.s	7	1	—	9	—	—	—	5		Total U.D.s	27	1	—	21	3	2	—	—
Total R.D.s	9	1	1	6	—	—	—	—		Total R.D.s	31	1	—	8	1	2	1	—

*Typhoid fever: Original 71; Corrected 44.

Paratyphoid fevers: Original 100; Corrected 79.

TABLE VIII.—continued.

	Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Acute polio-myelitis.	Food poisoning.		Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Acute polio-myelitis.	
						Paralytic.	Non-paralytic.							Paralytic.	Non-paralytic.
County of London	1,048	17	8	310	189	30	14	240	Somerset:	85	1	—	52	—	2
CITY OF LONDON —	1	—	—	—	—	—	—	—	Bath C.B. — — —	6	—	—	8	—	—
Inner and Middle	—	—	—	—	—	—	—	—	Total U.D.s — —	30	—	—	12	—	2
Temples	—	—	—	—	—	—	—	—	Total R.D.s — —	49	1	—	32	—	1
METROPOLITAN	—	—	—	—	—	—	—	—	Southampton:	396	—	2	108	11	8
BOROUGHs	1,047	17	8	310	189	30	14	240	Total C.B.s— — —	218	—	—	40	8	3
Battersea — —	31	—	—	14	1	—	—	1	Bournemouth C.B.	21	—	—	3	5	2
Bermondsey — —	23	—	—	2	—	—	—	3	Portsmouth C.B. —	120	—	—	11	2	—
Bethnal Green —	11	—	—	9	—	1	—	4	Southampton C.B.	77	—	—	26	1	1
Camberwell — —	66	1	1	17	3	—	1	10	Total U.D.s — —	106	—	1	34	2	1
Chelsea — — —	13	—	1	4	43	—	—	74	Total R.D.s — —	72	—	1	34	1	4
Deptford — — —	21	—	—	8	—	2	1	1	Stafford:	435	8	1	305	55	35
Finsbury — — —	5	1	—	11	—	1	—	1	Total C.B.s— — —	180	2	—	163	28	10
Fulham — — — —	31	—	—	9	5	—	—	6	Burton upon	—	—	—	—	—	—
Greenwich — — —	36	—	—	5	—	5	2	1	Trent C.B. — — —	5	1	—	7	—	—
Hackney — — — —	59	1	—	10	1	—	1	—	Smethwick C.B.	22	—	—	12	12	5
Hammersmith — —	36	—	—	6	1	—	—	1	Stoke on Trent C.B.	81	—	—	67	1	2
Hampstead — — —	19	—	3	7	2	—	—	1	Walsall C.B. — —	27	1	—	42	15	3
Holborn — — — —	2	—	1	1	2	—	—	—	C.B. — — — — —	14	—	—	5	—	1
Islington — — —	62	3	—	19	20	3	—	19	Wolverhampton	—	—	—	—	—	—
Kensington— — —	21	—	1	17	3	—	—	14	C.B. — — — — —	31	—	—	30	—	—
Lambeth — — — —	59	—	—	11	3	—	—	20	Total U.D.s — —	187	5	1	99	23	24
Lewisham — — —	79	—	—	24	28	2	1	6	Total R.D.s — —	68	1	—	43	4	1
Paddington — — —	75	—	—	10	—	—	—	4	Suffolk, East:	94	2	—	45	1	1
Poplar — — — —	36	1	—	16	1	—	—	—	Ipswich C.B. — —	43	2	—	2	—	—
St. Marylebone —	11	—	—	6	4	—	—	7	Total U.D.s — —	32	—	—	14	—	1
St. Pancras — —	32	—	—	14	4	3	1	2	Total R.D.s — —	19	—	—	29	1	—
Shoreditch — — —	16	2	—	4	3	—	—	—	Suffolk, West:	33	—	—	8	—	1
Southwark — — —	44	—	—	3	25	—	1	15	Total U.D.s — —	5	—	—	—	—	—
Stepney — — — —	27	2	—	8	3	4	2	3	Total R.D.s — —	28	—	—	8	—	1
Stoke Newington —	24	2	—	8	1	—	—	1	Surrey:	663	1	8	131	98	2
Wandsworth — — —	147	—	—	42	26	—	3	39	Croydon C.B. — —	131	—	2	12	13	1
Westminster, City	16	—	1	3	8	—	1	2	Total U.D.s — —	487	1	5	109	83	2
of — — — — — —	45	4	—	22	2	9	—	5	Total R.D.s — —	45	—	1	10	2	—
Woolwich — — — —	—	—	—	—	—	—	—	—	Sussex, East:	203	—	1	91	2	6
Middlesex:	—	—	—	—	—	—	—	—	Total C.B.s— — —	94	—	—	56	1	4
Total U.D.s — — —	907	4	22	298	50	12	7	50	Brighton C.B. — —	62	—	—	48	—	4
Norfolk:	183	2	3	71	—	5	4	34	Eastbourne C.B. —	13	—	—	2	1	—
Total C.B.s— — —	52	1	1	20	—	—	—	26	Hastings C.B. — —	19	—	—	6	—	—
Great Yarmouth	30	—	1	1	—	—	—	6	Total U.D.s — —	56	—	—	7	—	1
C.B. — — — — —	22	1	—	19	—	—	—	20	Total R.D.s — —	53	—	1	28	1	1
Norwich C.B. — —	11	—	1	13	—	2	—	—	Sussex, West:	101	—	—	25	3	—
Total U.D.s — — —	11	—	1	13	—	2	—	—	Total U.D.s — —	51	—	—	18	1	—
Total R.D.s — — —	120	1	1	38	—	3	4	8	Total R.D.s — —	50	—	—	7	2	—
Northampton:	78	—	—	80	16	5	2	2	Warwick:	522	53	3	364	45	127
Northampton C.B.	32	—	—	17	6	—	—	2	Total C.B.s— — —	407	43	1	261	36	118
Total U.D.s — — —	21	—	—	35	1	4	2	—	Birmingham C.B.	372	40	1	210	30	117
Total R.D.s — — —	25	—	—	28	9	1	—	—	Coventry C.B. — —	35	3	—	51	6	6
Northumberland:	260	1	2	165	149	14	6	5	Total U.D.s — —	81	7	2	50	5	7
Total C.B.s— — —	98	—	—	93	81	9	3	4	Total R.D.s — —	34	3	—	53	4	2
Newcastle upon	77	—	—	91	78	8	3	4	Westmorland:	6	—	—	10	1	—
Tyne C.B. — — — —	21	—	—	2	3	1	—	—	Total U.D.s — —	2	—	—	—	—	—
Tynemouth C.B. —	21	—	—	2	3	1	—	—	Total R.D.s — —	4	—	—	10	—	—
Total U.D.s — — —	125	1	2	58	62	3	2	1	Isle of Wight:	20	—	—	12	—	2
Total R.D.s — — —	37	—	—	14	6	2	1	—	Total U.D.s — —	17	—	—	8	—	—
Nottingham:	266	—	3	103	83	7	5	5	Rural District —	3	—	—	4	—	—
Nottingham C.B. —	89	—	1	39	65	6	3	4	Wilts:	143	—	—	28	2	1
Total U.D.s — — —	124	—	1	44	10	1	2	1	Total U.D.s — —	39	—	—	7	—	—
Total R.D.s — — —	53	—	1	20	8	—	—	—	Total R.D.s — —	104	—	—	21	2	—
Oxford:	44	—	1	37	6	4	—	1	Worcester:	155	2	1	61	21	30
Oxford C.B. — — —	12	—	—	28	5	2	—	—	Total C.B.s— — —	34	1	—	16	—	5
Total U.D.s — — —	13	—	1	2	—	—	—	1	Dudley C.B. — — —	4	1	—	8	—	5
Total R.D.s — — —	19	—	—	7	1	2	—	—	Worcester C.B. —	30	—	—	8	—	—
Peterborough,	—	—	—	—	—	—	—	—	Total U.D.s — —	87	1	1	30	19	24
Soke of: — — — —	16	—	—	9	—	—	—	—	Total R.D.s — —	34	—	—	15	2	1
Urban District —	11	—	—	7	—	—	—	—	Salop:	85	—	—	27	10	4
Total R.D.s — — —	5	—	—	2	—	—	—	—	Total U.D.s — —	26	—	—	8	4	3
Rutland:	1	—	—	7	—	—	—	—	Total R.D.s — —	59	—	—	19	6	1
Urban District —	—	—	—	1	—	—	—	—							
Total R.D.s — — —	1	—	—	6	—	—	—	—							

TABLE VIII.—continued.

	Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Acute polio-myelitis.	Non-paralytic.	Food poisoning.		Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Acute polio-myelitis.	Non-paralytic.	Food poisoning.
Yorks, East Riding:	161	5	3	84	102	—	—	—	9	Carmarthen:	31	—	1	33	4	2	—	—	2
Kingston upon Hull C.B. —	113	4	2	44	101	—	—	—	9	Total U.D.s —	18	—	—	17	4	2	—	—	1
Total U.D.s —	28	1	—	21	1	—	—	—	—	Total R.D.s —	13	—	1	16	—	—	—	—	—
Total R.D.s —	20	—	1	19	—	—	—	—	—	Denbigh:	56	2	1	37	21	1	—	—	1
Yorks, North Riding:	143	10	—	71	153	3	—	—	9	Total U.D.s —	30	2	1	18	1	—	—	—	—
Middlesbrough C.B. —	50	6	—	22	143	—	—	—	9	Total R.D.s —	26	—	—	19	20	1	—	—	1
Total U.D.s —	44	2	—	31	1	3	—	—	—	Flint:	30	1	—	32	1	—	—	—	14
Total R.D.s —	49	2	—	18	9	—	—	—	—	Total U.D.s —	14	—	—	6	1	—	—	—	13
Yorks, West Riding:	1,201	16	2	967	1,215	35	6	—	91	Total R.D.s —	16	1	—	26	—	—	—	—	1
Total C.B.s—	698	13	2	677	904	15	4	—	54	Glamorgan:	410	7	5	187	57	13	—	—	22
Barnsley C.B. —	44	—	—	51	25	1	—	—	1	Total C.B.s—	181	—	—	61	35	5	—	—	9
Bradford C.B. —	116	—	1	92	309	4	4	—	39	Cardiff C.B. —	60	—	—	44	35	—	—	—	—
Dewsbury C.B. —	19	1	—	3	78	—	—	—	4	Merthyr Tydfil C.B. —	9	—	—	3	—	—	—	—	—
Doncaster C.B. —	35	1	—	5	3	—	—	—	—	Swansea C.B. —	112	—	—	14	—	5	—	—	—
Halifax C.B. —	67	—	—	10	—	—	—	—	—	Total U.D.s —	184	5	5	102	19	7	—	—	13
Huddersfield C.B. —	58	1	—	11	6	—	—	—	—	Total R.D.s —	45	2	—	24	3	1	—	—	—
Leeds C.B. —	105	10	—	94	117	5	—	—	2	Merioneth:	4	—	—	—	—	—	—	—	—
Rotherham C.B. —	34	—	—	22	20	1	—	—	3	Total U.D.s —	3	—	—	—	—	—	—	—	—
Sheffield C.B. —	150	—	—	367	341	2	—	—	2	Total R.D.s —	1	—	—	—	—	—	—	—	—
Wakefield C.B. —	11	—	—	20	3	—	—	—	—	Monmouth:	214	4	1	60	26	2	2	—	28
York C.B. —	59	—	1	2	2	2	—	—	3	Newport C.B. —	57	1	—	16	7	—	1	—	—
Total U.D.s —	356	3	—	202	244	17	2	—	27	Total U.D.s —	127	3	1	40	15	2	1	—	28
Total R.D.s —	147	—	—	88	67	3	—	—	10	Total R.D.s —	30	—	—	4	4	—	—	—	—
Anglesey:	14	—	—	3	—	—	—	—	—	Montgomery:	2	—	—	4	—	—	—	—	—
Total U.D.s —	8	—	—	2	—	—	—	—	—	Total U.D.s —	—	—	—	3	—	—	—	—	—
Total R.D.s —	6	—	—	1	—	—	—	—	—	Total R.D.s —	2	—	—	1	—	—	—	—	—
Brecknock:	17	2	—	4	—	—	—	—	—	Pembroke:	5	—	—	6	—	—	—	—	—
Total U.D.s —	6	1	—	4	—	—	—	—	—	Total U.D.s —	4	—	—	2	—	—	—	—	—
Total R.D.s —	11	1	—	—	—	—	—	—	—	Total R.D.s —	1	—	—	4	—	—	—	—	—
Caernarvon:	29	—	—	10	1	—	—	—	—	Radnor:	4	—	—	5	—	—	—	—	—
Total U.D.s —	19	—	—	7	—	—	—	—	—	Total U.D.s —	2	—	—	—	—	—	—	—	—
Total R.D.s —	10	—	—	3	1	—	—	—	—	Total R.D.s —	2	—	—	5	—	—	—	—	—
Cardigan:	7	—	—	—	—	—	—	—	—	Port Health Districts:*	1	2	1	8	9	—	—	—	—
Total U.D.s —	4	—	—	—	—	—	—	—	—										
Total R.D.s —	3	—	—	—	—	—	—	—	—										

Original notifications of *Meningococcal infection* numbered 457, *Whooping cough* 40,913 and *Measles* 106,251. Corrected notifications were *Meningococcal infection* 275, *Whooping cough* 40,824 and *Measles* 106,187 distributed by counties as follows:—

	Meningo-coccal infection.	Whooping cough.	Measles.		Meningo-coccal infection.	Whooping cough.	Measles.		Meningo-coccal infection.	Whooping cough.	Measles.
Bedford —	3	376	1,528	Lincs. (Lindsey) —	4	644	1,508	Wilts —	1	378	143
Berks —	—	115	467	London —	20	2,100	4,687	Worcester —	4	313	590
Buckingham —	3	47	109	Middlesex —	8	1,974	7,340	Yorks (E. Riding)—	2	505	729
Cambridge —	—	73	42	Norfolk —	3	1,157	2,671	Yorks (N. Riding)—	4	594	1,050
Chester —	10	1,390	4,271	Northampton —	1	183	1,594	Yorks (W. Riding)—	—	—	—
Cornwall —	2	93	189	Northumberland —	7	896	5,079	(including York C.B.) —	24	6,286	8,533
Cumberland —	5	176	78	Nottingham—	6	857	511	Anglesey —	—	—	4
Derby —	3	942	711	Oxford —	—	141	693	Brecknock —	—	4	127
Devon —	4	563	199	Peterboro', Soke of —	—	8	734	Caernarvon —	—	—	15
Dorset —	—	237	402	Rutland —	—	8	108	Cardigan —	—	5	37
Durham —	20	1,275	8,726	Salop —	—	92	605	Carmarthen —	—	21	553
Ely, Isle of —	—	76	1,038	Somerset —	2	464	652	Denbigh —	1	17	935
Essex —	11	2,307	3,548	Southampton —	7	1,017	1,397	Flint —	1	51	327
Gloucester —	4	1,936	1,455	Stafford —	4	1,210	4,112	Glamorgan —	8	295	3,382
Hereford —	—	44	175	Suffolk, East —	—	92	1,115	Merioneth —	—	—	30
Hertford —	1	638	955	Suffolk, West —	—	123	797	Monmouth —	1	265	158
Huntingdon —	—	18	529	Surrey —	5	991	1,747	Montgomery —	—	1	2
Kent —	3	626	3,719	Sussex, East —	2	362	620	Pembroke —	—	—	69
Lancaster —	33	4,859	10,512	Sussex, West —	2	118	554	Radnor —	—	—	2
Leicester —	4	626	2,854	Warwick —	52	2,989	10,397				
Lincs. (Holland) —	—	10	518	Westmorland —	—	87	130				
Lincs. (Kesteven) —	—	130	361	Wight, Isle of —	—	19	14	Port Health Dists.*	—	—	66

Other diseases notified:—*Ophthalmia neonatorum*: Original 530; Corrected 527. *Acute encephalitis, Infective*: Original 38; Corrected 35. *Acute encephalitis, Post infectious*: Original 17; Corrected 19. *Erysipelas*: Original 1,859; Corrected 1,828. *Puerperal pyrexia*: Original 1,025; Corrected 1,009. *Smallpox*: Original †3; Corrected †3 (See page 5). 1 case of *Typhus fever* (not louse-borne) was notified which was imported

* Uncorrected figures for 13 weeks ended 1st July, 1950, not included in totals for England and Wales.

† Excluding 1 case in a Port Health District.

TABLE VIII(a).—Corrected Notifications of Certain Infectious Diseases in the Quarter ended 30th June, 1950, analysed by sex and age. } **England and Wales.**

(See General Notes on page 3).

Age Group	Scarlet fever		Whooping cough		Diphtheria		Measles		Acute Poliomyelitis			
	M	F	M	F	M	F	M	F	Paralytic		Non-Paralytic	
	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	7,407	7,361	19,221	21,603	114	126	54,016	52,171	245	229	83	55
0—	23	21	1,603	1,657	3	2	1,945	1,958	12	14	4	—
1—	626	485	4,667	5,181	22	10	12,716	12,056	42	56	10	2
3—	1,804	1,674	6,058	6,878	21	13	16,230	15,726	40	34	20	11
5—	3,460	3,701	6,431	7,173	37	26	21,103	20,126	72	51	31	18
10—	747	905	260	291	9	17	1,031	1,093	30	21	7	13
15—	563	345	47	85	13	36	321	406	20	21	5	5
25 and over	162	189	97	280	8	21	241	399	28	32	6	6
Unknown	22	41	58	58	1	1	429	407	1	—	—	—

Age Group	Enteric or Typhoid fever		Paratyphoid fevers		Meningococcal infection		Erysipelas		Dysentery		Acute Encephalitis				Acute pneumonia		Food poisoning	
	M	F	M	F	M	F	M	F	M	F	Infective		Post-infectious		M	F	M	F
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	28	16	33	46	149	126	750	1,078	2,201	2,180	19	16	10	9	3,799	2,983	1,032	1,009
0—	—	—	6	4	73	63	8	7	1,248	1,001	9	4	1	3	628	502	141	89
5—	8	4	12	18	40	28	23	27	552	469	—	4	4	3	587	448	328	303
15—	14	8	13	17	28	24	212	304	260	505	8	6	3	2	1,056	800	307	322
45—	5	1	1	7	7	9	328	470	90	133	2	2	2	1	977	632	122	146
65 & over	1	1	—	—	1	1	173	248	30	53	—	—	—	—	517	572	48	83
Unknown	—	2	1	—	—	1	6	22	21	19	—	—	—	—	34	29	86	66

TABLE IX.—Infant Mortality: Rates by Quarters and each completed Year, 1947-50. } **England and Wales and various other countries.**

(Deaths under 1 year per 1,000 live births).

COUNTRY	1947	1948	1949	1947		1948				1949				1950	
				Sept.	Dec.	Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.	Mar.	June
*England and Wales	41	34	32	32	38	41	31	28	35	40	30	27	32	37	28
Scotland — — —	56	45	41	50	57	51	43	40	44	50	36	35	44	46	34
Northern Ireland—	53	46	45	42	59	53	44	41	44	55	38	43	46	44	—
Australia — — —	29	28	25	32	28	25	29	31	27	26	25	25	24	24	—
Belgium — — —	60	50	52	54	64	64	40	39	77	63	40	42	58	62	—
Canada — — —	45	44	43	40	46	55	43	36	41	45	41	37	44	—	—
Chile — — —	161	160	169	145	182	196	145	138	162	—	—	—	—	—	—
Denmark — — —	40	35	34	29	37	44	34	29	33	40	37	28	32	36	—
† France — — —	67	51	61	63	61	57	52	45	51	71	62	57	55	66	—
Irish Republic —	68	49	59	47	64	63	46	38	48	55	50	44	58	—	—
Italy — — —	82	70	74	80	70	66	70	73	73	81	65	78	61	64	65
Netherlands — —	33	29	27	26	34	34	28	26	27	32	26	22	26	30	24
New Zealand — —	25	22	24	30	25	22	18	25	23	21	25	26	24	23	22
Sweden — — —	25	23	23	24	27	21	23	22	21	18	21	20	23	—	—
U.S.A. — — —	32	32	31	30	33	35	33	29	32	34	31	30	30	31	31

* Rate per 1,000 related live births.

† Rates for years prior to 1949 exclude live born infants who died before registration.

TABLE X.—Deaths from Certain Causes, by Quarters } England and Wales.
1948-1950.

For corresponding figures for 1945-1947 see Return for March Quarter 1948.

(See General Notes on page 3).

Sex	Quarter	1948	1949	1950	1948	1949	1950	1948	1949	1950
M.	001-008 Tuberculosis-respiratory.				010 Tuberculosis-meninges and C.N.S.			011-019 Tuberculosis-remainder.		
	March	3,183	3,241	2,811	186	162	127	231	230	145
	June... ..	2,874	2,671		222	152		249	173	
	September ...	2,487	2,143		120	143		163	150	
	December ...	3,047	2,644		128	113		201	165	
F.	March	2,023	2,016	1,544	185	134	129	197	165	133
	June... ..	1,782	1,687		214	148		206	119	
	September ...	1,684	1,467		146	136		162	127	
	December ...	2,008	1,607		120	115		165	125	
M.	020-029 Syphilis and its sequelæ.				040-041 Typhoid and paratyphoid fevers.			045-048 Dysentery—all forms.		
	March	416	418	337	5	2	2	17	8	12
	June... ..	367	347		3	3		10	4	
	September ...	314	290		5	5		6	5	
	December ...	344	364		9	5		2	8	
F.	March	167	190	177	8	3	3	10	2	7
	June... ..	154	158		8	4		3	5	
	September ...	137	124		3	5		7	4	
	December ...	184	169		7	5		7	4	
M.	050, 051 Scarlet fever and streptococcal sore throat.				055 Diphtheria.			056 Whooping cough.		
	March			20	36	19	16	92	96	38
	June... ..				17	10		110	79	
	September ...				11	6		76	46	
	December ...				15	11		58	18	
F.	March			18	25	10	8	126	121	49
	June... ..				17	14		116	86	
	September ...				24	10		98	54	
	December ...				11	5		72	27	
M.	057 Meningococcal infections.				080, 081 Acute poliomyelitis (including late effects).			085 Measles.		
	March	43	61	46	39	15	41	51	88	30
	June... ..	40	38		20	17		54	53	
	September ...	37	18		33	148		16	6	
	December ...	44	37		50	185		42	5	
F.	March	48	40	48	30	11	41	44	74	22
	June... ..	37	32		8	15		62	56	
	September ...	21	27		27	117		23	16	
	December ...	30	35		34	149		35	10	
M.	162, 163 Cancer of bronchus and lung.				140-161, 164-200, 202, 203, 205 Other cancer*			204 Leukæmia and aleukæmia.		
	March	2,016	2,318	2,505	7,870	7,917	8,083	202	243	225
	June... ..	2,142	2,214		7,819	7,720		223	193	
	September ...	2,109	2,318		7,814	7,901		198	228	
	December ...	2,353	2,500		8,007	7,958		201	259	
F.	March	451	509	506	9,349	9,416	9,563	146	192	204
	June... ..	465	463		9,264	9,197		166	209	
	September ...	452	479		9,493	9,673		188	208	
	December ...	499	491		9,434	9,658		183	190	
M.	252 Thyrotoxicosis, with or without goitre.				260 Diabetes mellitus.			290 Pernicious and hyperchromic anæmia.		
	March	18	22	25	310	347	371	135	126	125
	June... ..	21	24		238	235		95	103	
	September ...	10	16		225	215		97	76	
	December ...	16	17		277	305		125	117	
F.	March	170	153	149	597	662	704	212	237	220
	June... ..	132	107		540	548		202	203	
	September ...	110	110		468	507		187	177	
	December ...	138	134		600	625		195	208	

*Excluding Hodgkin's disease and leukæmia.

TABLE X.—continued.

Sex.	Quarter.	1948	1949	1950	1948	1949	1950	1948	1949	1950	
M.	March June... .. September ... December ...	330-334 Vascular lesions of nervous system.			400-402 Rheumatic fever. (including chorea)			420 Coronary and arterio-sclerotic heart disease.			
		6,475	7,186	7,729			89			9,393	
		5,293	6,060								
		4,916	5,165								
	F.	March June... .. September ... December ...	5,866	6,414							
			8,542	9,907	10,566			116			5,707
			7,281	8,351							
			7,074	7,165							
		8,452	9,005								
M.	March June... .. September ... December ...	440-447 Hypertensive disease.			480-483 Influenza.			490-493, 763 Pneumonia. (including neonatal)			
				2,651	281	1,777	1,042	3,494	4,644	3,760	
					93	592		2,022	2,241		
					71	55		1,492	1,376		
	F.	March June... .. September ... December ...				231	251		2,719	2,639	
					2,856	271	2,076	1,232	2,746	4,412	3,546
						77	673		1,601	1,904	
						31	40		1,156	1,176	
			185	200		2,399	2,402				
M.	March June... .. September ... December ...	500-502 Bronchitis.			540, 541 Ulcer of stomach and duodenum.			550-553 Appendicitis.			
		5,914	8,691	6,696	1,009	1,112	1,096	205	179	177	
		3,094	3,485		864	907		172	185		
		2,147	1,709		821	768		182	209		
	F.	March June... .. September ... December ...	4,675	4,566		1,002	1,033		177	175	
			3,427	6,175	4,643	297	334	336	120	131	146
			1,601	2,076		233	261		139	108	
			1,038	874		239	233		135	142	
		3,017	2,862		300	290		142	127		
M.	March June... .. September ... December ...	571, 764 Gastro-enteritis (excl. ulcerative) and infant diarrhoea.			590-594 Nephritis and nephrosis.			770 Hæmolytic disease of newborn.			
		601	470	300			1,008	80	74	75	
		400	329					89	83		
		359	363					78	80		
	F.	March June... .. September ... December ...	372	325					92	62	
			438	357	266			1,017	63	56	65
			302	265					54	48	
			313	295					51	64	
		284	293				50	50			
M.	March June... .. September ... December ...	610 Hyperplasia of prostate.			640-649, 660-689 Disorders of pregnancy and childbirth (excl. abortion).			750-759 Congenital malformations. (both sexes).			
		1,270	1,381	1,307							
		1,120	1,148								
		1,107	1,156								
	F.	March June... .. September ... December ...	1,268	1,267							
						179	156	126	1,356	1,209	1,341
						178	150		1,205	1,225	
						172	184		1,099	1,150	
			157	121		1,251	1,241				
M.	March June... .. September ... December ...	E810-835 Motor vehicle accidents.			E800-802, E840-962 Other accidents and poisoning.			E963, E970-979 Suicide and self-inflicted injury.			
		613	692	611	1,474	1,516	1,422	736	776	736	
		533	727		1,446	1,396		840	834		
		723	729		1,537	1,559		746	763		
	F.	March June... .. September ... December ...	796	816		1,464	1,406		711	681	
			244	233	277	1,118	1,259	1,269	411	413	384
			200	188		947	992		461	500	
			228	224		917	852		449	402	
		301	283		1,035	1,045		437	381		

METEOROLOGY *—ENGLAND AND WALES

SECOND QUARTER, 1950.

April

The weather of April was mainly unsettled and wet, with rather frequent gales at exposed places in the west. The prevailing winds were from south-west to north-west or north. On the night of the 25th to 26th an unusually severe snowstorm occurred in south-east England and caused much damage to trees, shrubs and telegraph poles and dislocated traffic and telephone services.

Mean temperature for the month over the country as a whole was about average. There were few very warm days but temperature reached or somewhat exceeded 65°F. locally on the 7th, 20th, 21st and 30th. It was rather cold from about the 12th to 18th and cold around the 24th to 27th. The extremes for the month were 68°F. at Bramley, Hampshire on the 21st and 21°F. at Bellingham, Northumberland, Malham Tarn, Yorkshire, and Newton Rigg, Cumberland on the 25th.

The general precipitation was 135 per cent. of the average for the period 1881-1915. Less than the average occurred in rather small, scattered areas in Durham, the Midlands and Monmouthshire and also in Pembrokeshire, extreme south-west Cornwall and locally in south Devon. On the other hand more than twice the average was registered in an area extending from northern Montgomeryshire to Flint and south-west Cheshire, and locally in Kent and Surrey. The snowstorm in south-east England on the night of the 25th to 26th was severe; over much of a narrow belt extending roughly from Throwley, Kent to Amesbury and Upavon, Wiltshire, level snow was 6 in. deep or slightly more early on the 26th but it soon melted.

The duration of bright sunshine was 109 per cent. of the average for the period 1906-35. Less than the average occurred over much of Wales and parts of northern England but more than the average was registered in southern and eastern England and the Midlands.

May

The weather of May was changeable with alternating cold and warm spells. A tornado, which moved from Wendover to Linslade on the 21st, caused considerable damage; trees were felled and vehicles and roofs of old buildings were lifted; thunderstorms also occurred, with heavy rain and large hailstones.

Mean temperature for the month was again about average; on the whole it was slightly below the average in the Midlands and eastern districts and somewhat above the average in the west. The temperature was very changeable, warm spells being rapidly followed by cold spells with the break through of cold, polar air. Warm spells occurred from the 10th to 13th, 21st to 23rd and 30th to 31st. The coldest week was the one ending on the 20th but it was cold also from the 24th to 27th and in some parts of the country from the 4th to 7th or 8th. Extreme temperatures for the month included 81°F. at Ambleside on the 13th and 27°F. at Lincoln on the 17th.

The general rainfall expressed as a percentage of the average for the period 1881-1915 was 90. More than the average rainfall occurred over a large area extending from the Humber to West Hampshire and stretching eastward over most of East Anglia, the east Midlands and Lincolnshire. In South Devon and West Cornwall amounts also exceeded average. Over much of Bedfordshire and Huntingdonshire and in the neighbourhood of Torquay, more than twice the average was registered. On the other hand less than half the average occurred over much of North Wales, Cheshire, and on the Lancashire coast. Among the heavier falls in 24 hours were 2.21 in. at Hockliffe, Bedfordshire (1.75 in. of which fell in one hour) and 2.10 in. at Battlesden Pumping Station, Bedfordshire, on the 21st and 1.97 in. at Torquay and 1.89 in. at Paignton on the 24th.

The duration of bright sunshine was 93 per cent. of the average for the period 1906-35. Broadly speaking sunshine was considerably below the average in the east and the Midlands and well above the average locally in the west.

June

The weather of June was unusually warm and sunny, and dry on the whole.

Mean temperature exceeded the average for the period 1906-35 by 4.0°F. Apart from June, 1940, which was slightly warmer, it was the warmest June this century. The first week was exceedingly warm, particularly from the 4th to 7th, when temperatures of 80°F. or above were widely registered. The coolest spell occurred from about the 14th to 24th. The extremes for the month were 92°F. in London (Camden Square) on the 6th and 36°F. at Totnes on the 16th.

The general rainfall was 77 per cent. of the average for the period 1881-1915. More than the average was experienced in parts of Cumberland, Westmorland, Lancashire and the extreme west of Yorkshire, over most of Norfolk and in parts of west and south Wales. Less than half the average occurred in an inland belt running from north Nottinghamshire to Durham. Among the heavier falls in 24 hours were 2.60 in. at West Molesey and 2.33 in. (which fell in 72 minutes) at Hampton Water Works on the 2nd and 2.20 in. at Blaenau Festiniog on the 26th.

Sunshine amounted to 122 per cent. of the average for the period 1906-35. The excess above the average was generally greatest in the eastern districts of England and the Midlands; at Shoeburyness, Gorleston and Felixstowe it was the sunniest June in their records.

METEOROLOGY—*continued.*

Values of Air Temperature, Rainfall and Sunshine for the Second Quarter, 1950, expressed as differences from or percentages of the Average Values.

Districts of England and Wales.

District.				Air Temperature.		Rainfall.		Sun- shine.	Average Values 1881-1915.					
				Highest.	Lowest.	Difference from Aver- age Daily Mean.	Percentage of Average.	Number of Days Difference from Aver- age.	Percentage of Average.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.	
				APRIL, 1950.						APRIL, 1881-1915.				
				°F.	°F.	°F.	%		%	°F.	mm.		hrs.	
England, N.E. - - -				64	21	- 0.2	139	+ 4	95	44.4	40	15	5.22	
England, E. - - -				66	22	+ 0.1	121	+ 4	105	45.6	38	14	5.55	
Midland Counties - - -				66	21	- 0.1	130	+ 4	110	45.5	44	14	5.02	
England, S.E. - - -				68	27	+ 0.5	137	+ 3	116	46.7	43	13	5.65	
England, N.W. - - -				63	21	- 0.1	141	+ 8	96	45.4	52	15	5.21	
England, S.W. - - -				65	23	+ 0.1	118	+ 5	106	46.5	60	15	5.53	
Mean - - -				-	-	+ 0.1	131	+ 5	105	45.7	46	14	5.36	
				MAY, 1950.						MAY, 1881-1915.				
				°F.	°F.	°F.	%		%	°F.	mm.		hrs.	
England, N.E. - - -				77	27	- 0.3	97	+ 2	76	49.4	50	14	6.10	
England, E. - - -				75	30	- 0.2	124	- 2	79	51.3	46	13	6.65	
Midland Counties - - -				76	29	- 0.4	92	- 2	89	51.0	53	14	5.87	
England, S.E. - - -				77	30	- 0.1	92	- 2	94	52.2	45	13	6.90	
England, N.W. - - -				81	32	+ 1.0	47	- 5	110	50.5	58	15	6.27	
England, S.W. - - -				77	30	+ 0.9	84	- 3	110	51.6	57	14	6.58	
Mean - - -				-	-	+ 0.1	89	- 2	93	51.0	51	14	6.39	
				JUNE, 1950.						JUNE, 1881-1915.				
				°F.	°F.	°F.	%		%	°F.	mm.		hrs.	
England, N.E. - - -				91	37	+ 4.5	68		0	131	55.2	52	13	6.20
England, E. - - -				89	41	+ 4.5	95	- 4	130	57.1	51	12	6.86	
Midland Counties - - -				90	37	+ 4.3	67	- 3	127	56.8	56	13	6.20	
England, S.E. - - -				92	39	+ 4.1	79	- 3	126	57.7	48	11	7.20	
England, N.W. - - -				91	38	+ 3.4	80	+ 1	107	56.0	61	14	6.51	
England, S.W. - - -				88	36	+ 3.0	71	- 3	111	56.7	60	13	6.79	
Mean - - -				-	-	+ 4.0	77	- 2	122	56.6	55	13	6.63	
				SECOND QUARTER, 1950.						SECOND QUARTER, 1881-1915.				
				°F.	°F.	°F.	%		%	°F.	mm.		hrs.	
England, N.E. - - -				91	21	+ 1.3	101	+ 2	101	49.7	142	42	5.84	
England, E. - - -				89	22	+ 1.5	113	- 1	105	51.3	135	39	6.35	
Midland Counties - - -				90	21	+ 1.3	96		0	109	51.1	153	41	5.70
England, S.E. - - -				92	27	+ 1.5	103	- 1	112	52.2	136	37	6.58	
England, N.W. - - -				91	21	+ 1.4	89	+ 1	104	50.6	171	44	6.00	
England, S.W. - - -				88	23	+ 1.3	91		0	109	51.6	177	42	6.30
Mean - - -				-	-	+ 1.4	99		0	107	51.1	152	41	6.13

SURVEY OF SICKNESS IN MARCH QUARTER, 1950.

RECORD OF ILLNESS, INJURIES, INCAPACITY AND MEDICAL CONSULTATIONS EXPERIENCED BY REPRESENTATIVE POPULATION SAMPLES IN ENGLAND AND WALES.

The Social Survey has, during 1944-48, interviewed a sample of approximately 3,000 persons aged 16 and over at the beginning of each month. From the beginning of 1949 the number was increased to 4,000. The sample is distributed over the whole of England and Wales in different localities each month so selected as to secure proper representation of each class of area; within each locality the persons to be interviewed are chosen by a random process from the registers of the local National Registration Office. In the course of interviews conducted by Social Survey workers at the homes of the persons selected, information is asked for about the illnesses, ailments and days of incapacity experienced during the three months preceding interview and as to medical consultations and social factors. Participation in the survey is entirely voluntary but refusals are so exceptional as to have no appreciable effect on the validity of the data. Coding of the diseases, symptoms and injuries described, according to the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948*, and the statistical analysis is carried out by the General Register Office.

Table A summarizes sickness experiences and Tables B, C, D show the numbers of illnesses, days of incapacity and medical consultations during the months of †January, February, and March, 1950. Tables E, F, G show the numbers of persons affected by the experiences, with sex and age distinction, and Table H analyses them by occupation and economic group.

TABLE A.—Summary of sickness experiences during the months stated, based on interviews in the two following months.

	†January				February				March			
	16-64		65 & over		16-64		65 & over		16-64		65 & over	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
No. of persons whose experience was recorded for the month stated — —	1,550	1,828	218	339	3,087	3,683	436	654	3,084	3,658	439	663
No. of persons reporting some illness or injury — — — — —	957	1,295	166	291	2,036	2,698	348	579	1,914	2,660	353	593
Rate per hundred persons interviewed — —	66	75	79	88	66	73	80	89	62	73	80	89
No. of illnesses and injuries — — —	1,753	2,875	389	785	3,704	6,056	811	1,528	3,544	5,817	809	1,532
Rate per hundred persons interviewed — —	123	169	185	241	120	164	186	234	115	159	184	231
No. of days of incapacity — — — —	1,657	2,166	444	736	3,537	4,373	780	1,520	3,394	3,851	905	1,535
Rate per hundred persons interviewed — —	109	119	203	228	115	119	179	232	110	105	206	232
No. of medical consultations — — —	534	878	193	184	1,435	1,977	358	476	1,441	1,877	395	567
Rate per hundred persons interviewed — —	37	51	93	58	46	54	82	73	47	51	90	86

TABLE B.—Distribution of Illnesses and Injuries reported as affecting persons aged 16-64, 65 and over, in each month, by severity.

Month of interview	Month of experience	Class	Ages 16-64					Ages 65 and over				
			Serious	Mod- erate, Mild	Minor	Ill- defined	Total	Serious	Mod- erate, Mild	Minor	Ill- defined	Total
†February	January	Illness New — Recurrent — Continued — Injury — —										
March	January	Illness New — Recurrent — Continued — Injury — —	10 10 121 6	139 81 110 9	669 685 1,677 32	95 430 604 —	913 1,156 2,512 47	3 18 120 2	25 9 36 —	76 108 535 3	25 62 152 —	129 197 843 5
March	February	Illness New — Recurrent — Continued — Injury — —	9 9 114 6	187 39 154 15	871 717 1,742 57	141 449 629 —	1,208 1,214 2,639 78	4 16 122 1	26 14 45 1	98 110 557 7	20 65 157 —	148 205 881 9
April	February	Illness New — Recurrent — Continued — Injury — —	19 19 124 8	190 44 120 11	562 719 1,666 49	65 450 575 —	836 1,232 2,485 63	9 18 136 1	21 6 32 4	62 134 450 8	8 63 144 —	100 221 762 13
April	March	Illness New — Recurrent — Continued — Injury — —	13 21 129 8	194 50 151 21	757 737 1,717 66	116 469 598 —	1,080 1,277 2,595 95	10 18 143 2	32 8 46 1	86 131 465 12	20 64 146 —	148 221 890 15
May	March	Illness New — Recurrent — Continued — Injury — —	12 17 85 6	178 32 99 6	511 640 1,544 53	73 430 623 —	774 1,119 2,356 65	12 19 124 5	34 7 36 1	59 107 549 9	12 52 131 —	117 185 840 15

* See page 28.

† Figures for January are based on one month's interviews only (see Special Notes on page 4), but for comparison with previous months the rates (but not the numbers) have been corrected to allow for results expected from two months' interviews.

‡ No interviews were held in February—See Special Notes on page 4.

TABLE C(2).—Distribution of Illnesses and Injuries of Different Kinds according to Days of Incapacity at ages 16 and over.

Nature of Illness or Injury	Number of Illnesses and Injuries causing incapacity of the specified number of days during the month of experience															Total days of incapacity in month
	0	1	2	3	4	5	6	7	8	9	10	11-	18-	25 or over	Total	
(5) January (March interviews)																
1. Tuberculosis of lungs - -	9	—	—	—	1	—	—	—	—	—	—	—	1	2	13	87
2. Psychoneuroses, mental disorders - - -	36	—	—	—	—	1	1	—	—	—	—	3	—	—	41	57
3. Eye affections - - -	259	—	—	1	—	—	—	—	2	—	1	1	—	—	264	40
4. Ear and mastoid - - -	152	—	—	—	—	—	1	—	—	—	—	1	—	—	154	20
5. Rheumatism (1) - - -	688	—	1	2	1	1	1	6	2	—	3	9	2	3	719	359
6. Heart and arteries - - -	118	—	1	—	—	—	1	1	1	—	2	5	—	4	133	241
7. Affections of veins - - -	133	—	1	1	—	2	—	2	—	—	—	1	1	1	142	93
8. Colds, influenza - - -	574	16	23	14	12	4	2	19	1	—	2	22	4	2	695	801
9. Sore throat (2) - - -	27	1	2	2	2	—	1	4	—	—	2	2	2	—	45	143
10. Other respiratory - - -	411	1	3	2	—	—	1	9	1	4	5	22	8	9	476	928
11. Dental disorders - - -	215	—	—	—	1	—	1	—	—	—	—	—	—	—	217	10
12. Ulcer of stomach and duodenum - - -	30	—	—	—	2	—	—	—	1	—	—	1	1	2	37	112
13. Other stomach - - -	358	3	1	3	—	1	—	—	1	—	3	2	—	3	375	171
14. Other digestive (3) - - -	257	—	—	—	1	—	1	1	—	—	—	1	—	1	262	62
15. Diseases of skin (4) - - -	155	1	1	—	1	—	—	1	1	—	2	2	1	4	169	218
16. Other defined illness - - -	461	5	6	6	5	1	1	8	—	2	4	8	3	15	525	809
17. Ill-defined symptoms - - -	1,417	6	9	3	2	3	1	8	5	1	9	12	5	2	1,483	597
18. Injuries - - -	34	3	1	1	2	—	—	3	—	—	—	—	3	5	52	255
Total - - -	5,334	36	49	35	30	13	12	62	15	7	33	92	31	53	5,802	5,003
(6) February (March and April interviews)																
1. Tuberculosis of lungs - -	23	—	—	1	—	1	—	—	—	—	2	1	1	2	31	120
2. Psychoneuroses, mental disorders - - -	79	—	1	—	—	—	—	1	—	—	1	3	1	1	87	110
3. Eye affections - - -	505	2	3	—	1	1	1	3	—	1	1	—	—	2	520	119
4. Ear and mastoid - - -	321	1	—	—	—	—	—	2	—	1	1	2	—	1	329	86
5. Rheumatism (1) - - -	1,415	2	3	1	3	4	1	7	2	3	9	17	7	11	1,485	913
6. Heart and arteries - - -	226	—	1	—	1	4	—	8	—	2	2	13	—	4	261	410
7. Affections of veins - - -	270	—	—	2	1	1	—	6	—	—	1	6	2	—	289	187
8. Colds, influenza - - -	1,244	37	47	43	19	9	10	76	7	2	12	44	21	7	1,578	2,400
9. Sore throat (2) - - -	65	1	5	4	1	—	1	7	1	1	4	4	3	—	97	258
10. Other respiratory - - -	896	5	6	4	10	5	5	18	5	5	8	31	13	14	1,025	1,504
11. Dental disorders - - -	403	4	2	2	—	1	1	—	—	—	—	—	—	—	413	25
12. Ulcer of stomach and duodenum - - -	67	—	—	1	2	—	—	—	—	—	—	6	—	3	79	183
13. Other stomach - - -	727	7	5	2	4	2	1	6	—	1	—	4	3	2	764	280
14. Other digestive (3) - - -	506	—	—	—	2	—	2	1	—	2	—	2	2	2	519	170
15. Diseases of skin (4) - - -	334	4	1	2	2	1	—	7	2	—	1	7	1	4	366	330
16. Other defined illness - - -	939	12	6	8	8	4	7	12	3	4	5	19	7	17	1,051	1,221
17. Ill-defined symptoms - - -	2,886	22	12	14	13	7	6	21	1	10	5	22	7	11	3,037	1,253
18. Injuries - - -	120	3	2	1	1	3	2	6	2	—	3	8	9	8	158	639
Total - - -	11,026	100	94	85	68	43	37	181	23	32	55	189	77	89	12,099	10,210
(7) March (April and May interviews)																
1. Tuberculosis of lungs - -	27	—	—	—	1	—	—	—	—	—	—	2	—	4	34	150
2. Psychoneuroses, mental disorders - - -	85	—	—	—	1	—	—	—	—	—	—	1	—	2	89	70
3. Eye affections - - -	497	—	—	—	1	—	1	1	1	—	1	2	—	2	506	122
4. Ear and mastoid - - -	331	1	—	—	1	1	—	—	1	—	2	—	—	—	337	38
5. Rheumatism (1) - - -	1,432	—	3	3	3	1	1	11	4	1	2	16	3	9	1,489	740
6. Heart and arteries - - -	238	1	2	2	1	—	2	4	3	—	2	13	1	3	272	391
7. Affections of veins - - -	275	2	—	—	—	1	1	4	2	—	2	1	—	3	291	181
8. Colds, influenza - - -	1,119	39	41	22	18	23	13	60	9	3	18	41	17	13	1,436	2,445
9. Sore throat (2) - - -	76	1	3	3	5	2	—	4	1	—	—	2	—	—	97	110
10. Other respiratory - - -	914	3	4	3	3	4	1	18	2	1	7	21	6	19	1,006	1,241
11. Dental disorders - - -	402	2	1	1	—	—	2	1	—	—	—	—	—	—	409	20
12. Ulcer of stomach and duodenum - - -	62	—	1	2	—	—	—	3	—	—	1	2	—	7	78	273
13. Other stomach - - -	709	7	6	2	4	2	1	3	—	—	3	7	—	2	746	268
14. Other digestive (3) - - -	421	1	—	1	—	—	3	3	1	1	3	1	3	3	441	260
15. Diseases of skin (4) - - -	338	2	—	1	—	—	—	7	1	2	1	3	1	2	358	215
16. Other defined illness - - -	850	5	10	8	8	4	4	17	3	1	7	20	10	19	966	1,407
17. Ill-defined symptoms - - -	2,835	11	9	9	8	5	7	19	5	3	10	23	5	8	2,957	1,132
18. Injuries - - -	149	4	4	1	—	—	1	6	—	2	1	6	5	11	190	610
Total - - -	10,760	79	84	58	54	43	37	161	33	14	60	161	51	107	11,702	9,685

(1), (2), (3), (4)—see page 28.

(5) Based on one month's interviews only. See Special Notes on page 4.

Note:—When several illnesses and injuries occur concurrently sometimes only the total number of days of incapacity caused by them jointly can be recorded. In such cases the whole of the incapacity is allocated to or divided between the most severe of the concurrent illnesses and injuries.

TABLE C(3).—Aggregate Numbers of Days of Incapacity and of all Illnesses and Injuries, by Sex, Age and Kind.

Nature of Illness or Injury	Number of Illnesses and Injuries								Total days lost in month							
	Ages 16-64				Ages 65 and over				Ages 16-64				Ages 65 and over			
	New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
(5) January (March interviews)																
1. Tuberculosis of lungs -	—	—	5	8	—	—	—	—	—	—	83	4	—	—	—	—
2. Psychoneuroses, mental disorders -	5	5	12	12	—	1	2	4	—	—	46	5	—	—	—	6
3. Eye affections -	20	19	64	98	1	5	15	42	3	—	—	16	—	—	—	21
4. Ear and mastoid -	15	9	43	38	—	1	21	27	—	—	—	—	—	—	20	—
5. Rheumatism (1) -	69	149	88	194	21	33	47	118	59	76	32	47	31	10	27	77
6. Heart and arteries -	3	11	23	38	4	4	16	34	—	—	63	106	—	—	15	57
7. Affections of veins -	7	18	31	58	1	2	2	23	—	38	18	37	—	—	—	—
8. Colds, influenza -	276	304	13	18	30	44	4	6	194	393	—	11	87	116	—	—
9. Sore throat (2) -	14	25	1	4	—	1	—	—	24	98	—	—	—	21	—	—
10. Other respiratory -	36	60	140	133	9	9	43	46	47	225	217	115	63	63	73	125
11. Dental disorders -	34	47	62	64	—	2	7	1	—	—	10	—	—	—	—	—
12. Ulcer of stomach and duodenum -	5	—	23	5	—	—	3	1	18	—	74	20	—	—	—	—
13. Other stomach -	64	91	73	73	8	19	15	32	42	14	74	28	—	1	2	10
14. Other digestive (3) -	6	37	32	127	1	11	13	35	29	—	6	7	—	—	—	20
15. Diseases of skin (4) -	27	25	48	43	1	4	7	14	50	22	31	115	—	—	—	—
16. Other defined illness -	32	111	91	199	7	7	30	48	22	194	204	285	35	30	14	25
17. Ill-defined symptoms -	167	378	193	458	30	70	50	137	26	115	70	155	26	39	51	115
18. Injuries -	17	11	14	5	1	3	—	1	105	9	110	31	—	—	—	—
Total -	797	1,300	956	1,575	114	216	275	569	619	1,184	1,038	982	242	280	202	456
February (March and April interviews)																
1. Tuberculosis of lungs -	—	1	12	17	—	—	1	—	—	28	49	43	—	—	—	—
2. Psychoneuroses, mental disorders -	13	14	21	31	—	—	3	5	51	—	42	17	—	—	—	—
3. Eye affections -	27	43	134	194	2	5	34	81	1	11	33	15	5	—	—	54
4. Ear and mastoid -	19	29	97	74	7	8	39	56	7	27	1	25	—	—	17	9
5. Rheumatism (1) -	145	309	182	422	48	66	85	228	83	214	163	152	57	65	28	151
6. Heart and arteries -	5	24	51	73	5	7	32	64	—	17	114	136	—	—	56	87
7. Affections of veins -	17	23	59	136	1	2	9	42	—	14	17	110	—	—	7	39
8. Colds, influenza -	623	693	43	51	57	81	9	21	972	1,042	38	56	47	188	29	28
9. Sore throat (2) -	26	52	4	9	—	4	1	1	70	157	—	10	—	21	—	—
10. Other respiratory -	89	163	300	286	19	23	75	70	222	332	262	277	100	150	73	88
11. Dental disorders -	64	86	113	123	3	4	15	5	5	5	11	4	—	—	—	—
12. Ulcer of stomach and duodenum -	9	2	48	11	1	1	4	3	29	3	105	32	—	14	—	—
13. Other stomach -	154	201	119	133	23	45	31	58	54	58	81	63	9	10	—	5
14. Other digestive (3) -	24	78	69	242	4	22	22	58	7	24	34	32	—	—	34	39
15. Diseases of skin (4) -	49	51	106	103	8	8	13	28	44	34	90	85	21	35	—	21
16. Other defined illness -	69	223	170	380	16	18	67	108	121	233	197	435	38	36	60	101
17. Ill-defined symptoms -	351	814	383	928	60	126	109	266	66	292	124	267	75	111	97	223
18. Injuries -	70	23	39	14	6	11	2	3	207	105	237	18	9	45	18	—
Total -	1,754	2,829	1,950	3,227	260	431	551	1,097	1,939	2,596	1,598	1,777	361	675	419	845
March (April and May interviews)																
1. Tuberculosis of lungs -	—	—	16	15	—	—	1	2	—	—	77	73	—	—	—	—
2. Psychoneuroses, mental disorders -	11	13	22	40	—	1	2	—	62	—	—	14	—	—	—	—
3. Eye affections -	26	46	133	170	2	8	41	80	—	21	18	31	—	7	—	45
4. Ear and mastoid -	23	29	101	67	5	10	44	58	—	4	9	—	—	—	15	10
5. Rheumatism (1) -	164	292	177	417	42	68	95	234	76	120	187	127	13	89	15	113
6. Heart and arteries -	4	16	47	84	5	10	31	75	—	19	105	103	—	—	66	98
7. Affections of veins -	15	21	49	144	1	1	19	41	11	25	1	25	—	—	7	112
8. Colds, influenza -	519	649	42	62	44	98	8	14	648	1,074	181	67	92	304	44	35
9. Sore throat (2) -	23	49	3	11	1	6	1	3	32	74	—	—	—	—	—	4
10. Other respiratory -	95	165	292	280	20	32	63	59	123	275	274	144	77	150	123	75
11. Dental disorders -	71	92	99	119	1	3	11	13	4	9	6	—	—	—	—	7
12. Ulcer of stomach and duodenum -	9	2	49	9	1	1	2	5	64	28	160	14	—	—	—	7
13. Other stomach -	145	184	115	137	29	43	35	58	22	56	47	100	10	8	25	—
14. Other digestive (3) -	23	60	63	207	4	15	18	51	1	44	27	114	6	40	28	—
15. Diseases of skin (4) -	49	58	92	105	6	5	9	34	26	75	23	63	7	—	7	14
16. Other defined illness -	64	186	155	326	11	30	76	118	199	140	273	414	49	33	160	139
17. Ill-defined symptoms -	357	790	377	926	59	109	108	231	172	284	109	265	44	75	51	132
18. Injuries -	54	31	60	15	6	6	8	10	182	48	275	1	7	7	59	31
Total -	1,652	2,683	1,892	3,134	237	446	572	1,086	1,622	2,296	1,772	1,555	305	713	600	822

(1), (2), (3), (4) See page 27. (5). Based on one month's interviews only. See Special Notes on page 4.
See note under Table C(2).

TABLE D(2).—Distribution of Illnesses and Injuries of Different Kinds according to the Number of Medical Consultations.

Nature of Illness or Injury	Number of illnesses and injuries causing consultations of the specified number during the month								Total Consultations in the Month							
									Ages 16-64				Ages 65 and over			
									New and Re-current		Con-tinued		New and Re-current		Con-tinued	
	0	1	2	3	4	5 or more A†	B†	Total illness and injury	M.	F.	M.	F.	M.	F.	M.	F.
‡ January (March interviews)																
1. Tuberculosis of lungs -	4	6	1	1	1	—	—	13	—	—	7	8	—	—	—	—
2. Psychoneuroses, mental disorders -	32	4	5	—	—	—	—	41	—	—	7	3	—	1	3	—
3. Eye affections -	238	17	5	1	1	2	10	264	6	8	5	16	—	2	1	6
4. Ear and mastoid -	146	6	2	—	—	—	—	154	2	1	1	6	—	—	—	—
5. Rheumatism (1) -	649	34	21	1	10	4	26	719	16	22	22	49	—	3	11	22
6. Heart and arteries -	95	21	4	3	4	6	61	133	—	2	16	54	1	—	20	22
7. Affections of veins -	118	16	6	—	1	1	6	142	1	2	5	16	1	2	—	11
8. Colds, influenza -	614	39	18	12	6	6	51	695	62	79	2	8	31	4	—	—
9. Sore throat (2) -	29	6	3	4	1	2	15	45	12	31	—	—	—	—	—	—
10. Other respiratory -	392	26	17	9	20	12	102	476	24	61	70	34	19	3	45	13
11. Dental disorders -	212	5	—	—	—	—	—	217	3	2	—	—	—	—	—	—
12. Ulcer of stomach and duodenum -	23	3	6	2	3	—	—	37	7	—	15	4	—	—	5	2
13. Other stomach -	336	23	11	1	1	3	21	375	14	9	14	22	5	1	5	3
14. Other digestive (3) -	245	10	3	2	2	—	—	262	2	2	—	13	—	2	2	9
15. Diseases of skin (4) -	130	19	3	6	7	4	34	169	27	9	8	52	—	2	—	7
16. Other defined illness -	400	55	29	14	18	9	91	525	7	62	70	123	4	5	16	31
17. Ill-defined symptoms -	1,345	79	33	6	14	6	33	1,483	12	52	48	89	12	6	11	22
18. Injuries -	28	11	4	3	3	3	54	52	34	7	15	32	1	5	—	—
Total -	5,036	380	171	65	92	58	504	5,802	229	349	305	529	74	36	119	148
February (March and April interviews)																
1. Tuberculosis of lungs -	13	4	5	3	4	2	24	31	—	16	17	30	—	—	—	—
2. Psychoneuroses, mental disorders -	60	15	7	2	2	1	7	87	7	2	7	26	—	—	4	4
3. Eye affections -	476	28	10	1	4	1	12	520	7	18	17	23	—	1	2	11
4. Ear and mastoid -	298	17	7	1	2	4	68	329	7	17	24	54	4	1	2	1
5. Rheumatism (1) -	1,327	76	32	13	20	17	129	1,485	24	55	77	149	5	7	11	60
6. Heart and arteries -	173	45	21	3	15	4	48	261	1	17	39	67	2	2	33	43
7. Affections of veins -	239	25	14	6	4	1	10	289	4	16	16	33	1	3	6	18
8. Colds, influenza -	1,312	121	80	25	16	24	148	1,578	252	209	10	34	20	36	6	1
9. Sore throat (2) -	59	15	13	4	3	3	22	97	20	58	—	6	—	3	—	—
10. Other respiratory -	842	65	48	21	24	25	225	1,025	85	109	108	93	42	36	49	23
11. Dental disorders -	403	8	1	—	1	—	—	413	6	4	2	2	—	—	—	—
12. Ulcer of stomach and duodenum -	51	8	11	3	5	1	5	79	8	2	32	12	2	—	6	2
13. Other stomach -	687	41	17	6	9	4	31	764	22	23	36	45	3	13	3	15
14. Other digestive (3) -	488	16	7	1	7	—	—	519	2	11	12	17	—	4	6	9
15. Diseases of skin (4) -	284	42	15	7	13	5	53	366	54	24	34	51	11	6	4	14
16. Other defined illness -	776	129	73	18	38	17	180	1,051	53	140	112	235	5	10	45	61
17. Ill-defined symptoms -	2,717	174	82	24	25	15	104	3,037	70	113	74	215	23	15	57	47
18. Injuries -	91	26	20	9	8	14	158	168	143	39	53	12	6	14	—	16
Total -	10,296	855	463	147	200	138	1,224	12,099	765	873	670	1,104	124	151	234	325
March (April and May interviews)																
1. Tuberculosis of lungs -	13	4	4	4	7	2	37	34	—	—	53	29	—	—	—	7
2. Psychoneuroses, mental disorders -	61	15	8	2	2	1	5	89	5	3	7	30	—	—	5	—
3. Eye affections -	459	33	7	4	1	2	12	506	4	18	14	21	—	2	5	11
4. Ear and mastoid -	305	20	5	1	5	1	31	337	7	6	20	42	—	6	2	1
5. Rheumatism (1) -	1,323	90	30	14	16	16	132	1,489	42	48	94	117	9	12	13	53
6. Heart and arteries -	173	51	27	2	10	9	60	272	—	16	47	69	5	7	23	44
7. Affections of veins -	255	22	9	2	2	1	17	291	5	21	10	17	—	—	9	9
8. Colds, influenza -	1,173	119	62	35	20	27	184	1,436	195	254	45	16	24	52	11	15
9. Sore throat (2) -	74	8	9	4	2	—	—	97	20	25	—	1	—	—	—	—
10. Other respiratory -	851	66	37	14	18	20	136	1,006	40	91	97	46	25	37	37	17
11. Dental disorders -	395	10	2	—	1	1	8	409	12	4	4	4	2	—	—	—
12. Ulcer of stomach and duodenum -	42	11	9	3	7	6	66	78	39	10	62	18	1	—	—	2
13. Other stomach -	660	42	18	8	13	5	38	746	13	36	39	50	1	7	9	37
14. Other digestive (3) -	407	11	11	3	7	2	18	441	1	30	10	31	1	6	7	2
15. Diseases of skin (4) -	272	43	20	7	6	10	77	358	23	50	44	53	13	2	5	15
16. Other defined illness -	688	126	64	22	40	26	259	966	62	84	138	260	8	18	98	71
17. Ill-defined symptoms -	2,627	184	74	23	28	21	149	2,957	106	113	56	214	11	30	51	81
18. Injuries -	112	30	15	14	8	11	86	190	67	37	60	13	9	4	11	19
Total -	9,890	885	411	162	193	161	1,315	11,702	641	846	800	1,031	109	183	286	384

(1), (2), (3), (4). See page 28.

†A. Number of illnesses and injuries.

B. Number of consultations.

‡ Based on one month's interviews only. See Special Notes on page 4.

Note.—When several illnesses and injuries occur concurrently sometimes only the total number of consultations caused by them jointly can be recorded. In such cases all the consultations are allocated to or divided between the most severe of the concurrent illnesses and injuries.

TABLE E.—Distribution by Age and Sex of Persons according to Number of Illnesses (with distinction of the highest grade) and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month.

			16-	25-	35-	45-	55-	65-	75-	Total
			‡ January (March interviews)							
Number of people interviewed	-	M.	225	375	407	318	225	154	64	1,768
		F.	275	435	447	362	309	214	125	2,167
Total illnesses in the month	-	M.	175	359	458	421	309	264	124	2,110
		F.	321	527	695	639	677	481	300	3,640
Total injuries in the month	-	M.	8	4	8	7	4	1	—	32
		F.	4	4	1	2	5	3	1	20
Number of people with one or more new or recurring illnesses starting in month (1)		M.	85	158	163	119	81	61	21	688
		F.	135	189	215	182	155	97	56	1,029
Grade of most severe illness suffered	Serious	M.	—	—	—	1	1	3	1	6
		F.	—	3	2	2	4	6	6	23
	Moderate or mild	M.	9	12	17	11	7	10	7	73
		F.	21	29	23	9	16	10	5	113
	Minor	M.	64	124	125	91	60	40	10	514
		F.	94	128	151	130	102	59	37	701
	Ill-defined symptom	M.	12	22	21	16	13	8	3	95
		F.	20	29	39	41	33	22	8	192
Number with continued illness but no new or recurrent one		M.	28	58	79	96	80	54	30	425
		F.	39	80	108	89	103	85	52	556
Number with an injury received in month (2)		M.	5	3	6	3	1	1	—	19
		F.	3	3	1	1	3	3	—	14
Number with continued trouble from injury (but no new injury) (2)		M.	3	1	2	4	3	—	—	13
		F.	1	1	—	1	2	—	1	6
Total with some illness or injury	-	M.	117	217	246	215	162	115	51	1,123
		F.	174	269	323	271	258	183	108	1,586
Total days of incapacity in month	-	M.	237	135	309	373	603	326	118	2,101
		F.	196	383	442	516	629	415	321	2,902
Total medical consultations in month	-	M.	41	88	97	90	218	146	47	727
		F.	73	174	186	225	220	122	62	1,062

			February (March interviews)							February (April interviews)								
Number of people interviewed	-	M.	225	375	407	318	225	154	64	1,768	216	388	375	318	240	149	76	1,755
		F.	275	435	447	362	309	214	125	2,167	308	439	434	377	297	213	102	2,170
Total illnesses in the month	-	M.	196	424	501	476	314	279	138	2,328	157	370	431	375	351	247	139	2,070
		F.	353	616	775	688	718	509	308	3,967	371	592	663	684	559	430	267	3,566
Total injuries in the month	-	M.	16	9	15	11	6	1	1	59	7	15	13	8	9	3	3	58
		F.	3	4	6	2	6	4	3	28	3	1	6	5	1	6	1	23
Number of people with one or more new or recurring illnesses starting in month (1)		M.	88	184	189	145	82	62	27	777	69	156	164	127	92	55	33	696
		F.	144	235	259	197	168	105	60	1,168	145	194	216	183	131	96	41	1,006
Grade of most severe illness suffered	Serious	M.	—	—	—	—	2	2	2	6	1	—	3	4	3	3	1	15
		F.	2	2	2	1	4	6	4	21	2	2	6	4	2	9	8	33
	Moderate or mild	M.	7	26	19	16	10	13	6	97	10	20	25	18	17	10	3	103
		F.	26	40	36	15	23	17	3	160	24	31	30	26	19	11	2	143
	Minor	M.	69	137	138	106	58	38	17	563	51	119	111	79	59	35	26	480
		F.	97	156	180	137	108	64	38	780	97	134	133	116	83	60	24	647
	Ill-defined symptom	M.	12	21	32	23	12	9	2	111	7	17	25	26	13	7	3	98
		F.	19	37	41	44	33	18	15	207	22	27	47	37	27	16	7	183
Number with continued illness but no new or recurrent one	-	M.	40	59	85	86	84	59	26	439	29	61	82	83	85	58	27	423
		F.	33	63	99	86	99	88	49	517	50	93	85	109	100	81	53	571
Number with an injury received in month (2)		M.	14	6	13	6	2	1	1	43	7	10	7	3	3	3	1	34
		F.	2	3	5	1	3	4	1	19	2	1	2	4	—	4	—	13
Number with continued trouble from injury (but no new injury) (2)	-	M.	2	3	1	4	—	—	—	14	—	4	4	4	6	—	2	20
		F.	1	1	1	1	2	—	1	7	1	—	4	1	1	2	1	10
Total with some illness or injury	-	M.	136	248	278	235	169	122	54	1,242	104	222	251	212	181	111	61	1,142
		F.	178	298	362	284	267	195	111	1,695	196	287	302	293	231	179	94	1,582
Total days of incapacity in month	-	M.	174	236	402	424	503	315	137	2,191	133	235	445	396	589	216	112	2,126
		F.	300	446	463	556	675	500	333	3,273	309	454	419	468	283	317	370	2,620
Total medical consultations in month	-	M.	58	128	119	152	226	104	69	856	77	143	192	134	206	145	40	937
		F.	102	233	185	205	261	172	69	1,227	142	204	232	271	142	169	66	1,226

Notes.—(1) Includes recurrent attacks of chronic illness.

(2) With or without an illness also.

‡ Based on one month's interviews only. See Special Notes on page 4.

TABLE E—continued.—Distribution by Age and Sex of Persons according to Number of Illnesses (with distinction of the highest grade) and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month.

			16-	25-	35-	45-	55-	65-	75-	Total	16-	25-	35-	45-	55-	65-	75-	Total	
			March (April interviews)								March (May interviews)								
Number of people interviewed		{M. {F.	216 308	388 439	375 434	318 377	240 297	142 213	76 102	1,755 2,170	238 256	357 456	404 418	310 383	238 290	155 223	66 125	1,768 2,151	
Total illnesses in the month -		{M. {F.	197 407	404 655	459 735	388 753	365 589	260 475	145 289	2,218 3,903	158 283	324 582	425 587	363 672	347 508	260 458	130 294	2,007 3,384	
Total injuries in the month -		{M. {F.	7 9	18 2	16 10	10 4	14 5	5 5	3 2	73 37	12 3	15 3	10 3	4 3	8 4	4 6	2 3	55 25	
Number of people with one or more new or recurring illnesses starting in month (1) -		{M. {F.	96 166	166 231	159 248	130 220	95 149	55 106	33 54	734 1,174	72 103	128 204	140 170	113 201	89 133	57 86	21 53	620 950	
Grade of most severe illness suffered	Serious - -	{M. {F.	— 2	4 3	2 3	2 2	4 3	5 7	1 7	18 27	— —	— 5	2 4	2 7	— 6	5 5	1 9	10 36	
		Moderate or mild - -	{M. {F.	14 31	21 27	19 41	24 23	13 18	6 19	1 8	98 167	14 17	18 30	19 30	21 31	9 15	14 14	4 6	99 143
	Minor - -		{M. {F.	67 110	124 160	116 151	87 160	63 101	35 67	28 29	520 778	45 67	91 129	101 92	70 127	67 81	25 56	10 28	409 580
		Ill-defined - symptom -	{M. {F.	15 23	17 41	22 53	17 35	15 27	9 13	3 10	98 202	13 19	19 40	18 44	20 36	13 31	13 11	6 10	102 191
	Number with continued illness but no new or recurrent one-		{M. {F.	26 39	63 85	91 80	82 86	81 87	59 83	29 41	431 501	30 48	56 102	92 109	73 92	85 92	65 108	33 59	434 610
	Number with an injury received in month (2) - - -		{M. {F.	5 7	10 1	8 6	3 2	7 4	2 1	— 1	35 22	8 1	9 3	2 2	— 3	4 4	1 2	1 1	25 16
Number with continued trouble from injury (but no new injury) (2) - - -		{M. {F.	2 2	6 1	7 4	6 2	6 1	1 4	3 1	31 15	4 2	6 —	6 1	4 —	5 —	3 4	1 2	29 9	
Total with some illness or injury - - - - -		{M. {F.	125 211	238 318	257 330	215 307	183 235	114 191	63 95	1,195 1,687	106 153	190 306	237 280	187 293	176 227	122 194	54 113	1,072 1,566	
Total days of incapacity in month - - - - -		{M. {F.	155 283	405 363	438 468	402 556	632 343	263 451	161 460	2,456 2,924	107 163	225 449	235 441	263 409	532 376	385 282	96 342	1,843 2,462	
Total medical consultations in month - - - - -		{M. {F.	70 152	149 178	198 255	166 306	220 158	148 190	45 108	996 1,347	51 78	99 197	146 202	161 215	181 136	114 152	88 117	840 1,097	

Notes:—(1) Includes recurrent attacks of chronic illness.
(2) With or without an illness also.

SHORT LIST USED IN TABLES C(2), C(3), AND D(2).

Composition in Terms of Code Groups of the International Classification.*

SHORT LIST	INTERNATIONAL CLASSIFICATION	SHORT LIST	INTERNATIONAL CLASSIFICATION
1. Tuberculosis of lungs - - -	001-008	11. Dental disorders - - - -	530-535
2. Psychoneuroses, mental disorders	300-326	12. Ulcer of stomach and duodenum -	540; 541
3. Eye affections - - - -	370-389	13. Other stomach - - - -	542-545
4. Ear and mastoid - - - -	390-398	14. Other digestive (3) - - - -	550-553; 570-587
5. Rheumatism (1) - - - -	400-402; 720-727	15. Diseases of skin (4) - - - -	690-716
6. Heart and arteries- - - -	410-456	16. Other defined illness - - - -	{ 010-299; 330-369; 467; 468; 536-539; 560; 561; 590-689; 730-776
7. Affections of veins - - - -	460-466		
8. Colds, influenza - - - -	470; 480-483		
9. Sore throat (2) - - - -	472; 473; 510	17. Ill-defined symptoms - - - -	780-795
10. Other respiratory - - - -	{471; 474; 475; 490-502; 511-527	18. Injuries - - - -	N800-N999

(1) All forms except chronic heart affections of rheumatic origin; (2) Including chronic tonsillar conditions;
(3) Except hernia; (4) Including cellular tissue.

*The International Statistical Classification of Diseases, Injuries and Causes of Death, 1948,—obtainable from H.M. Stationery Office, price 30/- net.

TABLE F.—Distributions of Persons aged 16 and over according to Numbers of separate Illnesses and Injuries reported * and Days of Incapacity in the month.

Number of illnesses or injuries	JANUARY		FEBRUARY		MARCH		JANUARY, FEBRUARY AND MARCH			
	According to interviews in		According to interviews in		According to interviews in		Ages 16-64		Ages 65 and over	
		MAR.	MAR.	APR.	APR.	MAY	M.	F.	M.	F.
0		1,226	998	1,201	1,043	1,281	2,814	2,516	226	193
1		1,129	1,191	1,171	1,178	1,120	2,487	2,557	330	415
2		763	844	761	797	758	1,392	1,921	235	375
3		407	455	409	474	424	607	1,105	147	310
4		222	228	203	241	190	277	562	66	179
5		120	130	117	112	98	82	331	56	108
6		46	56	47	57	32	47	126	17	48
7		14	25	10	13	11	11	34	9	19
8 or over		8	8	6	10	5	4	17	7	9
Days of incapacity										
0		3,531	3,401	3,516	3,437	3,578	6,948	8,152	947	1,416
1		32	63	33	50	22	102	87	2	9
2		42	49	29	55	23	89	92	6	11
3		33	43	31	33	22	61	94	7	10
4		26	29	32	28	16	34	69	12	16
5		10	20	12	20	15	27	37	6	7
6		4	12	13	14	7	12	32	4	2
7		54	79	61	72	56	102	172	24	24
8		3	17	8	11	12	19	25	4	3
9		4	5	6	2	8	11	11	—	3
10		22	28	18	22	14	43	48	3	10
11-		64	79	61	76	50	104	159	23	44
18-		33	44	45	31	31	58	76	20	30
25 and over		77	66	60	74	65	121	115	35	71
Total people - -		3,935	3,935	3,925	3,925	3,919	7,721	9,169	1,093	1,656
Total days - -		5,003	5,464	4,746	5,380	4,305	8,588	10,390	2,129	3,791

* Including new and continued illness or injury affecting the person during the month. Some of the 'separate' illnesses and injuries described were merely symptoms, but no grouping together of these is practicable for the purpose of these tables.

† Based on one month's interviews only. See Special Notes on page 4.

TABLE G.—Distribution of Persons aged 16 and over according to Numbers of Medical Consultations in the month.

Number of Consultations in month	JANUARY		FEBRUARY		MARCH		JANUARY, FEBRUARY AND MARCH			
	According to interviews in		According to interviews in		According to interviews in		Ages 16-64		Ages 65 and over	
		MAR.	MAR.	APR.	APR.	MAY	M.	F.	M.	F.
0		3,270	3,087	3,169	3,029	3,222	6,493	7,316	793	1,175
1		290	379	294	386	296	519	829	107	190
2		156	209	189	208	167	305	424	57	143
3		68	80	73	94	68	118	189	28	48
4		84	109	109	99	87	147	222	65	54
5		20	19	19	37	18	34	59	9	11
6		9	12	17	23	12	25	32	6	10
7		3	9	12	10	9	17	17	7	2
8		10	13	19	19	16	22	34	12	9
9		5	4	3	6	2	5	9	3	3
10-		16	8	16	11	16	24	30	4	9
20 and over		4	6	5	3	6	12	8	2	2
Total Consultations		1,789	2,083	2,163	2,343	1,937	3,410	4,732	946	1,227

† Based on one month's interviews only. See Special Notes on page 4.

TABLE H.—Incidence of Illness, etc., amongst Men and Women aged 16 and over in different Occupations and Income Groups of Chief Wage Earner.

Occupation and Economic Group†	Sex	No. of people	January					February (March and April interviews)					March (April and May interviews)				
			No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consul- tations	No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consul- tations	No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consul- tations	
																	‡ January (March interviews)
Professional and Managerial (1)	{ M. F. }	291 76	174 49	306 110	275 26	108 22	542 141	357 104	646 216	494 201	196 72	543 141	338 94	625 181	446 145	217 50	
Clerical	{ M. F. }	99 129	55 83	108 151	103 93	27 41	202 276	118 189	197 361	146 422	59 125	198 256	119 168	210 328	268 302	87 105	
Operatives and Other grades:—																	
Manufacturing	{ M. F. }	414 175	261 109	460 221	342 141	117 57	813 343	546 239	981 470	884 363	370 130	814 323	498 223	929 455	667 258	381 99	
Transport and Public Services (2)	{ M. F. }	165 5	100 3	173 5	103 —	41 —	346 9	212 4	389 7	281 2	122 3	346 19	201 9	352 14	475 9	143 3	
Mining and Quarrying	{ M. F. }	90 —	61 —	122 —	215 —	44 —	197 1	140 1	256 6	462 —	171 —	162 3	109 3	207 10	295 —	89 —	
Building and Roadmaking	{ M. F. }	118 2	73 1	135 4	46 —	38 —	255 5	170 3	313 9	248 1	95 —	261 5	163 2	293 2	231 —	60 —	
Agriculture	{ M. F. }	86 6	55 3	97 5	1 —	5 —	139 9	97 6	171 9	37 4	37 1	159 14	95 6	179 9	131 31	57 6	
Distributive	{ M. F. }	127 71	67 47	113 101	49 71	35 23	250 159	162 101	275 221	228 278	115 84	207 166	133 114	249 241	117 207	74 83	
Other industries	{ M. F. }	150 113	93 77	183 160	155 105	51 53	303 261	194 182	371 397	288 311	135 108	337 294	206 206	372 440	325 295	154 159	
Housewives	{ M. F. }	1,409 228	1,076 184	2,543 445	2,099 812	731 261	2,810 476	2,186 388	5,221 916	3,571 1,249	1,578 493	2,830 496	2,210 405	5,124 937	3,500 1,344	1,654 574	
Retired, part-time, unoccupied or un- stated	{ M. F. }	181 —	138 —	360 —	367 —	133 —	317 —	262 —	667 —	740 —	352 —	270 —	218 —	545 —	639 —	285 —	
Economic Group of Chief Wage Earner																	
Up to £3 per week	{ M. F. }	112 324	89 271	225 719	369 564	140 174	216 568	177 486	451 1,313	506 1,060	273 373	215 524	178 452	449 1,169	659 1,087	247 410	
Over £3 and up to £5	{ M. F. }	341 448	217 329	435 768	451 788	112 264	675 915	453 688	944 1,610	889 1,281	355 548	709 953	469 709	954 1,599	1,080 1,039	512 547	
Over £5 and up to £7 10s. 0d.	{ M. F. }	783 767	488 533	889 1,179	711 835	248 322	1,630 1,565	1,093 1,150	1,942 2,534	2,003 1,634	731 692	1,609 1,504	1,003 1,112	1,833 2,427	1,621 1,581	606 753	
Over £7 10s. 0d. and up to £10	{ M. F. }	248 207	161 143	272 302	219 266	115 103	457 416	301 285	521 616	379 545	181 249	434 408	268 294	475 647	372 356	195 189	
Over £10	{ M. F. }	153 104	95 76	174 162	118 176	51 61	283 220	187 160	335 339	277 317	101 105	278 251	182 184	331 380	230 288	123 122	
Not ascertained	{ M. F. }	131 317	73 234	147 530	233 273	61 138	262 653	173 508	322 1,172	263 1,056	152 486	278 681	167 502	311 1,127	337 1,035	153 423	
Totals		3,935	2,709	5,802	5,003	1,789	7,860	5,661	12,099	10,210	4,246	7,844	5,520	11,702	9,685	4,280	

*As defined in Tables B and E.

†The occupation and economic groups are those used by the Social Survey.

‡Based on one month's interviews only. See Special Notes on page 4.

(1) includes inspectors and supervisors.

(2) includes Shipping, Fishing and Gas, Water and Electricity Works.

THE REGISTRAR GENERAL'S ANNUAL STATISTICAL REVIEW

The Statistical Review is normally published in three volumes (Medical Tables, Civil Tables, and Text). The following statement shows the present position of these publications.

1942	Part I	Medical	5s.	(5s. 4d.)
	Part II	Civil	1s. 6d.	(1s. 8d.)
1943	Part I		5s. 6d.	(5s. 10d.)
	Part II		2s.	(2s. 2d.)
1944	Part I		5s. 6d.	(5s. 10d.)
	Part II		2s.	(2s. 2d.)
1945	Part I		Out of Print *	
	Part II		2s. 6d.	(2s. 8d.)
1940/1945											
	Text.	Vol. I	Medical (covering the six years)							6s. 6d.	(6s. 11d.)
		Vol. II	Civil	„	„	„	„	Now being printed			
1946	Part I	Medical	6s.	(6s. 4d.)
	Part II	Civil	2s. 6d.	(2s. 9d.)
1947	Part I		6s.	(6s. 5d.)
	Part II		3s.	(3s. 3d.)
1946/1947											
	Text (covering the two years is being prepared)										
1948	Part I	Medical	7s.	(7s. 5d.)
	Part II	Civil	4s.	(4s. 3d.)
1949	Part I		Now being printed	

Prices in brackets include postage.

* This volume may be referred to in the Library at the General Register Office, Somerset House, W.C.2, or in any good reference library.

PUBLISHED BY
HIS MAJESTY'S STATIONERY OFFICE

Obtainable from the Sale Offices listed overleaf
OR THROUGH ANY BOOKSELLER

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased from

York House, Kingsway, LONDON, W.C.2 429 Oxford Street, LONDON, W.1

P.O. Box 569 LONDON, S.E.1

13a Castle Street, EDINBURGH, 2	1 St. Andrew's Crescent, CARDIFF
39 King Street, MANCHESTER, 2	Tower Lane, BRISTOL, 1
2 Edmund Street, BIRMINGHAM, 3	80 Chichester Street, BELFAST

or from any Bookseller

1950

Price 1s. 0d. net



No. 407

3rd Qtr.

1950

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S
QUARTERLY RETURN FOR
ENGLAND AND WALES

BIRTHS, DEATHS AND MARRIAGES INFECTIOUS DISEASES WEATHER SURVEY OF SICKNESS POPULATION ESTIMATES

Quarter ended 30th September, 1950

Crown Copyright Reserved.



LONDON: HIS MAJESTY'S STATIONERY OFFICE,
1950

One Shilling Net.

TABLE OF CONTENTS

	Page
General Notes	3
Non-Quarterly Statistics	4
Special Notes	4
Notes on the Quarter	5
Approximate Reproduction Rates	5
Births, Deaths, Marriages and Infectious Diseases	
Table I Marriages, Live Births, Stillbirths and Deaths—Total numbers registered. England and Wales. Years 1940-50 and in each Quarter of those years ...	6
Table II Persons Married, Live Births and Deaths—Annual rates per 1,000 population. Stillbirths—Rates per 1,000 total live and still births. Deaths under 1 year—Rates per 1,000 related live births. England and Wales. Years 1940-50 and in each Quarter of those years	6
Table III Birth Rates, Death Rates from All Causes and from several diseases (annual rate) for each of the last Five Quarters. England and Wales, Great Towns and Smaller Towns	7
Table IV Estimated Home Population, Marriages, Births (distinguishing Stillbirths) and Deaths (distinguishing Deaths of Infants under 1 year of age) registered in the Quarter. England and Wales and Administrative Counties with associated County Boroughs	8
Table V Estimated Home Population, Births (distinguishing Stillbirths), Deaths (distinguishing Deaths of Infants under 1 year of age) and Deaths from Certain Causes registered in the Quarter. Great Towns, Metropolitan Boroughs, Greater London, and 4 Scottish and Irish Towns	9
Table VI Estimated Home Population, Births (distinguishing Stillbirths), Deaths (distinguishing Deaths of Infants under 1 year of age) and Deaths from Certain Causes registered in the Quarter. Smaller Towns	11
Table VII Population, Births and Deaths in the last two Quarters. London and certain Cities abroad	14
Table VIII Notifications of Certain Infectious Diseases in the Quarter. England and Wales, Counties, County Boroughs, London and Metropolitan Boroughs and Port Health Districts	15
Table VIIla Corrected Notifications of Certain Infectious Diseases in the Quarter, analysed by sex and age. England and Wales.	18
Table IX Infant Mortality. Rates by Quarters and each completed year, 1947-50. England and Wales and various other countries	18
Table X Deaths from Certain Causes, by Quarters 1948-1950. England and Wales	19
Table XI Numbers of insured persons absent from work owing to sickness or industrial injury (or prescribed disease)	21
Meteorology	
Notes on the Quarter	22
Values of Air Temperature, Rainfall and Sunshine for the Quarter, expressed as differences from or percentages of the Average Values. Districts of England and Wales	23
Survey of Sickness: England and Wales	
Table A Summary of sickness experiences during the months stated, based on interviews in the two following months	24
Table B Distribution of Illnesses and Injuries reported as affecting persons aged 16-64, 65 and over, in each month, by severity	24
Table C(2) Distribution of Illnesses and Injuries of Different Kinds according to Days of Incapacity at ages 16 and over	25
Table C(3) Aggregate Numbers of Days of Incapacity and of all Illnesses and Injuries, by Sex, Age and Kind	26
Table D(2) Distribution of Illnesses and Injuries of Different Kinds according to the Number of Medical Consultations	27
Table E Distribution by Age and Sex of Persons according to Number of Illnesses and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month	28

International Statistical Classification of Diseases, Injuries and Causes of Death—Short List	29
Table F Distribution of Persons aged 16 and over according to Numbers of separate Illnesses and Injuries reported and Days of Incapacity in the month	30
Table G Distribution of Persons 16 and over according to Numbers of Medical Consultations in the month	30
Table H Incidence of Illness, etc., amongst Men and Women aged 16 and over in different Occupations and Income Groups and Chief Wage Earner	31
Populations	
Estimates of the sex and age distributions of the Total, Home and Civilian Populations of England and Wales	32
Appendix	
A Abridged Life Tables, 1948 and 1949 (Civilian Populations), England and Wales	33
B Claims current at given dates for (a) sickness and (b) injury benefit under the National Insurance and National Insurance (Industrial Injuries) Acts. June, 1949, to June, 1950. England and Wales, Standard Regions	34
C New claims to injury benefit under the National Insurance (Industrial Injuries) Act. January, 1949, to November, 1950. England and Wales, Standard Regions	35

GENERAL NOTES

1. Introduction.—The figures in this return are provisional until confirmed in the Statistical Reviews. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of births and deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of marriages and others, and notifications of infectious diseases (Tables VIII and VIIIa) from special quarterly statements furnished to the Registrar General by Medical Officers of Health.

Information relating to the incidence of sickness (Tables A-H) is obtained for the Registrar General by the Social Survey of the Central Office of Information by interviewing a representative sample of the population.

Meteorological data (pages 22-23) are furnished by the Director of the Meteorological Office (Air Ministry).

2. Definition of Areas.—London=administrative county of London; Great Towns=London, all county boroughs and, in addition, municipal boroughs and urban districts within whose present areas there was a resident population exceeding 50,000 at the Census, 1931. These Great Towns number 126; Smaller Towns=municipal boroughs and urban districts within whose present areas there was a resident population of 25,000-50,000 at the Census, 1931. These Smaller Towns number 148; C.B.=county borough; M.B.=municipal borough; U.D.=urban district; R.D.=rural district; Greater London=aggregate of the City of London and of the boroughs and county districts falling entirely within the area of the Metropolitan Police District as defined in the Police Act, 1946, i.e., an area of approximately 15 miles radius from Charing Cross.

3. Total Population is the population of England and Wales *including* members of the armed forces and merchant navy serving at home and abroad. The Civilian Population *excludes* members of the armed forces serving at home and abroad: it *includes* all members of the merchant navy. The Home Population is the Civilian Population plus the armed forces *stationed* in each area.

4. Non-civilians are *included* except where otherwise stated.

5. Births and Deaths for England and Wales, and the parts thereof, are those registered in the quarter and relate to the area of occurrence, except in the case of some non-quarterly statistics (*see* page 4) where they are assigned to the area of residence.

6. Cause of Death assignments (Tables V and VI) are provisional, and final figures are published in the Registrar General's annual Statistical Review (Tables 24 and 24A).

7. The notifications of infectious diseases (Tables VIII and VIIIa) have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

8. Estimates of national total populations for years up to 1949 and of the national home population for 1950 are shown in Table II. National and local home populations are shown in Tables IV, V and VI.

NON-QUARTERLY STATISTICS

Certain non-quarterly information is published in the Quarterly Return as stated below :—

Half-yearly

June and December Returns

Lists of the changes in boundaries of administrative areas during the six months ending 30th June and 31st December respectively.

September and December Returns

Estimates of the sex and age distribution of the Total, Home and Civilian Populations of England and Wales as a whole, as at 30th June and 31st December respectively.

Yearly

March Return

- (1) Deaths registered during the preceding year and assigned to London, analysed by cause and age.
- (2) Estimated mid-year Home populations for the preceding year, births (distinguishing stillbirths), total deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year, showing,
 - (a) those assigned to the Great Towns, Metropolitan Boroughs and Greater London, with comparative figures for four Scottish and Irish Towns.
 - (b) those assigned to the Smaller Towns.
- (3) Populations, births and deaths for the preceding year in London and certain cities abroad, distinguishing deaths from certain causes.
- (4) Infant mortality in England and Wales, Standard Regions and certain large towns in the preceding three years.

December Return

- (1) A textual summary of the vital statistics of England and Wales for the year then ended.
- (2) A summary table showing the number of marriages, births (distinguishing stillbirths), total deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales and in each administrative county during the year.

Occasional

From time to time additional population and medical data are given in the form of notes, tables or diagrams, particulars of which are, in each case, given in the Special Notes on this page.

SPECIAL NOTES

National Insurance Statistics

A new table (Table XI), showing the numbers of insured persons (under the National Insurance and National Insurance (Industrial Injuries) Acts) absent from work owing to sickness or industrial injury (or prescribed disease) is introduced in this Return. An appendix to this table (Appendix B) gives the corresponding figures for dates between June, 1949, and June, 1950.

Appendix C shows the weekly average numbers of new claims to injury benefit for each month from January, 1949, to November, 1950, corresponding to the recently introduced Part (b) of Table V of the Registrar General's Weekly Return.

Life Tables

Abridged Life Tables for England and Wales for 1948 and 1949, based on the civilian population, are shown in Appendix A.

Survey of Sickness

As from the June interviews, the income groups shown in Table H are those of the "Head of Household" instead of, as previously, those of the "Chief Wage Earner." In most households the head of the household and the chief wage earner will be the same person, but the income group "Nil" has been introduced to provide for cases where, for example, the head of the household is a retired person with no income of his own. In addition, the highest income group has been subdivided into "Over £10 and up to £20" and "Over £20."

NOTES ON THE THIRD QUARTER OF 1950. ENGLAND AND WALES.

Births

The number of births registered during this quarter was 170,180, representing a birth rate based on the home population of England and Wales for 1950, of 15.4 per thousand. These figures compare with 181,784 births and a rate of 16.6 for the preceding quarter, 183,221 births and a rate of 16.6 for the corresponding quarter of 1949, and an average birth rate for the third quarters of the five years 1944-1948, of 18.0.

Of the births registered 87,559 were males and 82,621 females, a proportion of 1,060 males to 1,000 females. The average proportion for the third quarters of the ten years 1940-1949 was 1,060 males per 1,000 females.

The number of illegitimate births, included in the total, was 8,171 or 4.8 per cent. of the total births registered, comparing with 9,432 or 5.1 per cent. in the corresponding quarter of 1949.

Stillbirths

The 3,889 stillbirths registered represent 22.3 per 1,000 of the total live and still births. This rate is 0.3 higher than for the third quarter of 1949.

The stillbirth rate per 1,000 home population was 0.35.

Deaths

The number of deaths registered was 102,857, representing a death rate based on the 1950 home population, of 9.3 per 1,000; it compares with 9.2 for the corresponding quarter of 1949, and an average death rate for the third quarters of the five years 1944-1948 of 9.3. Of the deaths registered 52,864 were males and 49,993 females, a proportion of 1,057 males to 1,000 females.

The deaths of children under one year of age numbered 4,154, representing an infant mortality rate, provisionally corrected, of 24 per 1,000 related live births; this was the lowest ever recorded for any quarter in this country, being 3 per 1,000 below that for the third quarter of 1949 and 14 per 1,000 below the average rate for the third quarters of the ten preceding years 1939-1948. The diarrhoea death rate for children under two years of age was 1.4 per 1,000 births (233 deaths) compared with 2.6, 2.9, 2.6 and 1.7 in the four preceding quarters (September, 1949 to June, 1950).

Deaths from acute poliomyelitis (provisional total) numbered 373 compared with 264, 330, 86 and 71 in the four preceding quarters.

There were no cases of smallpox notified and no deaths from this cause registered during the quarter.

Natural Increases

The births registered exceeded the deaths by 67,323, the corresponding increases for the third quarters of the years 1947, 1948 and 1949 being respectively 119,409, 90,310 and 82,031.

Marriages

The number of persons married during the quarter was 29,062 which was 5,128 less than the average for the corresponding quarters of the preceding five years 1945-1949.

APPROXIMATE REPRODUCTION RATES

These approximate reproduction rates correspond to the births which occurred in each year and make allowance for a continuing improvement in survivorship conditions.

Year	1938	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949
Reproduction Rate	0.810	0.808	0.772	0.761	0.853	0.900	0.996	0.909	1.103	1.205	1.070	1.023

TABLE I.—Marriages, Live Births, Stillbirths and Deaths—Total numbers registered.

{ England and Wales. Years 1940-50 and in each Quarter of those years.

	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949(a)	1950(a)
Marriages - - -	470,549	388,921	369,744	296,432	302,714	397,626	385,606	401,210	396,391	375,041	
Live Births - - -	607,029	587,228	654,039	683,212	744,843	635,273	819,894	886,820	776,971	731,172	
Stillbirths - - -	22,731	20,902	22,335	21,275	21,212	19,452	22,915	21,916	18,469	16,977	
Deaths: All ages - -	581,537	535,180	480,137	501,412	492,176	488,108	492,090	517,615	469,893	510,736	
„ under 1 year - -	33,892	34,550	32,258	33,431	33,455	31,959	33,548	36,849	26,766	23,882	
MARRIAGES.											
March Quarter (b) -	109,322	81,034	88,280	62,684	62,879	76,975	73,237	75,241	95,443	81,744	86,483
June „ (b) -	116,700	105,576	100,992	82,577	82,583	99,709	101,213	109,146	92,822	95,565	80,544
September „ -	131,894	104,702	96,445	81,569	82,312	119,447	109,750	119,426	123,157	114,405	114,533
December „ -	112,633	97,609	84,027	69,602	74,940	101,495	96,406	97,397	85,469	83,297	
LIVE BIRTHS.											
March „ -	154,345	147,027	158,225	172,271	183,973	177,946	181,220	241,530	202,047	186,611	180,065
June „ -	166,636	147,414	167,611	180,709	199,039	175,221	203,808	235,196	203,593	192,038	181,783
September „ -	149,092	147,621	168,335	169,306	183,594	167,807	213,051	216,508	191,858	183,221	170,188
December „ -	136,906	145,166	159,868	160,926	178,237	164,299	221,815	193,586	179,473	169,302	
STILLBIRTHS.											
March „ -	6,223	5,832	5,652	5,783	5,587	5,190	5,202	6,347	5,045	4,446	4,223
June „ -	5,994	5,407	5,787	5,577	5,496	4,853	5,767	5,831	4,746	4,496	4,171
September „ -	5,371	4,970	5,437	4,980	5,018	4,676	5,831	5,073	4,447	4,118	3,882
December „ -	5,143	4,893	5,459	4,935	5,111	4,733	6,115	4,665	4,231	3,917	
DEATHS (excluding Stillbirths).											
March „ -	205,183	178,637	151,262	137,578	146,039	157,743	155,227	181,736	132,828	161,265	151,177
June „ -	119,706	140,186	116,937	112,911	115,548	110,972	113,908	118,015	110,257	119,972	120,744
September „ -	111,733	101,336	97,336	98,469	107,254	97,157	100,409	97,099	101,548	101,190	102,855
December „ -	144,915	115,021	114,602	152,454	123,335	122,236	122,546	120,765	125,465	128,309	
DEATHS OF INFANTS UNDER 1 YEAR.											
March „ -	11,948	11,062	9,771	10,067	10,152	10,676	9,637	12,561	8,387	7,532	6,533
June „ -	7,713	8,787	7,863	8,106	7,983	7,227	7,657	9,195	6,357	5,738	5,029
September „ -	6,371	6,470	6,821	6,851	7,376	6,429	7,100	7,141	5,514	4,915	4,155
December „ -	7,860	8,231	7,798	8,407	7,944	7,627	9,154	7,952	6,508	5,677	

TABLE II.—Persons Married, Live Births and Deaths—Annual rates per 1,000 population. Stillbirths—Rates per 1,000 total live and stillbirths. Deaths under 1 year—Rates per 1,000 related live births.

{ England and Wales. Years 1940-50 and in each Quarter of those years.

Estimated Population of England and Wales in thousands.	41,862 (c)	41,743 (c)	41,897 (c)	42,259 (c)	42,449 (c)	42,636 (c)	42,737 (c)	43,050 (c)	43,502 (c)	43,785 (c)	43,885 (d)
	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949(a)	1950(a)
Persons married - - -	22.5	18.6	17.7	14.0	14.3	18.7	18.0	18.6	18.2	17.1	
Live Births - - -	14.5	14.1	15.6	16.2	17.5	16.1	19.2	20.6	17.9	16.7	
Stillbirths - - -	38.1	34.4	33.0	30.2	27.7	27.6	27.2	24.1	23.2	22.7	
Deaths: All ages - -	13.9	12.8	11.5	11.9	11.6	11.4	11.5	12.0	10.8	11.7	
„ under 1 year - -	57	60	51	49	45	46	43	41	34	33	
PERSONS MARRIED.											
March Quarter (b) -	21.0	15.7	17.1	12.0	11.9	14.6	14.8	14.2	17.6	15.1	16.0
June „ (b) -	22.4	20.3	19.3	15.7	15.6	18.8	19.0	20.3	17.2	17.5	14.7
September „ -	25.1	19.9	18.3	15.3	15.4	22.2	20.4	22.0	22.5	20.7	20.7
December „ -	21.4	18.6	15.9	13.1	14.0	18.9	17.9	18.0	15.6	15.1	
LIVE BIRTHS.											
March „ -	14.8	14.3	15.3	16.5	17.4	16.9	17.2	22.3	18.7	17.3	16.7
June „ -	16.0	14.2	16.0	17.2	18.9	16.5	19.1	21.9	18.8	17.6	16.6
September „ -	14.2	14.0	15.9	15.9	17.2	15.6	19.8	20.0	17.5	16.6	15.4
December „ -	13.0	13.8	15.1	15.1	16.7	15.3	20.6	17.8	16.4	15.3	
STILLBIRTHS.											
March „ -	38.8	36.9	34.5	32.5	29.5	28.3	27.9	25.6	24.4	23.3	22.9
June „ -	34.7	35.4	33.4	29.9	26.9	27.0	27.5	24.2	22.8	22.9	22.5
September „ -	34.8	32.6	31.3	28.6	26.6	27.1	26.6	22.9	22.7	22.0	22.3
December „ -	36.2	32.6	33.0	29.8	27.9	28.0	26.8	23.5	23.0	22.6	
DEATHS (excluding Stillbirths).											
March „ -	19.7	17.4	14.6	13.2	13.8	15.0	14.7	17.1	12.3	14.9	14.0
June „ -	11.5	13.5	11.2	10.7	10.9	10.4	10.7	11.0	10.2	11.0	11.0
September „ -	10.6	9.6	9.2	9.2	10.1	9.0	9.3	8.9	9.3	9.3	9.3
December „ -	13.8	10.9	10.9	14.3	11.6	11.4	11.4	11.1	11.5	11.6	
DEATHS OF INFANTS UNDER 1 YEAR.											
March „ -	79	77	65	60	58	60	56	55	41	40	37
June „ -	51	61	49	47	42	41	40	40	31	30	28
September „ -	42	45	42	40	40	37	35	32	28	27	24
December „ -	55	57	48	50	43	45	43	38	35	32	

(a) Provisional.

(b) Note:—An exceptional number of marriages is celebrated at Easter, which usually falls in the second quarter of the year. In the years under review, however, Easter Sunday fell in the first quarter in 1940 and 1948, with a consequential influence on the quarterly marriage totals for those years.

(c) Total population (see Note 3 on page 3).

(d) Home population (see Note 3 on page 3).

TABLE III.—Birth Rates, Death Rates from All Causes and from several diseases { England and Wales, Great Towns and Smaller Towns.
(annual rate) for each of the last Five Quarters.

All rates for 1949 are calculated on *civilian* population estimated to the middle of the year, and deaths of non-civilians have been excluded. Birth rates for England and Wales based on *total* population are shown in Table II.

For 1950, deaths of non-civilians are included and all rates calculated on *home* population estimated at 31st December, 1949.

	Quarter	Rate per 1,000 Population	Rate per 1,000 Total (Live and Still) births	Rate per 1,000 Population	Rate per 1,000 Related Live Births	Death rate per million Population					Rate per 1,000 Live Births
		Live Births	Still-births	Deaths (All Ages)	Deaths Under 1 year	Whooping cough	Diphtheria	Influenza	Ac: poliomyelitis and polioencephalitis	Pneumonia	Enteritis and Diarrhoea (under 2 years)
ENGLAND AND WALES	1949	16.9	22.0	9.3	27	9	1	12	23	259	2.6
	Third	15.6	22.6	11.8	32	4	1	47	29	490	2.9
	1950										
	First	16.7	22.9	14.1	37	8	2	226	8	718	2.6
	Second	16.7	22.5	11.1	28	9	1	84	7	385	1.7
	Third	15.4	22.3	9.3	24	8	1	11	34	252	1.4
GREAT TOWNS	1949	18.5	23.7	9.7	31	10	2	11	33	271	3.7
	Third	17.1	24.5	12.6	38	6	2	52	39	546	3.7
	1950										
	First	18.6	24.8	14.7	40	12	3	206	13	789	2.9
	Second	18.4	24.5	11.6	33	11	1	69	11	406	2.2
	Third	17.2	24.9	9.8	28	11	1	9	47	266	1.6
SMALLER TOWNS	1949	17.7	20.4	9.2	26	8	1	10	21	268	1.8
	Third	16.6	21.3	11.7	29	5	3	43	37	480	2.4
	1950										
	First	17.6	23.1	14.0	38	7	2	241	6	708	2.6
	Second	17.5	22.2	11.1	26	9	1	65	6	389	0.9
	Third	16.2	20.9	9.3	24	7	2	14	40	224	1.1

TABLE IV.—Estimated Home Population at 31st December, 1949, and Marriages, Births and Deaths (distinguishing Deaths of Infants under 1 year of age) registered in the Quarter ended 30th September, 1950.

(England and Wales and Administrative Counties with associated County Boroughs)

(See General Notes on page 3).

ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGH	Home Population (thousands)	Marriages	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year	ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGH	Home Population (thousands)	Marriages	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year
ENGLAND & WALES ...	43,753	114,531	170,180	3,889	102,857	4,154	ENGLAND—cont.						
ENGLAND* ...	41,162	108,176	99,478	3,574	96,104	3,857	RUTLAND ...	22	54	61	1	37	
County of—							SALOP ...	289	716	1,138	26	671	
BEDFORD ...	309	750	1,072	33	616	16	SOMERSET ...	554	1,287	2,011	51	1,392	
BERKS ...	408	995	1,454	36	860	31	SOUTHAMPTON	1,192	2,964	4,653	112	2,736	
BUCKINGHAM	385	1,014	1,332	28	722	22	STAFFORD ...	1,612	4,344	6,785	200	3,450	
CAMBRIDGE...	176	467	675	11	405	18	SUFFOLK, E.	322	810	1,246	22	783	
CHESTER ...	1,247	3,270	5,076	102	2,904	116	SUFFOLK, W.	117	274	507	10	269	
CORNWALL ...	341	717	1,071	21	918	26	SURREY ...	1,607	3,919	5,204	99	3,472	
CUMBERLAND	283	758	1,233	24	760	42	SUSSEX, E.	619	1,389	2,010	27	1,907	
DERBY ...	825	2,182	2,989	79	1,678	64	SUSSEX, W.	316	732	1,083	23	892	
DEVON ...	795	1,882	2,881	56	2,263	78	WARWICK ...	1,857	5,225	8,095	179	4,049	2
DORSET ...	290	651	956	21	725	21	WESTMORLAND	66	134	251	5	211	
DURHAM ...	1,469	3,926	6,028	125	3,389	171	WIGHT, ISLE OF ...	93	175	302	6	304	
ELY, ISLE OF	89	225	306	2	174	4	WILTS ...	382	883	1,450	30	834	
ESSEX ...	2,024	5,540	6,887	138	4,100	159	WORCESTER	524	1,387	1,716	28	1,031	
GLOUCESTER	939	2,454	3,836	85	2,172	79	YORKS, E.R.	508	1,266	2,261	47	1,162	
HEREFORD ...	127	302	549	15	316	10	YORKS, N.R.	521	1,294	2,167	53	1,163	
HERTFORD ...	601	1,550	2,453	51	1,340	43	YORKS, W.R. (including YORK, C.B.)	3,589	9,201	14,333	332	9,079	3
HUNTINGDON	68	165	201	—	134	4	WALES* ...	2,591	6,355	10,255	315	6,753	2
KENT ...	1,554	3,744	5,887	118	3,692	114	County of—						
LANCASTER...	5,132	14,044	20,890	555	13,409	637	ANGLESEY ...	50	86	93	2	114	
LEICESTER ...	632	1,701	2,496	62	1,391	58	BRECKNOCK	56	118	163	5	117	
LINCOLN HOLLAND	103	258	423	12	239	16	CAERNARVON	123	277	544	12	458	
KESTEVEN	128	276	566	13	312	15	CARDIGAN ...	54	128	196	6	175	
LINDSEY	468	1,211	2,067	43	1,145	61	CARMARTHEN	171	420	594	15	426	
LONDON ...	3,411	10,631	14,790	284	7,904	312	DENBIGH ...	169	403	712	37	475	
MIDDLESEX	2,293	6,064	6,280	115	4,096	110	FLINT ...	144	389	553	9	325	
NORFOLK ...	535	1,229	2,060	57	1,312	45	GLAMORGAN	1,202	3,118	4,961	142	3,146	1
NORTHAMPTON	357	845	1,385	24	843	35	MERIONETH	41	73	69	1	122	
NORTHUMBERLAND ...	799	2,048	3,689	114	2,126	119	MONMOUTH	426	972	1,760	72	1,016	
NOTTINGHAM	838	2,273	3,503	71	1,840	94	MONTGOMERY	46	87	166	7	110	
OXFORD ...	281	756	1,264	21	682	32	PEMBROKE ...	89	236	371	7	235	
PETERBORO', SOKE OF	65	194	353	7	195	10	RADNOR ...	20	48	73	—	34	

* The County of Monmouth is included in Wales and not in England.

TABLE V.—Estimated Home Population at 31st December, 1949, and Births (distinguishing Stillbirths), Deaths (distinguishing Deaths of Infants under 1 year of age), and Deaths from Certain Causes registered in the Quarter ended 30th September, 1950.

Great Towns, Metropolitan Boroughs, Greater London, and 4 Scottish and Irish Towns.

(See General Notes on page 3).

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from								
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia	Enteritis and Diarrhoea under 2 years	
126 GREAT TOWNS	21,150,020	91,484	2,337	52,359	2,574	2	60	5	1,768	48	249	1,420	150	
Northern														
Carlisle C.B. - -	67,150	402	9	244	24	-	-	-	6	-	2	4	2	
Darlington C.B. - -	85,030	390	8	240	12	-	-	-	8	-	2	2	1	
Gateshead C.B. - -	115,130	593	14	271	22	-	1	-	17	1	1	11	3	
Middlesbrough C.B. -	145,820	887	27	368	24	-	-	-	23	-	1	18	1	
Newcastle upon Tyne C.B.	294,980	1,545	69	988	68	-	2	-	48	2	11	48	3	
South Shields C.B. -	109,010	455	10	294	14	-	-	-	13	1	-	4	-	
Stanley U.D. (Durham) -	48,800	125	3	68	6	-	-	-	2	-	-	2	-	
Stockton on Tees M.B. -	73,420	347	9	155	15	-	-	-	5	-	-	5	1	
Sunderland C.B. - -	181,120	937	30	482	35	-	1	-	17	-	3	10	2	
Tynemouth C.B. - -	66,870	486	21	189	16	-	-	-	16	-	-	4	1	
West Hartlepool C.B. -	72,580	315	1	191	10	-	-	-	11	-	1	5	-	
East and West Ridings														
Barnsley C.B. - -	75,600	479	11	195	17	-	3	-	5	-	-	12	2	
Bradford C.B. - -	292,520	1,281	34	948	46	-	4	-	26	1	1	29	10	
Dewsbury C.B. - -	53,100	360	15	208	5	-	-	-	5	-	-	4	2	
Doncaster C.B. - -	80,120	509	15	216	17	-	-	-	6	-	1	9	1	
Halifax C.B. - -	98,480	625	15	355	17	-	2	-	5	-	1	10	-	
Huddersfield C.B. - -	128,520	680	11	357	15	-	-	-	5	-	-	2	1	
Keighley M.B. - -	56,690	246	8	185	7	-	-	-	3	-	-	8	-	
Kingston upon Hull C.B.	297,920	1,421	32	651	33	-	-	-	25	-	-	24	1	
Leeds C.B. - -	508,340	2,201	60	1,271	53	-	-	1	28	3	6	29	2	
Rotherham C.B. - -	82,370	472	13	217	18	-	-	-	5	-	-	6	1	
Sheffield C.B. - -	514,350	1,851	41	1,342	65	-	5	-	47	2	5	26	3	
Wakefield C.B. - -	60,310	415	21	215	21	-	-	-	3	-	-	2	1	
York C.B. - -	107,150	519	18	344	11	-	-	-	7	-	4	12	-	
North Western														
Ashton under Lyne M.B.	48,350	400	13	202	11	-	-	-	4	-	-	6	-	
Barrow-in-Furness C.B. -	67,800	333	10	199	11	-	-	-	6	-	-	2	-	
Birkenhead C.B. - -	141,600	688	9	429	29	-	-	-	21	-	1	10	4	
Blackburn C.B. - -	111,300	529	16	355	20	-	-	-	3	-	1	9	1	
Blackpool C.B. - -	148,200	505	20	463	22	-	-	-	18	1	-	9	-	
Bolton C.B. - -	168,900	407	6	354	3	-	1	-	9	-	-	8	-	
Bootle C.B. - -	70,140	207	1	92	3	-	-	-	5	-	-	-	1	
Burnley C.B. - -	84,750	390	15	350	20	-	-	-	8	1	1	12	1	
Bury C.B. - -	59,100	355	14	214	4	-	-	-	4	-	-	6	-	
Chester C.B. - -	49,550	459	22	152	12	-	-	-	6	-	-	3	1	
Crosby M.B. - -	59,500	175	2	113	3	-	-	-	2	-	-	2	-	
Liverpool C.B. - -	805,050	4,398	116	2,048	156	-	3	1	115	1	7	142	16	
Manchester C.B. - -	704,430	3,130	104	1,963	115	-	7	-	93	1	5	43	11	
Oldham C.B. - -	120,100	740	23	418	30	-	1	-	12	1	-	14	1	
Preston C.B. - -	120,100	495	16	276	11	-	-	-	12	1	-	10	-	
Rochdale C.B. - -	89,120	160	4	146	4	-	-	-	6	-	-	7	-	
St. Helens C.B. - -	112,000	502	13	213	22	-	2	-	7	2	-	4	7	
Salford C.B. - -	179,120	807	16	465	22	-	-	1	16	-	1	13	3	
Southport C.B. - -	85,540	247	4	274	8	-	-	-	4	-	-	5	-	
Stockport C.B. - -	141,520	732	17	443	12	-	-	-	15	-	-	5	1	
Stretford M.B. - -	62,290	168	1	81	-	-	-	-	2	-	-	-	-	
Wallasey C.B. - -	101,320	378	4	209	7	-	1	-	8	-	-	5	1	
Warrington C.B. - -	79,720	461	11	252	22	-	-	-	3	-	-	14	3	
Wigan C.B. - -	85,230	250	6	237	6	-	-	-	9	3	-	3	-	
North Midland														
Chesterfield M.B. - -	67,960	456	10	176	15	-	1	-	3	-	-	6	-	
Derby C.B. - -	143,830	859	38	457	30	-	1	-	10	-	1	13	-	
Grimsby C.B. - -	91,350	424	17	251	11	-	-	-	9	-	4	4	2	
Leicester C.B. - -	286,200	1,390	40	803	39	-	-	-	29	1	7	19	1	
Lincoln C.B. - -	69,380	285	4	230	12	-	-	-	13	-	18	6	1	
Northampton C.B. - -	104,700	654	12	290	14	-	-	-	7	-	2	7	-	
Nottingham C.B. - -	304,060	1,750	38	888	46	-	2	-	29	-	4	30	3	
Midland														
Birmingham C.B. - -	1,114,250	4,735	119	2,665	152	-	1	1	114	2	40	49	7	
Burton upon Trent C.B. -	48,920	327	3	145	7	-	-	-	1	-	-	8	-	
Coventry C.B. - -	256,410	912	20	382	34	-	1	-	16	1	3	13	3	
Dudley C.B. - -	63,310	155	2	117	4	-	-	-	3	-	1	2	-	
Newcastle under Lyme M.B. - -														
Smethwick C.B. - -	77,650	150	2	104	1	-	-	-	10	1	2	3	-	
Stoke on Trent C.B. - -	275,140	1,425	52	752	57	-	-	-	31	3	3	20	2	
Walsall C.B. - -	114,000	549	17	275	24	-	-	-	16	-	1	10	1	
West Bromwich C.B. - -	87,150	515	24	217	14	-	-	-	11	-	1	3	-	
Wolverhampton C.B. - -	161,100	938	39	440	40	-	-	-	17	-	3	18	1	
Worcester C.B. - -	61,960	243	9	161	6	-	-	-	6	-	1	3	-	

TABLE V.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia.	Enteritis and Diarrhoea under 2 years
Eastern													
Cambridge M.B. —	91,170	562	9	242	16	—	—	—	1	—	—	3	—
Great Yarmouth C.B. —	52,660	201	8	139	6	—	1	—	2	—	—	4	—
Ipswich C.B.—	104,130	552	14	273	18	—	—	—	7	1	1	3	—
Luton M.B. —	110,000	467	18	231	7	—	—	—	7	1	1	3	—
Norwich C.B. —	119,900	642	26	422	19	—	—	—	14	—	4	9	2
Southend-on-Sea C.B. —	150,740	226	—	296	3	—	2	—	6	—	3	8	1
Thurrock U.D. —	79,090	375	4	199	9	—	—	—	3	—	—	1	—
Watford M.B. —	73,450	379	10	211	8	—	—	—	7	—	2	3	—
London and South Eastern													
Greater London —	8,436,140	29,673	578	16,981	571	2	15	—	509	17	47	460	24
Great Towns in Greater London*													
London —	3,410,720	14,790	284	7,904	312	1	11	—	245	5	17	202	9
City of London	4,661	135	5	100	3	—	—	—	1	—	—	—	—
The Temples	159	—	—	—	—	—	—	—	—	—	—	—	—
Metropolitan Boro's													
Battersea —	117,990	528	9	354	10	—	—	—	11	1	—	5	—
Bermondsey —	60,500	104	1	145	1	—	—	—	8	—	—	5	—
Bethnal Green —	59,100	156	2	114	5	—	—	—	2	—	—	5	—
Camberwell —	179,120	689	16	400	12	—	—	—	12	1	—	14	—
Chelsea —	53,170	285	7	213	4	—	—	—	8	—	—	6	1
Deptford —	76,950	120	4	58	1	—	—	—	1	—	—	1	—
Finsbury —	36,060	52	1	32	—	—	—	—	1	—	—	—	—
Fulham —	124,190	228	4	196	5	—	1	—	9	—	2	2	—
Greenwich —	89,310	361	7	305	14	1	1	—	14	—	1	10	2
Hackney —	172,720	968	27	470	18	—	1	—	25	—	3	16	1
Hammersmith —	120,070	1,187	24	272	21	—	—	—	2	—	1	7	—
Hampstead —	98,520	622	4	202	6	—	—	—	3	—	1	5	1
Holborn —	25,900	16	1	124	25	—	—	—	6	—	1	1	2
Islington —	240,370	1,396	15	492	26	—	—	—	13	—	—	11	—
Kensington —	178,870	477	11	350	9	—	—	—	19	—	—	10	—
Lambeth —	230,960	1,378	36	619	32	—	—	—	20	—	2	18	1
Lewisham —	228,770	641	12	426	15	—	3	—	8	—	2	5	—
Paddington —	132,250	775	16	353	10	—	—	—	11	—	1	8	—
Poplar —	74,230	304	5	196	7	—	—	—	4	—	—	11	—
St. Marylebone —	79,650	449	4	268	4	—	—	—	2	—	—	4	—
St. Pancras —	143,260	636	7	364	16	—	—	—	19	—	—	12	—
Shoreditch —	44,940	70	—	90	—	—	—	—	4	—	—	4	—
Southwark —	97,340	352	4	190	5	—	—	—	8	—	—	7	—
Stepney —	101,050	973	16	336	21	—	—	—	9	—	—	4	1
Stoke Newington —	47,600	226	5	35	1	—	—	—	—	—	—	6	—
Wandsworth —	337,430	684	14	679	15	—	4	—	16	2	3	17	—
Westminster —	105,950	528	20	271	16	—	1	—	7	1	—	4	—
Woolwich —	149,630	449	7	244	10	—	—	—	2	—	—	4	—
Acton M.B. —	68,590	54	—	95	—	—	—	—	1	—	—	2	—
Barking M.B. —	79,350	371	9	80	1	—	—	—	4	—	—	2	—
Beckenham M.B. —	75,830	264	7	124	3	—	—	—	4	—	—	2	—
Brentford & Chiswick M.B. —	60,350	362	9	68	2	—	—	—	3	—	—	1	—
Croydon C.B. —	252,290	1,015	22	532	19	—	1	—	9	—	1	7	—
Dagenham M.B. —	114,530	242	3	113	7	—	—	—	10	—	5	2	—
Ealing M.B. —	189,200	509	13	261	6	—	—	—	9	—	2	15	—
East Ham C.B. —	121,990	212	4	155	7	—	—	—	5	1	—	2	—
Edmonton M.B.—	106,060	449	16	340	15	—	—	—	11	—	—	18	—
Enfield U.D. —	111,280	438	6	241	6	—	—	—	4	—	3	3	—
Finchley M.B. —	71,120	166	1	96	—	—	—	—	—	—	—	4	—
Harrow U.D. —	223,370	344	4	268	—	—	—	—	6	—	2	4	—
Hendon M.B. —	159,820	566	13	330	8	—	—	—	9	2	2	3	—
Heston & Isleworth M.B. —	108,120	615	17	406	20	—	—	—	16	—	1	14	2
Hornsey M.B. —	99,240	221	—	134	3	—	—	—	1	—	2	4	—
Ilford M.B. —	186,120	446	6	337	7	—	—	—	18	1	1	19	1
Leyton M.B. —	106,820	110	1	457	12	—	—	—	7	—	1	25	2
Mitcham M.B. —	67,160	127	1	84	1	—	—	—	3	—	—	—	—
Southgate M.B.—	74,470	112	1	141	—	—	—	—	4	—	—	1	—
Tottenham M.B. —	129,730	128	—	200	4	—	—	—	4	—	—	4	2
Twickenham M.B. —	108,220	261	1	156	2	—	—	—	6	—	—	4	—
Walthamstow M.B. —	123,410	426	8	162	4	1	—	—	2	—	—	—	—
Wembley M.B. —	132,810	354	7	105	3	—	—	—	3	—	—	2	—
West Ham C.B. —	173,810	901	16	212	22	—	1	—	9	1	1	3	1
Willesden M.B. —	182,590	587	18	429	15	—	—	—	13	1	1	20	5
Wimbledon M.B. —	58,760	35	—	156	1	—	—	—	2	—	—	1	—
Wood Green M.B. —	53,040	53	—	63	—	—	—	—	1	—	—	1	—
Brighton C.B. —	156,460	714	12	547	18	—	—	—	15	1	3	10	2
Canterbury C.B. —	27,010	194	10	107	7	—	—	—	2	—	—	5	—
Eastbourne C.B. —	57,090	217	2	241	5	—	—	—	5	—	1	4	—
Gillingham M.B. —	75,670	223	2	105	3	—	1	—	3	—	—	5	—
Hastings C.B. —	65,470	341	6	279	6	—	—	—	8	1	1	8	—
Hove M.B. —	69,200	94	—	225	1	—	—	—	4	—	—	1	—
Southern													
Bournemouth C.B. —	139,410	552	16	465	19	—	—	—	10	—	3	12	1
Oxford C.B. —	108,260	737	18	320	20	—	—	—	9	—	2	2	—
Poole M.B. —	82,430	261	4	208	10	—	—	—	5	—	2	1	1
Portsmouth C.B. —	240,690	985	37	590	29	—	—	—	19	—	1	7	2
Reading C.B. —	115,760	579	23	267	15	—	—	—	7	—	1	12	1
Southampton C.B.—	181,280	828	23	420	24	—	3	—	11	—	1	10	—

* These Great Towns do not comprise the whole of Greater London and the figures given do not aggregate to the Greater London total.

TABLE V.—continued.

Area.	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia.	Enteritis and Diarrhoea under 2 years
South Western													
Bath C.B. - - -	77,940	394	15	247	6	—	—	1	2	—	—	3	—
Bristol C.B. - - -	442,220	1,953	48	1,102	41	—	—	—	44	—	20	43	2
Cheltenham M.B. - - -	64,520	450	18	193	13	—	—	—	5	—	—	2	1
Exeter C.B. - - -	76,940	363	12	279	26	—	—	—	9	—	7	7	—
Gloucester C.B. - - -	67,770	279	4	192	10	—	—	—	7	—	1	7	—
Plymouth C.B. - - -	209,610	931	20	548	16	—	—	—	23	—	1	11	—
Swindon M.B. - - -	68,650	329	6	130	5	—	—	—	7	—	—	1	—
Wales													
Cardiff C.B. - - -	244,910	1,256	35	587	29	—	1	—	23	—	2	9	2
Merthyr Tydfil C.B. - - -	61,070	277	11	168	6	—	—	—	8	1	—	6	1
Newport C.B. - - -	106,600	504	20	314	26	—	—	—	5	—	2	7	1
Rhondda U.D. - - -	112,550	494	19	298	20	—	—	—	13	—	—	6	—
Swansea C.B. - - -	160,850	508	13	476	21	—	—	—	19	2	2	8	—
†Edinburgh - - -	487,700	1,857	41	1,236	44	—	—	—	44	2	—	37	2
†Glasgow - - -	1,089,400	4,906	130	2,882	181	—	3	—	201	3	—	82	17
†Belfast - - -	449,525	2,090	—	992	80	—	2	—	46	1	8	31	14
†Dublin - - -				Not	avail	able							

† The births and deaths for Edinburgh, Glasgow, Belfast and Dublin are classified according to area of residence. Non-civilians are included in the figures of deaths and populations for Edinburgh, Glasgow and Dublin.

TABLE VI.—Estimated Home Population at 31st December, 1949, and Births (distinguishing Stillbirths), Deaths (distinguishing Deaths of Infants under 1 year of age), and Deaths from Certain Causes registered in the Quarter ended 30th September, 1950.

Smaller Towns.

(See General Notes on page 3).

Area.	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia.	Enteritis and Diarrhoea under 2 years
SMALLER TOWNS	6,265,890	25,661	549	14,620	627	1	11	3	419	22	60	354	28
Northern													
Ashington U.D. - - -	28,920	47	1	68	2	—	—	—	2	—	—	—	—
Bedlingtonshire U.D. - - -	28,530	62	—	46	—	—	—	—	1	—	—	1	1
Bishop Auckland U.D. - - -	36,220	194	5	108	4	—	1	—	4	—	—	2	1
Blaydon U.D. - - -	30,950	80	1	45	2	—	—	—	1	—	—	3	—
Blyth M.B. - - -	35,220	53	2	60	2	—	—	—	3	1	—	—	1
Consett U.D. - - -	39,050	190	1	131	6	—	—	—	5	—	—	13	—
Crook & Willington U.D. - - -	27,490	69	1	30	1	—	—	—	1	—	—	—	—
Eston U.D. - - -	33,270	110	1	48	—	—	—	—	3	—	—	—	—
Felling U.D. - - -	25,460	75	1	40	2	—	—	—	—	—	—	—	—
Houghton le Spring U.D. - - -	30,040	113	—	54	5	—	—	—	1	—	—	2	—
Jarrow M.B. - - -	28,570	143	1	52	3	—	—	—	1	—	—	2	—
Scarborough M.B. - - -	43,620	215	4	156	8	—	—	—	1	—	—	1	—
Seaham U.D. - - -	25,940	91	—	47	2	—	—	—	3	—	—	—	1
Seaton Valley U.D. - - -	26,530	41	1	57	2	—	1	—	3	—	—	1	—
Wallsend M.B. - - -	48,850	269	2	79	4	—	—	—	5	—	—	1	—
Whitley Bay U.D. - - -	32,600	21	2	51	1	—	—	—	1	—	—	—	—
Workington M.B. - - -	28,980	196	5	75	12	—	—	—	3	—	—	—	—
East and West Ridings													
Batley M.B. - - -	40,180	134	—	97	2	—	—	—	—	—	—	3	—
Brighouse M.B. - - -	30,810	43	—	54	—	—	—	—	—	—	—	1	—
Castleford U.D. - - -	43,640	154	2	77	2	—	—	—	—	1	—	3	—
Harrogate M.B. - - -	51,870	250	6	142	9	—	—	1	—	—	—	2	—
Morley M.B. - - -	39,930	107	1	67	—	—	—	—	—	—	—	1	—
Shipley U.D. - - -	32,820	172	2	50	—	—	—	—	1	—	—	2	—
Spenborough U.D. - - -	36,840	37	—	80	—	—	—	—	1	—	—	2	—
North Western													
Accrington M.B. - - -	40,310	114	1	119	2	—	—	—	1	—	—	1	1
Altrincham M.B. - - -	39,490	161	4	66	2	—	—	—	2	—	—	1	—
Bebington M.B. - - -	47,230	319	6	171	12	—	—	—	3	—	2	7	1
Chadderton U.D. - - -	31,200	30	—	65	1	—	—	—	3	—	—	1	—
Chorley M.B. - - -	32,770	187	6	92	1	—	—	—	—	1	—	7	—
Crewe M.B. - - -	53,070	146	4	81	4	—	—	—	4	—	1	4	—
Darwen M.B. - - -	30,920	87	1	58	1	—	—	—	1	—	—	—	—
Eccles M.B. - - -	44,370	136	4	95	—	—	—	—	3	1	—	—	—
Farnworth M.B. - - -	28,380	472	20	201	20	—	—	—	3	—	—	14	—
Heywood M.B. - - -	25,340	40	—	41	—	—	—	—	—	1	—	—	—
Hyde M.B. - - -	31,460	97	1	63	2	—	—	—	5	—	—	3	—
Lancaster M.B. - - -	52,090	277	2	197	10	1	2	—	12	—	—	4	—

TABLE VI.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Polio- myelitis	Pneumonia	Enteritis and Diarrhoea
Leigh M.B. - - -	48,650	238	3	88	3	—	—	—	3	—	—	3	—
Lytham St. Annes M.B.	29,970	130	4	98	4	—	—	—	—	—	1	3	—
Macclesfield M.B.	36,210	216	4	119	11	—	—	—	—	—	—	3	—
Middleton M.B.	32,570	38	1	48	2	—	—	—	1	—	—	—	—
Nelson M.B.	34,600	100	—	90	—	—	—	—	1	—	—	2	—
Radcliffe M.B.	27,910	99	—	56	—	—	—	—	—	—	—	3	—
Rawtenstall M.B.	25,130	146	1	109	4	—	—	—	1	—	—	3	—
Sale M.B.	43,290	132	4	75	3	—	—	—	1	1	—	4	—
Stalybridge M.B.	22,580	40	1	32	—	—	—	—	—	—	—	1	—
Swinton & Pendlebury M.B.	41,600	44	1	94	15	—	—	—	7	1	—	4	—
Widnes M.B.	48,500	191	6	60	2	—	—	—	1	—	—	1	—
North Midland													
Beeston & Stapleford U.D.	49,990	132	2	71	1	—	—	—	5	—	—	3	—
Carlton U.D.	34,280	76	—	44	1	—	—	—	1	1	—	—	—
Cleethorpes M.B.	29,700	200	6	52	4	—	—	—	—	—	—	5	—
Hinckley U.D.	38,780	97	1	43	1	—	—	—	—	—	—	1	—
Ilkeston M.B.	33,620	95	4	41	—	—	—	—	1	—	—	1	—
Kettering M.B.	37,120	142	4	96	5	—	—	—	2	—	—	1	—
Loughborough M.B.	36,580	166	5	74	1	—	—	—	—	—	—	—	—
Mansfield M.B.	51,110	308	7	159	14	—	—	—	13	—	—	1	—
Peterborough M.B.	54,790	330	6	172	10	—	—	—	1	—	2	5	—
Scunthorpe M.B.	52,740	342	8	122	13	—	—	—	3	—	—	1	—
Sutton in Ashfield U.D.	40,100	94	1	75	2	—	—	—	5	—	—	4	—
Wellingborough U.D.	28,340	173	—	71	7	—	—	—	1	—	—	—	—
Worksop M.B.	32,240	296	5	97	9	—	—	—	8	—	—	2	—
Midland													
Bilston M.B.	33,120	112	4	65	6	—	1	—	4	—	10	1	—
Brierley Hill U.D.	48,710	230	5	122	1	—	—	—	7	—	—	1	—
Cannock U.D.	41,020	149	3	94	5	—	—	—	1	—	—	3	—
Coseley U.D.	33,670	98	1	29	1	—	—	—	2	—	—	2	—
Halesowen M.B.	39,870	58	1	54	—	—	—	—	3	—	3	—	—
Kidderminster M.B.	37,510	180	3	108	7	—	—	—	1	1	—	2	—
Nuneaton M.B.	53,640	320	8	144	5	—	—	—	9	—	—	8	—
Oldbury M.B.	53,640	130	—	67	—	—	—	—	—	—	—	3	—
Rowley Regis M.B.	49,460	137	2	77	—	—	—	—	3	—	—	1	—
Royal Leamington Spa M.B.	36,190	199	3	88	4	—	—	—	—	—	2	3	—
Rugby M.B.	46,190	74	1	91	—	—	—	—	4	—	—	4	—
Shrewsbury M.B.	46,270	145	7	173	5	—	—	—	4	—	7	4	—
Solihull U.D.	67,460	331	7	103	2	—	—	—	4	—	1	3	—
Stafford M.B.	39,410	224	6	121	8	—	—	—	4	—	—	7	—
Stourbridge M.B.	37,010	181	2	54	1	—	—	—	2	—	—	1	—
Sutton Coldfield M.B.	47,550	168	—	75	—	—	—	—	3	—	—	—	—
Tipton M.B.	38,960	116	1	39	1	—	—	—	4	—	—	1	—
Wednesbury M.B.	34,930	119	4	45	2	—	—	—	4	1	—	1	—
Willenhall U.D.	30,910	80	3	34	3	—	—	—	1	—	—	—	—
Eastern													
Bedford M.B.	53,180	311	12	147	6	—	—	—	2	—	1	6	—
Billericay U.D.	42,740	123	1	118	—	—	—	—	7	1	—	7	—
Chelmsford M.B.	36,960	381	12	134	21	—	—	—	—	—	—	3	—
Colchester M.B.	56,900	431	10	212	15	—	—	—	4	—	—	—	—
Hornchurch U.D.	103,390	175	5	176	1	—	—	—	5	—	—	4	—
Lowestoft M.B.	44,160	176	1	96	1	—	—	—	3	—	—	—	—
Romford M.B.	76,700	582	22	236	22	—	1	—	8	—	—	2	—
St. Alban M.B.	42,550	238	5	129	8	—	—	—	3	—	—	7	—
London & South Eastern													
Barnes M.B.	41,430	37	—	60	1	—	—	—	1	—	—	—	—
Beddington & Wallington M.B.	32,770	22	1	39	—	—	—	—	1	—	—	1	—
Bexley M.B.	89,580	213	3	109	—	—	—	—	1	1	—	4	—
Bromley M.B.	64,750	340	4	114	2	—	—	—	7	—	—	—	—
Carshalton U.D.	62,500	531	14	219	14	—	—	—	1	—	2	9	—
Chatham M.B.	46,850	362	15	130	8	—	—	—	6	—	—	1	—
Chislehurst & Sidcup U.D.	76,630	140	2	127	4	—	—	—	4	2	—	—	—
Coulsdon & Purley U.D.	64,650	56	—	135	2	—	—	—	6	—	—	7	—
Dartford M.B.	40,760	333	8	191	12	—	—	—	6	1	1	4	4
Dover M.B.	34,010	241	4	89	10	—	—	1	3	—	1	1	1
Epsom & Ewell M.B.	68,520	353	11	184	2	—	—	—	6	—	—	11	—
Erith M.B.	46,970	131	2	66	2	—	—	—	2	—	—	—	—
Esher U.D.	51,770	45	—	73	—	—	—	—	—	—	—	1	—
Folkestone M.B.	45,150	204	3	139	5	—	—	—	3	—	—	3	—
Gravesend M.B.	43,870	190	3	131	4	—	—	—	1	—	—	2	—
Guildford M.B.	46,890	385	5	167	12	—	—	—	5	—	—	4	—
Kingston upon Thames M.B.	42,140	394	7	134	8	—	1	—	3	—	1	9	—
Maidstone M.B.	54,020	141	6	152	5	—	1	1	8	—	—	2	—
Margate M.B.	40,860	147	3	143	4	—	—	—	1	—	—	1	—
Merton & Morden U.D.	75,370	250	4	98	—	—	—	—	6	—	—	2	—
Orpington U.D.	60,710	345	9	223	13	—	1	—	7	—	1	—	—
Penge U.D.	25,030	43	—	24	—	—	—	—	1	—	—	—	—
Ramsgate M.B.	35,520	144	2	94	4	—	—	—	—	—	3	—	—

TABLE VI.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia	Enteritis and Diarrhoea under 2 years
Reigate M.B. - -	42,340	334	8	173	6	—	—	—	8	1	—	3	—
Richmond M.B. - -	42,150	47	—	110	1	—	—	—	4	—	—	1	—
Rochester M.B. - -	42,860	90	—	121	2	—	—	—	1	—	—	—	—
Royal Tunbridge Wells M.B. - -	38,630	168	2	164	3	—	—	—	4	—	—	—	—
Southall M.B. - -	56,220	45	—	92	—	—	—	—	5	—	—	7	—
Sturbiton M.B. - -	60,660	109	1	90	4	—	—	—	2	—	—	1	—
Sutton & Cheam M.B. - -	81,200	136	1	153	2	—	—	—	5	1	—	2	—
Tuxbridge U.D. - -	54,060	564	3	218	21	—	—	—	7	2	3	3	1
Walton & Weybridge U.D. - -	38,030	98	—	74	—	—	—	—	—	—	—	—	—
Vanstead & Woodford M.B. - -	62,250	301	11	116	3	—	—	—	3	—	—	4	—
Voking U.D. - -	48,100	317	7	90	5	—	—	—	3	—	—	1	—
Worthing M.B. - -	68,120	161	2	234	4	—	—	—	2	1	1	1	—
Southern													
Aldershot M.B. - -	41,660	234	10	55	7	—	—	—	—	—	2	1	1
Gosport M.B. - -	59,480	228	3	82	1	—	—	—	3	—	1	5	—
High Wycombe M.B. - -	40,880	156	3	78	2	—	—	—	2	—	—	—	—
Lough M.B. - -	66,860	160	2	98	4	—	—	—	3	—	—	1	—
Veymouth & Melcombe Regis M.B. - -	36,300	197	9	110	4	—	—	—	3	—	4	—	—
South Western													
Camborne-Redruth U.D. - -	35,680	358	13	127	10	—	—	—	3	—	—	7	—
Salisbury M.B. - -	34,030	274	8	125	5	—	—	—	2	—	1	4	—
Launceston M.B. - -	34,270	244	11	149	10	—	—	—	4	—	—	2	—
St Austrey M.B. - -	50,970	185	5	184	9	—	—	—	7	—	6	1	1
Weston super Mare M.B. - -	39,960	138	4	130	4	—	1	—	—	—	—	2	—
Wales													
Aberdare U.D. - -	40,800	130	5	100	4	—	—	—	2	—	—	1	—
Abertillery U.D. - -	27,950	40	1	48	4	—	—	—	1	—	—	2	—
Barry M.B. - -	41,860	148	4	77	2	—	—	—	4	1	—	4	—
Bedwellty U.D. - -	29,060	74	3	39	1	—	—	—	3	—	—	2	—
Baerphilly U.D. - -	34,340	204	5	68	2	—	—	—	5	1	—	2	—
Abbw Vale U.D. - -	29,490	116	3	70	2	—	1	—	—	—	—	1	—
Gelligaer U.D. - -	36,600	100	—	59	2	—	—	—	3	—	1	—	2
Llanelli M.B. - -	33,620	128	3	102	3	—	—	—	3	—	—	1	—
Llwynchwr U.D. - -	25,680	107	—	51	1	—	—	—	—	—	—	—	—
Maesteg U.D. - -	23,130	116	1	49	3	—	—	—	1	—	—	2	1
Mountain Ash U.D. - -	31,720	101	7	58	2	—	—	—	4	—	—	1	—
Neath M.B. - -	32,120	368	12	128	12	—	—	—	4	—	—	6	—
Ogmore & Garw U.D. - -	22,650	29	—	49	—	—	—	—	4	—	—	—	—
Pontypool U.D. - -	42,650	61	2	99	6	—	—	—	1	—	—	5	—
Pontypridd U.D. - -	39,410	59	2	138	3	—	—	—	8	—	—	3	—
Port Talbot M.B. - -	43,890	64	1	91	1	—	—	—	2	—	—	9	—

TABLE VII.—Population, Births and Deaths in the Second Quarter, 1950, and where available Third Quarter, 1950.

London and certain Cities abroad

CITIES	POPULATION (enumerated or estimated)	LIVE BIRTHS	STILLBIRTHS	TOTAL DEATHS (excluding Stillbirths)	Rate per 1,000 living		Deaths from									
					Live Births	Deaths (ex- cluding Still- births)	Typhoid and paratyphoid fevers	Smallpox	Whooping cough	Diphtheria* 	Tuberculosis (all forms)	Influenza	Ac. Poliomyelitis and polioencephalitis	Enteritis and Diarrhoea (under 2 years)†		
Second Quarter, 1950																
LONDON - - -	3,410,720	15,798	309	9,295	18.6	10.9	2	—	5	—	357	53	4	23		
AMSTERDAM - -	835,811	3,883	123	1,601	18.6	7.7	1	—	3	3	39	11	—	—		
BOMBAY - - -	1,796,000	13,103	719	8,938	29.2	19.9	113	93	4	19	635	—	2	156		
CALCUTTA - - -	2,991,000	9,508	766	15,648	12.7	20.9	384	2,275	4	47	788	24	2	570		
COLOGNE - - -	585,269	2,189	48	1,719	15.0	11.8	1	—	1	2	80	—	—	17		
COPENHAGEN - -	763,700	3,248	70	1,821	17.1	9.6	—	?	1	—	37	—	—	?		
DURBAN - - -	117,228	840	8	366	28.7	12.5	—	—	—	—	?	1	?	?		
FRANKFURT-ON- MAIN - - -	524,800	1,497	38	1,191	11.5	9.2	—	—	1	4	31	8	?	?		
GOTHENBURG - -	349,323	?	?	731	?	8.4	—	?	—	—	21	—	—	—		
HAMBURG - - -	1,589,800	4,367	78	4,075	11.0	10.3	—	—	1	2	156	4	—	6		
JOHANNESBURG -	322,268	2,289	47	856	28.5	10.7	—	—	2	6	?	—	?	2		
MONTREAL - - -	1,067,000	6,224	284	2,760	23.4	10.4	—	—	3	—	93	5	—	26		
MUNICH - - -	839,631	2,162	58	2,299	10.4	11.0	—	—	4	3	83	23	1	16		
NEW YORK - - -	8,258,000	37,815	3,950	19,694	18.4	9.6	—	—	—	2	594	17	3	16		
ROME - - -	1,665,667	6,384	166	3,045	15.4	7.3	6	—	—	11	253	2	14	30		
STOCKHOLM - - -	733,615	3,131	51	1,601	17.1	8.7	—	—	—	—	44	1	—	2		
TORONTO - - -	673,104	2,937	54	1,710	17.5	10.2	—	—	—	—	20	2	—	4		
VIENNA - - -	1,760,933	3,677	82	5,834	8.3	13.1	2	—	9	20	282	4	—	27		
ZURICH - - -	385,280	1,395	24	839	14.5	8.7	—	—	—	—	15	1	—	—		
Third Quarter, 1950																
LONDON - - -	3,410,720	14,790	284	7,904	17.2	9.2	1	—	11	—	245	5	17	9		
AMSTERDAM - -	841,280	3,507	130	1,315	16.5	6.2	1	—	1	5	37	2	—	—		
BOMBAY - - -	1,796,000	15,005	1,041	8,426	33.4	18.8	129	12	—	20	559	—	15	177		
CALCUTTA - - -	2,991,000	13,058	903	12,040	17.5	16.1	539	505	3	34	886	18	4	706		
CAPETOWN - - -	180,805	1,213	9	611	26.6	13.4	—	—	—	—	?	—	?	—		
COLOGNE - - -	591,449	1,830	38	1,281	12.3	8.6	3	—	8	—	53	—	1	10		
COPENHAGEN - -	763,700	2,794	63	1,494	14.5	7.8	—	?	—	—	33	—	16	?		
DURBAN - - -	117,228	861	13	407	29.1	13.8	—	—	—	1	?	8	?	2		
FRANKFURT-ON- MAIN - - -	533,611	1,440	26	1,053	10.8	7.9	1	—	1	—	27	1	?	?		
GOTHENBURG - -	349,323	?	?	634	?	7.2	—	?	—	—	19	—	1	1		
JOHANNESBURG -	322,268	2,544	51	888	31.3	10.9	—	—	—	2	?	—	?	3		
MADRID - - -	1,493,000	6,232	314	2,872	16.6	7.6	20	—	3	4	398	2	?	59		
MONTREAL - - -	1,067,000	5,898	237	2,368	21.9	8.8	1	—	2	2	101	2	1	34		
MUNICH - - -	832,740	2,024	53	2,100	9.6	10.0	—	—	2	6	64	2	5	3		
NEW YORK - - -	8,258,000	40,843	4,164	17,484	20.1	8.6	—	—	—	1	521	9	31	8		
ROME - - -	1,673,181	6,730	176	3,029	16.0	7.2	9	—	—	7	312	—	16	58		
STOCKHOLM - - -	733,615	2,705	63	1,469	14.7	8.0	—	—	—	1	35	—	2	—		
TORONTO - - -	673,104	3,087	58	1,430	18.2	8.4	—	—	—	—	22	2	—	!		
VIENNA - - -	1,755,033	3,527	64	5,391	8.0	12.2	9	—	2	9	242	1	2	20		

* Including deaths from croup in Bombay. † Per 1,000 related live births.

‡ The deaths in this column relate to children under 1 year of age for Gothenburg and Madrid.

TABLE VIII.—Notifications of Certain Infectious Diseases in the Quarter ended 30th September, 1950.

(England and Wales, Counties, County Boroughs, London and Metropolitan Boroughs and Port Health Districts.)

Note.—Total original and corrected notifications are distinguished for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.
(See General Notes on page 3).

	Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	Food poisoning.		Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	Food poisoning.
England and Wales:	11245	588	203*	3346	2443	3436	1753	2808	Essex:	573	5	11	168	39	128	77	124
									Total C.B.s—	187	3	2	30	3	29	18	20
									East Ham C.B.	47	1	1	6	—	5	1	5
									Southend-on-Sea C.B. —	57	—	1	18	3	13	6	10
									West Ham C.B.	83	2	—	6	—	11	11	5
									Total U.D.s	345	1	4	128	34	86	52	98
									Total R.D.s	41	1	5	10	2	13	7	6
England and Wales:	11014	183	166*	3303	2213	3200	1431	2638	Gloucester:	291	1	—	80	13	183	56	40
									Total C.B.s—	158	—	—	54	6	139	24	34
									Bristol C.B.	152	—	—	49	6	138	23	18
									Gloucester C.B.	6	—	—	5	—	1	1	16
									Total U.D.s	41	—	—	3	4	11	23	—
									Total R.D.s	92	1	—	23	3	33	9	6
Bedford:	76	1	—	22	—	9	4	5	Hereford:	47	—	1	7	—	12	12	12
al U.D.s	46	1	—	11	—	7	3	5	Total U.D.s	19	—	—	—	—	3	4	4
al R.D.s	30	—	—	11	—	2	1	—	Total R.D.s	28	—	1	7	—	9	8	8
Berks:	96	—	1	12	16	19	12	7	Hertford:	133	—	3	25	18	27	15	79
ding C.B.	38	—	—	6	—	6	1	2	Total U.D.s	103	—	3	19	7	17	10	57
al U.D.s	19	—	—	1	7	4	2	2	Total R.D.s	30	—	—	6	11	10	5	22
al R.D.s	39	—	1	5	9	9	9	3	Huntingdon:	15	—	—	6	—	3	—	1
Buckingham:	77	1	7	10	3	20	17	7	Total U.D.s	10	—	—	4	—	1	—	1
al U.D.s	39	—	1	7	1	8	7	1	Total R.D.s	5	—	—	2	—	2	—	—
al R.D.s	38	1	6	3	2	12	10	6	Kent:	427	4	5	112	38	93	55	103
Cambridge:	27	—	1	2	1	1	1	—	Canterbury C.B.	3	—	—	6	—	2	2	—
an District	11	—	1	—	1	—	—	—	Total U.D.s	354	2	5	73	37	74	44	94
al R.D.s	16	—	—	2	—	1	1	—	Total R.D.s	70	2	—	33	1	17	9	9
Chester:	305	8	5	90	27	48	19	77	Lancaster:	1532	31	5	414	681	218	76	229
al C.B.s	119	8	—	51	3	20	5	55	Total C.B.s—	968	20	2	270	400	157	59	122
enhead C.B.	63	7	—	33	1	3	2	2	Barrow-in-Furness C.B. —	11	—	—	9	—	—	—	—
ster C.B.	15	—	—	4	—	3	1	1	Blackburn C.B.	10	—	—	3	31	2	1	—
ckport C.B.	23	1	—	12	2	9	1	21	Blackpool C.B.	40	1	—	2	2	4	—	28
lasey C.B.	18	—	—	2	—	5	1	31	Bolton C.B.	24	1	—	13	16	3	—	2
al U.D.s	150	—	5	26	23	21	7	19	Bootle C.B.	31	1	—	7	1	4	1	—
al R.D.s	36	—	—	13	1	7	7	3	Burnley C.B.	27	—	—	15	31	1	—	8
Cornwall:	38	3	—	37	1	23	3	74	Bury C.B.	6	—	—	4	16	1	—	2
al U.D.s	26	3	—	10	1	12	3	14	Liverpool C.B.	312	13	1	50	14	71	22	15
al R.D.s	12	—	—	27	—	11	—	60	Manchester C.B.	223	3	1	89	25	46	24	20
Cumberland:	97	—	—	12	14	19	5	7	Oldham C.B.	38	—	—	6	92	9	2	1
isle C.B.	33	—	—	4	11	7	2	4	Preston C.B.	83	—	—	14	126	1	2	9
al U.D.s	33	—	—	3	—	4	—	3	Rochdale C.B.	18	—	—	4	—	2	—	—
al R.D.s	31	—	—	5	3	8	3	—	St. Helens C.B.	17	—	—	2	—	5	—	28
Derby:	303	—	3	76	43	28	11	8	Salford C.B.	31	1	—	27	7	5	5	5
by C.B.	46	—	1	11	9	6	5	4	Southport C.B.	16	—	—	6	25	1	1	1
al U.D.s	130	—	1	36	16	7	3	3	Warrington C.B.	21	—	—	9	14	1	1	3
al R.D.s	127	—	1	29	18	15	3	1	Wigan C.B.	60	—	—	10	—	1	—	—
Devon:	194	3	4	51	6	80	27	55	Total U.D.s	472	9	3	123	263	57	17	101
al C.B.s	84	2	—	22	2	11	10	20	Total R.D.s	92	2	—	21	18	4	—	6
er C.B.	17	—	—	3	1	9	5	3	Leicester:	126	2	—	52	232	60	33	38
outh C.B.	67	2	—	19	1	2	5	17	Leicester C.B.	59	—	—	9	217	33	28	31
al U.D.s	38	—	2	12	2	44	8	28	Total U.D.s	37	—	—	27	15	11	1	2
al R.D.s	72	1	2	17	2	25	9	7	Total R.D.s	30	2	—	16	—	16	4	5
Dorset:	45	—	—	22	4	42	28	32	Lincoln, Parts of Holland:	19	—	—	5	—	14	5	7
al U.D.s	26	—	—	12	4	28	18	16	Total U.D.s	7	—	—	1	—	5	1	4
al R.D.s	19	—	—	10	—	14	10	16	Total R.D.s	12	—	—	4	—	9	4	3
Durham:	437	34	10	201	83	126	28	345	Lincoln, Parts of Kesteven:	30	—	—	10	1	46	35	3
al C.B.s	143	7	1	89	32	45	10	27	Total U.D.s	11	—	—	5	1	5	4	3
ington C.B.	15	2	—	—	—	—	—	4	Total R.D.s	19	—	—	5	—	41	31	—
shead C.B.	74	3	1	19	7	11	4	10	Lincoln, Parts of Lindsey:	94	2	1	42	16	51	18	18
h Shields C.B.	21	—	—	14	23	18	—	10	Total C.B.s—	49	—	—	12	9	26	3	5
erland C.B.	21	2	—	50	1	12	3	3	Grimsby C.B.	23	—	—	3	3	14	1	3
Hartlepool	12	—	—	6	1	4	3	—	Lincoln C.B.	26	—	—	9	6	12	2	2
al U.D.s	204	13	7	68	50	62	14	26	Total U.D.s	25	1	1	18	3	11	7	13
al R.D.s	90	14	2	44	1	19	4	292	Total R.D.s	20	1	—	12	4	14	8	—
Isle of Ely:	11	—	—	4	7	5	3	10									
al U.D.s	6	—	—	3	3	3	1	—									
al R.D.s	5	—	—	1	4	2	2	10									

TABLE VIII.—continued.

	Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	Food poisoning.		Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.
County of London	610	12	22	172	121	147	117	295	Somerset:	66	3	2	23	7	54	17
CITY OF LONDON	—	—	—	—	—	—	—	1	Bath C.B. —	10	—	—	5	—	3	1
Inner and Middle	—	—	—	—	—	—	—	—	Total U.D.s —	29	—	1	7	3	32	8
Temples	—	—	—	—	—	—	—	—	Total R.D.s —	27	3	1	11	4	19	8
METROPOLITAN									Southampton:	252	1	7	50	15	74	27
BOROUGHs	610	12	22	172	121	147	117	294	Total C.B.s—	136	1	4	29	12	43	23
Battersea —	17	—	—	9	1	3	2	3	Bournemouth C.B. —	13	1	—	4	3	16	13
Bermondsey —	15	—	—	3	1	—	—	2	Portsmouth C.B. —	80	—	4	5	2	18	1
Bethnal Green —	14	—	—	4	4	—	2	2	Southampton C.B. —	43	—	—	20	7	9	9
Camberwell —	27	—	—	17	—	9	3	35	Total U.D.s —	71	—	1	9	1	21	1
Chelsea —	11	—	—	—	12	—	2	44	Total R.D.s —	45	—	2	12	2	10	3
Deptford —	20	—	—	8	—	—	—	11	Stafford:	509	6	1	137	11	201	93
Finsbury —	5	—	2	5	—	2	—	—	Total C.B.s—	287	—	1	79	2	75	34
Fulham —	20	—	—	1	2	2	5	—	Burton upon	—	—	—	—	—	—	—
Greenwich —	19	—	—	2	—	8	5	1	Trent C.B. —	11	—	—	3	—	1	—
Hackney —	44	3	1	5	4	11	8	5	Smethwick C.B. —	23	—	—	10	—	7	5
Hammersmith —	19	1	—	4	—	4	6	4	Stoke on Trent C.B. —	147	—	1	28	1	7	4
Hampstead —	6	—	1	4	6	6	2	30	Walsall C.B. —	56	—	—	23	—	20	3
Holborn —	5	1	—	1	—	1	—	—	West Bromwich	—	—	—	—	—	9	1
Islington —	42	2	1	9	11	11	8	18	C.B. —	24	—	—	—	—	—	—
Kensington —	16	—	5	9	3	2	7	4	Wolverhampton	—	—	—	—	—	—	—
Lambeth —	20	—	1	8	3	6	5	34	C.B. —	26	—	—	15	1	31	21
Lewisham —	40	—	1	5	14	17	10	18	Total U.D.s —	170	5	—	42	9	98	47
Paddington —	17	—	2	3	2	3	3	11	Total R.D.s —	52	1	—	16	—	28	12
Poplar —	14	—	—	6	1	1	2	4	Suffolk, East:	55	1	1	18	3	5	5
St. Marylebone	7	—	—	4	3	3	1	1	Ipswich C.B. —	23	1	1	4	—	1	—
St. Pancras	26	—	2	13	3	5	6	5	Total U.D.s —	11	—	—	7	2	1	1
Shoreditch —	6	4	—	4	4	1	1	15	Total R.D.s —	21	—	—	7	1	3	4
Southwark —	26	—	1	3	11	5	3	11	Suffolk, West:	20	—	—	2	2	1	2
Stepney —	24	—	—	10	3	3	6	2	Total U.D.s —	10	—	—	—	—	—	—
Stoke Newington	5	—	—	3	—	2	6	4	Total R.D.s —	10	—	—	2	2	1	1
Wandsworth —	89	—	3	16	13	11	8	21	Surrey:	351	1	6	72	69	64	40
Westminster, City	10	1	1	2	14	5	3	—	Croydon C.B. —	75	—	—	7	3	11	4
Woolwich —	46	—	1	14	6	21	13	8	Total U.D.s —	253	1	6	60	64	43	23
									Total R.D.s —	23	—	—	5	2	10	13
Middlesex:	588	1	16	149	42	128	61	102	Sussex, East:	112	1	5	56	7	29	5
Total U.D.s —	588	1	16	149	42	128	61	102	Total C.B.s—	53	1	2	33	6	9	3
Norfolk:	100	4	2	29	9	43	28	78	Brighton C.B. —	31	1	1	31	5	9	2
Total C.B.s—	36	2	—	7	4	11	10	66	Eastbourne C.B. —	13	—	1	1	—	—	1
Great Yarmouth	—	—	—	—	—	—	—	—	Hastings C.B. —	9	—	—	1	1	—	—
C.B. —	15	1	—	1	—	4	3	28	Total U.D.s —	31	—	2	10	1	11	—
Norwich C.B. —	21	1	—	6	4	7	7	38	Total R.D.s —	28	—	1	13	—	9	2
Total U.D.s —	9	—	1	2	1	9	1	7	Sussex, West:	82	—	2	12	—	25	8
Total R.D.s —	55	2	1	20	4	23	17	5	Total U.D.s —	31	—	1	9	—	17	7
Northampton:	107	—	3	17	7	29	18	12	Total R.D.s —	51	—	1	3	—	8	1
Northampton C.B.	36	—	—	4	5	3	5	1	Warwick:	467	15	8	165	46	308	119
Total U.D.s —	24	—	3	8	—	13	5	10	Total C.B.s—	347	14	6	125	37	239	85
Total R.D.s —	47	—	—	5	2	13	8	1	Birmingham C.B. —	284	14	6	111	34	223	40
Northumberland:	269	1	1	94	48	109	36	89	Coventry C.B. —	63	—	—	14	3	16	45
Total C.B.s—	105	—	—	45	31	53	19	20	Total U.D.s —	71	—	2	21	2	49	24
Newcastle upon	—	—	—	—	—	—	—	—	Total R.D.s —	49	1	—	19	7	20	10
Tyne C.B. —	94	—	—	42	31	51	17	20	Westmorland:	10	—	—	3	5	1	1
Tynemouth C.B. —	11	—	—	3	—	2	—	—	Total U.D.s —	4	—	—	—	—	—	—
Total U.D.s —	133	1	1	35	17	33	12	38	Total R.D.s —	6	—	—	3	—	—	—
Total R.D.s —	31	—	—	14	—	23	5	31	Isle of Wight:	13	—	—	2	—	50	38
Nottingham:	261	—	1	55	39	38	14	26	Total U.D.s —	12	—	—	1	—	24	27
Nottingham C.B. —	61	—	—	21	27	15	4	17	Rural District	1	—	—	1	—	26	11
Total U.D.s —	133	—	—	25	10	13	4	6	Wilts:	66	—	2	13	13	28	8
Total R.D.s —	67	—	1	9	2	10	6	3	Total U.D.s —	26	—	1	4	1	14	5
Oxford:	35	—	3	16	10	9	4	4	Total R.D.s —	40	—	1	9	12	14	3
Oxford C.B. —	3	—	3	12	4	2	1	4	Worcester:	122	3	—	29	19	131	46
Total U.D.s —	18	—	—	—	1	3	2	—	Total C.B.s—	31	1	—	10	—	49	26
Total R.D.s —	14	—	—	4	5	4	1	—	Dudley C.B. —	16	1	—	6	—	37	15
Peterborough,	—	—	—	—	—	—	—	—	Worcester C.B. —	15	—	—	4	—	12	11
Soke of:	12	—	—	3	—	2	7	—	Total U.D.s —	77	1	—	10	18	60	14
Urban District	10	—	—	3	—	2	7	—	Total R.D.s —	14	1	—	9	1	22	6
Total R.D.s —	2	—	—	—	—	—	—	—								
Rutland:	—	—	—	2	—	5	1	3								
Urban District	—	—	—	—	—	—	1	1								
Total R.D.s —	—	—	—	2	—	5	—	2								
Salop:	33	—	1	11	—	30	3	7								
Total U.D.s —	13	—	—	4	—	13	2	3								
Total R.D.s —	20	—	1	7	—	17	1	4								

TABLE VIII.—continued.

	Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Acute polio-myelitis.	Non-paralytic.	Food poisoning.		Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Acute polio-myelitis.	Non-paralytic.	Food poisoning.
Yorks, East Riding:	160	—	2	30	38	20	13	1		Carmarthen:	28	—	—	13	4	12	19	3	
Kingston upon Hull C.B. —	117	—	—	17	37	10	11	—		Total U.D.s —	20	—	—	12	3	6	10	3	
Total U.D.s —	31	—	1	8	1	8	—	1		Total R.D.s —	8	—	—	1	1	6	9	—	
Total R.D.s —	12	—	1	5	—	2	2	—		Denbigh:	63	2	—	20	2	26	4	12	
Yorks, North Riding:	90	5	1	29	12	46	21	4		Total U.D.s —	38	2	—	8	—	17	2	1	
Middlesbrough C.B. —	26	4	—	7	8	13	6	2		Total R.D.s —	25	—	—	12	2	9	2	11	
Total U.D.s —	43	—	1	17	—	14	4	—		Flint:	35	—	—	6	—	13	1	18	
Total R.D.s —	21	1	—	5	4	19	11	2		Total U.D.s —	20	—	—	2	—	6	—	16	
Yorks, West Riding:	959	22	15	461	399	216	68	100		Total R.D.s —	15	—	—	4	—	9	1	2	
Total C.B.s —	548	15	7	299	198	143	43	61		Glamorgan:	328	6	7	101	33	63	35	59	
Warnley C.B. —	21	2	—	23	4	3	2	1		Total C.B.s —	128	5	2	46	26	15	20	46	
Bradford C.B. —	74	—	—	54	80	21	1	16		Cardiff C.B. —	41	—	2	35	23	6	2	45	
Jewsbury C.B. —	13	1	—	5	29	1	—	5		Merthyr Tydfil C.B. —	32	5	—	3	1	1	—	—	
Poncaster C.B. —	31	1	—	3	—	7	—	—		Swansea C.B. —	55	—	—	8	2	8	18	1	
Salifax C.B. —	42	—	2	6	—	1	—	4		Total U.D.s —	175	1	3	51	7	24	7	11	
Huddersfield C.B. —	74	1	2	11	2	3	1	2		Total R.D.s —	25	—	2	4	—	24	8	2	
Leeds C.B. —	92	5	1	43	28	49	—	8		Merioneth:	11	—	—	—	—	2	—	—	
Otherham C.B. —	22	5	1	6	10	1	1	3		Total U.D.s —	8	—	—	—	—	—	—	—	
Sheffield C.B. —	98	—	1	141	34	31	24	4		Total R.D.s —	3	—	—	—	—	2	—	—	
Wakefield C.B. —	5	—	—	7	2	2	1	—		Monmouth:	135	2	—	41	6	12	7	39	
York C.B. —	76	—	—	—	9	24	13	18		Newport C.B. —	31	2	—	10	—	4	2	10	
Total U.D.s —	302	2	8	122	166	45	16	32		Total U.D.s —	93	—	—	31	5	7	4	29	
Total R.D.s —	109	5	—	40	35	28	9	7		Total R.D.s —	11	—	—	—	1	1	1	—	
Anglesey:	13	—	—	3	—	1	1	—		Montgomery:	5	—	—	3	—	13	3	—	
Total U.D.s —	8	—	—	2	—	—	—	—		Total U.D.s —	1	—	—	1	—	6	2	—	
Total R.D.s —	5	1	—	1	—	1	1	—		Total R.D.s —	4	—	—	2	—	7	1	—	
Brecknock:	13	1	—	—	—	1	2	—		Pembroke:	19	—	—	3	—	—	4	1	
Total U.D.s —	2	—	—	—	—	1	—	—		Total U.D.s —	12	—	—	—	—	—	2	—	
Total R.D.s —	11	1	—	—	—	—	2	—		Total R.D.s —	7	—	—	3	—	—	2	1	
Caernarvon:	17	—	1	1	—	3	10	54		Radnor:	2	—	—	1	—	3	3	1	
Total U.D.s —	11	—	1	—	—	3	2	43		Total U.D.s —	1	—	—	—	—	2	—	1	
Total R.D.s —	6	—	—	1	—	—	8	11		Total R.D.s —	1	—	—	1	—	1	3	—	
Cardigan:	3	—	—	1	3	1	2	—		Port Health Districts:*	4	—	2	8	3	6	—	1	
Total U.D.s —	2	—	—	—	3	—	—	—											
Total R.D.s —	1	—	—	1	—	1	2	—											

Original notifications of *Meningococcal infection* numbered 347, *Whooping cough* 46,778 and *Measles* 74,419. Corrected notifications were *Meningococcal infection* 218, *Whooping cough* 46,644 and *Measles* 74,402 distributed by counties as follows:—

	Meningo- coccal infection.	Whooping cough.	Measles.		Meningo- coccal infection.	Whooping cough.	Measles.		Meningo- coccal infection.	Whooping cough.	Measles.
Bedford - - -	—	480	781	Lincs. (Lindsey) -	1	322	1,096	Wilts - - -	1	338	232
Berks - - -	—	199	314	London - - -	18	3,591	5,276	Worcester - -	2	370	641
Buckingham -	1	144	241	Middlesex - -	7	2,251	3,717	Yorks (E. Riding)-	1	875	1,184
Cambridge - -	—	106	91	Norfolk - - -	4	1,145	702	Yorks (N. Riding)-	4	390	841
Cheshire - - -	7	1,013	2,884	Northampton -	—	63	602	Yorks (W. Riding)			
Cornwall - - -	2	167	238	Northumberland -	12	1,148	2,039	(including York			
Cumberland -	1	184	186	Nottingham- -	4	1,205	1,538	C.B.) - - -	19	4,692	8,584
Derby - - -	3	854	1,477	Oxford - - -	—	384	336	Anglesey - - -	—	4	53
Devon - - -	1	635	323	Peterboro', Soke of	—	28	121	Brecknock - - -	1	6	42
Dorset - - -	1	521	764	Rutland - - -	—	8	29	Caernarvon - -	—	19	107
Durham - - -	20	1,671	2,474	Salop - - -	1	157	636	Cardigan - - -	—	20	25
Dyfed, Isle of	1	130	157	Somerset - - -	1	531	612	Carmarthen - -	—	35	402
Dorset - - -	8	3,376	2,747	Southampton -	7	1,301	1,183	Denbigh - - -	2	121	407
Gloucester - -	5	1,922	4,028	Stafford - - -	4	1,153	2,029	Flint - - -	1	32	292
Hereford - - -	—	162	226	Suffolk, East - -	—	196	355	Glamorgan - - -	8	594	2,536
Hertford - - -	1	648	1,713	Suffolk, West -	—	60	145	Merioneth - - -	—	3	74
Huntingdon - -	—	125	155	Surrey - - -	2	1,995	1,233	Monmouth - - -	—	334	549
Leicestershire -	3	1,512	2,105	Sussex, East - -	1	526	874	Montgomery - -	—	3	4
Manchester - -	32	5,883	9,093	Sussex, West - -	—	240	343	Pembroke - - -	—	22	124
Nottingham - -	4	451	362	Warwick - - -	26	2,005	3,264	Radnor - - -	—	—	14
Nottingham (Holland)	—	81	1,181	Westmorland - -	—	65	75				
Nottingham (Kesteven)	—	114	407	Wight, Isle of -	1	34	139	Port Health Dists.*	—	2	20

Other diseases notified:—*Ophthalmia neonatorum*: Original 483; Corrected 480. *Acute encephalitis, Infective*: Original 87; Corrected 73. *Acute encephalitis, Post infectious*: Original 17; Corrected 14. *Erysipelas*: Original 1,543; Corrected 1,524. *Puerperal pyrexia*: Original 1,034; Corrected 1,018. No cases of *Cholera*, *Smallpox*, *Plague* or *Typhus fever* were notified.

* Uncorrected figures for 13 weeks ended 30th September, 1950, not included in totals for England and Wales.

TABLE VIII(a).—Corrected Notifications of Certain Infectious Diseases in the Quarter ended 30th September, 1950, analysed by sex and age.

England and Wales.

(See General Notes on page 3).

Age Group	Scarlet fever		Whooping cough		Diphtheria		Measles		Acute Poliomyelitis			
									Paralytic		Non-Paralytic	
	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	5,397	5,617	22,373	24,271	84	99	38,053	36,349	1,732	1,468	844	587
0—	26	24	2,067	1,947	1	3	1,509	1,612	72	69	19	3
1—	494	507	5,707	5,957	9	6	9,587	9,029	322	296	76	58
3—	1,537	1,459	7,161	7,924	19	7	11,952	11,292	253	230	124	85
5—	2,470	2,662	6,910	7,552	22	22	13,785	13,033	338	262	262	119
10—	478	641	275	337	12	16	642	676	182	137	142	94
15—	242	167	45	116	8	19	193	251	257	225	117	116
25 and over	126	137	112	342	12	24	180	253	297	245	100	109
Unknown	24	20	96	96	1	2	205	203	11	4	4	3

Age Group	Enteric or Typhoid fever		Para-typhoid fevers		Meningo-coccal infection		Erysipelas		Dysentery		Acute Encephalitis				Acute pneumonia		Food poisoning	
											Infective		Post-infectious					
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	33	36	42	55	132	86	624	900	1,093	1,120	49	24	7	7	1,900	1,403	1,191	1,444
0—	2	1	12	11	78	41	5	7	600	432	21	6	2	4	373	262	188	166
5—	7	5	13	13	27	19	19	19	213	204	12	6	5	2	341	272	159	157
15—	21	19	15	21	15	20	183	232	144	285	14	12	—	1	496	384	456	611
45—	2	8	2	6	9	4	273	442	44	81	2	—	—	—	444	236	262	300
65 & over	1	2	—	3	—	—	139	188	37	42	—	—	—	—	227	231	66	122
Unknown	—	1	—	1	3	2	5	12	55	76	—	—	—	—	19	18	60	88

TABLE IX.—Infant Mortality: Rates by Quarters and each completed Year, 1947-50.

England and Wales and various other countries.

(Deaths under 1 year per 1,000 live births).

COUNTRY	1947	1948	1949	1947	1948				1949				1950		
				Dec.	Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.	Mar.	June	Sept.
* England and Wales	41	34	32	38	41	31	28	35	40	30	27	32	37	28	24
Scotland — — —	56	45	41	57	51	43	40	44	50	36	35	44	46	34	—
Northern Ireland —	53	46	45	59	53	44	41	44	55	38	43	46	44	—	—
Australia — — —	29	28	25	28	25	29	31	27	26	25	25	24	24	—	—
Belgium — — —	60	50	52	64	64	40	39	77	63	40	42	58	62	—	—
Canada — — —	45	44	43	46	55	43	36	41	45	41	37	44	—	—	—
Chile — — —	161	160	169	182	196	145	138	162	217	169	138	157	194	129	—
† Denmark — — —	40	35	34	37	44	34	29	33	40	37	28	32	36	—	—
France — — —	67	51	61	61	57	52	45	51	71	62	57	55	66	56	—
Irish Republic — —	68	49	59	64	63	46	38	48	55	50	44	58	—	—	—
Italy — — —	82	70	74	70	66	70	73	73	81	65	78	61	64	65	—
Netherlands — —	33	29	27	34	34	28	26	27	32	26	22	26	30	24	22
New Zealand — —	25	22	24	25	22	18	25	23	21	25	26	24	23	22	24
Sweden — — —	25	23	23	27	21	23	22	21	18	21	20	23	22	19	—
U.S.A. — — —	32	32	31	33	35	33	29	32	34	31	30	30	31	31	27

* Rate per 1,000 related live births.

† Rates for years prior to 1949 exclude live born infants who died before registration.

TABLE X.—Deaths from Certain Causes, by Quarters } England and Wales.
1948-1950.

For corresponding figures for 1945-1947 see Return for March Quarter 1948.

(See General Notes on page 3).

Sex	Quarter	1948	1949	1950	1948	1949	1950	1948	1949	1950
M.	001-008 Tuberculosis-respiratory.				010 Tuberculosis-meninges and C.N.S.			011-019 Tuberculosis-remainder.		
	March	3,183	3,241	2,811	186	162	127	231	230	145
	June... ..	2,874	2,671	2,254	222	152	122	249	173	137
	September ...	2,487	2,143		120	143		163	150	
	December ...	3,047	2,644		128	113		201	165	
F.	March	2,023	2,016	1,544	185	134	129	197	165	133
	June... ..	1,782	1,687	1,335	214	148	118	206	119	108
	September ...	1,684	1,467		146	136		162	127	
	December ...	2,008	1,607		120	115		165	125	
M.	020-029 Syphilis and its sequelæ.				040-041 Typhoid and paratyphoid fevers.			045-048 Dysentery—all forms.		
	March	416	418	337	5	2	2	17	8	12
	June... ..	367	347	282	3	3	5	10	4	4
	September ...	314	290		5	5		6	5	
	December ...	344	364		9	5		2	8	
F.	March	167	190	177	8	3	3	10	2	7
	June... ..	154	158	110	8	4	1	3	5	8
	September ...	137	124		3	5		7	4	
	December ...	184	169		7	5		7	4	
M.	050, 051 Scarlet fever and streptococcal sore throat.				055 Diphtheria.			056 Whooping cough.		
	March			20	36	19	16	92	96	38
	June... ..			8	17	10	5	110	79	33
	September ...				11	6		76	46	
	December ...				15	11		58	18	
F.	March			18	25	10	8	126	121	49
	June... ..			6	17	14	3	116	86	73
	September ...				24	10		98	54	
	December ...				11	5		72	27	
M.	057 Meningococcal infections.				080, 081 Acute poliomyelitis (including late effects).			085 Measles.		
	March	43	61	46	39	15	41	51	88	30
	June... ..	40	38	26	20	17	39	54	53	31
	September ...	37	18		33	148		16	6	
	December ...	44	37		50	185		42	5	
F.	March	48	40	48	30	11	41	44	74	22
	June... ..	37	32	33	8	15	34	62	56	22
	September ...	21	27		27	117		23	16	
	December ...	30	35		34	149		35	10	
M.	162, 163 Cancer of bronchus and lung.				140-161, 164-200, 202, 203, 205 Other cancer*			204 Leukæmia and aleukæmia.		
	March	2,016	2,318	2,505	7,870	7,917	8,083	202	243	225
	June... ..	2,142	2,214	2,478	7,819	7,720	7,826	223	193	241
	September ...	2,109	2,318		7,814	7,901		198	228	
	December ...	2,353	2,500		8,007	7,958		201	259	
F.	March	451	509	506	9,349	9,416	9,563	146	192	204
	June... ..	465	463	481	9,264	9,197	9,588	166	209	190
	September ...	452	479		9,493	9,673		188	208	
	December ...	499	491		9,434	9,658		183	190	
M.	252 Thyrotoxicosis, with or without goitre.				260 Diabetes mellitus.			290 Pernicious and hyperchromic anæmia.		
	March	18	22	25	310	347	371	135	126	125
	June... ..	21	24	9	238	235	284	95	103	103
	September ...	10	16		225	215		97	76	
	December ...	16	17		277	305		125	117	
F.	March	170	153	149	597	662	704	212	237	220
	June... ..	132	107	111	540	548	588	202	203	202
	September ...	110	110		468	507		187	177	
	December ...	138	134		600	625		195	208	

*Excluding Hodgkin's disease and leukæmia.

TABLE X.—continued.

Sex	Quarter	1948	1949	1950	1948	1949	1950	1948	1949	1950
M.	330-334 Vascular lesions of nervous system.				400-402 Rheumatic fever. (including chorea)			420 Coronary and arterio-sclerotic heart disease.		
	March	6,475	7,186	7,729			89			9,393
	June... ..	5,293	6,060	6,511			74			8,235
	September	4,916	5,165							
	December	5,866	6,414							
	March	8,542	9,907	10,566			116			5,707
	June... ..	7,281	8,351	9,067			88			4,573
	September	7,074	7,165							
	December	8,452	9,005							
F.	440-447 Hypertensive disease.				480-483 Influenza.			490-493, 763 Pneumonia. (including neonatal)		
	March			2,651	281	1,777	1,042	3,494	4,644	3,760
	June... ..			2,245	93	592	409	2,022	2,241	2,003
	September				71	55		1,492	1,376	
	December				231	251		2,719	2,639	
	March			2,856	271	2,076	1,232	2,746	4,412	3,546
	June... ..			2,438	77	673	423	1,601	1,904	1,842
	September				31	40		1,156	1,176	
	December				185	200		2,399	2,402	
M.	500-502 Bronchitis.				540, 541 Ulcer of stomach and duodenum.			550-553 Appendicitis.		
	March	5,914	8,691	6,696	1,009	1,112	1,096	205	179	177
	June... ..	3,094	3,485	3,382	864	907	840	172	185	168
	September	2,147	1,709		821	768		182	209	
	December	4,675	4,566		1,002	1,033		177	175	
	March	3,427	6,175	4,643	297	334	336	120	131	146
	June... ..	1,601	2,076	1,920	233	261	289	139	108	137
	September	1,038	874		239	233		135	142	
	December	3,017	2,862		300	290		142	127	
F.	571, 764 Gastro-enteritis (excl. ulcerative) and infant diarrhoea.				590-594 Nephritis and nephrosis.			770 Hæmolytic disease of newborn.		
	March	601	470	300			1,008	80	74	75
	June... ..	400	329	244			839	89	83	89
	September	359	363					78	80	
	December	372	325					92	62	
	March	438	357	266			1,017	63	56	65
	June... ..	302	265	180			842	54	48	46
	September	313	295					51	64	
	December	284	293					50	50	
M.	610 Hyperplasia of prostate.				640-649, 660-689 Disorders of pregnancy and childbirth (excl. abortion).			750-759 Congenital malformations. (both sexes).		
	March	1,270	1,381	1,307						
	June... ..	1,120	1,148	1,171						
	September	1,107	1,156							
	December	1,268	1,267					1,356	1,299	1,341
	March				179	156	126	1,205	1,225	1,179
	June... ..				178	150	117	1,099	1,150	
	September				172	184		1,251	1,241	
	December				157	121				
F.	E810-835 Motor vehicle accidents.				E800-802, E840-962 Other accidents and poisoning.			E963, E970-979 Suicide and self- inflicted injury.		
	March	613	692	691	1,474	1,516	1,422	736	776	736
	June... ..	533	727	733	1,446	1,396	1,380	840	834	790
	September	723	729		1,537	1,559		746	763	
	December	796	816		1,464	1,406		711	681	
	March	244	233	277	1,118	1,259	1,269	411	413	384
	June... ..	200	188	230	947	992	959	461	500	461
	September	228	224		917	852		449	402	
	December	301	283		1,035	1,045		437	381	

TABLE XI.—Numbers of insured persons absent from work owing to sickness or industrial injury (or prescribed disease). } { **England and Wales, Standard Regions.**

(Figures to nearest hundred)

(Supplied by the Ministry of National Insurance).

Area	18th July, 1950.		15th August, 1950.		19th September, 1950.	
	Sickness	Injury	Sickness	Injury	Sickness	Injury
England and Wales	702,400	52,800	721,100	54,300	731,700	54,900
Northern	55,600	8,200	58,500	8,400	58,600	8,600
East and West Ridings...	76,800	8,400	78,800	8,300	80,600	8,500
North Western	132,900	6,800	136,900	7,100	140,600	7,300
North Midland	51,900	5,300	53,800	5,200	54,000	5,700
Midland	71,600	4,400	70,200	4,400	73,200	4,600
Eastern	37,000	1,700	37,800	1,800	37,900	1,800
London and South Eastern						
London and Middlesex	84,800	3,500	86,600	3,500	87,900	3,700
Remainder	63,900	3,100	65,900	3,000	65,400	3,000
Southern	31,300	1,400	31,200	1,400	32,100	1,400
South Western	44,700	2,000	45,600	2,000	46,500	2,200
Wales	51,700	8,100	55,900	9,100	54,900	8,100

Notes: (1) Broadly, the whole of the civilian *working* population aged 15 and over can now qualify under the National Insurance Act for sickness benefit without limit of income, including not only those employed under contract of service but also the self-employed. Only comparatively small sections of the working population are excluded, the most numerous being those employed married women who elect not to be insured in their own right.

(2) The National Insurance (Industrial Injuries) Act applies, broadly speaking, to all civilians working for an employer under contract of service or apprenticeship, corresponding closely with the class of "employed persons" under the main scheme.

(3) It is not practicable to make a straightforward count of the number of persons who are absent from work on a given day owing to sickness or industrial injury. The method followed has accordingly been to take the number of long term certificates then current, and to add to it the number of first and intermediate certificates of incapacity received during the week ended on the given day. (The figure so obtained includes a small proportion of persons whose incapacity in fact ended before that day, and excludes a small proportion of persons whose incapacity in fact began on or before that day. Sample enquiries indicate that these factors do not produce on balance any significant effect on the national and regional totals).

METEOROLOGY*—ENGLAND AND WALES

THIRD QUARTER, 1950.

July

The weather of July was unsettled and wet on the whole, with frequent thunderstorms.

Mean temperature exceeded the average for the period 1906-35 by 0.4°F . There were few very warm days, though temperature reached or exceeded 80°F . widely on the 9th. Extreme temperatures for the month included 86°F . in London (Camden Square and Greenwich) on the 9th and 39°F . at Rhayader on the 2nd and at Market Drayton and Droitwich on the 27th.

The general precipitation expressed as a percentage of the average for the period 1881-1915 was 137. Less than the average was registered in a fairly wide belt running from Anglesey to the Lincolnshire border, and in a few isolated places elsewhere. On the other hand more than twice the average occurred in an area extending from Dorset north-east to north Cambridgeshire and in small areas in Monmouthshire and north-east Norfolk, while more than three times the average was recorded at Cambridge. Among the heaviest falls in 24 hours were 2.32 in. at Lansdown, near Bath on the 6th and 2.14 in. at Odsey, Cambridgeshire on the 9th. Thunderstorms occurred frequently being recorded on 9 days at Ipswich, 8 days at Felixstowe and 7 days at West Raynham and Whipsnade.

The duration of bright sunshine was about average for the country as a whole; the percentages for the districts ranged from 90 in the south-west to 109 in the north-east. Percentages of the average varied appreciably at individual stations.

August

As in July the weather of August was unsettled, with frequent thunderstorms. The prevailing winds were southerly or south-westerly and it was very wet in western districts.

Mean temperature was not very different from the average for the period 1906-35, the deviation for the districts ranging from -0.7°F . in the south-west to $+1.0^{\circ}\text{F}$. in the east. The warmest days occurred from the 4th to the 8th and 21st to 22nd but there was no really hot spell. Extreme temperatures for the month included 83°F . at Wealdstone on the 6th and Greenwich on the 7th and 40°F . at Marlborough on the 14th.

The general precipitation was 147 per cent. of the average for the period 1881-1915. Less than the average was registered in an area running from south of the Humber across most of Northamptonshire and extending south-eastward over Suffolk, Essex and the London area, while appreciably less than half the average was received around Cranwell, Lincolnshire. Less than the average occurred also at a few isolated places elsewhere. In contrast more than twice the average was registered at many places in south-west England and south Wales. Daily falls of more than 1 in. were rather frequent in western districts, particularly in the second half of the month. Among the largest falls in 24 hours were 2.23 in. at Princetown, S. Devon on the 8th, 3.27 in. and 2.70 in. at Blaenau Festiniog on the 11th and 15th respectively and 2.09 in. at Guernsey on the 30th. Thunderstorms occurred frequently, chiefly on the 1st to 3rd, 6th to 8th and 15th to 31st. They were recorded on as many as nine days at Boston and Shrewsbury and eight days at Goudhurst, Polegate, Bolton, Market Drayton and West Raynham.

The duration of bright sunshine expressed as a percentage of the average for the period 1906-35 was 99; the percentages of the average for the districts ranged from 96 in the north-west to 107 in the south-east.

September

The weather of September was excessively wet, particularly in the western half of the country. It was unsettled throughout the month, with rather frequent and sometimes severe gales at exposed places, particularly on the 6th, 16th and 17th. Sunshine was appreciably less than the average.

Mean temperature over the country as a whole was 0.5°F . below the 1906-35 average. A cool spell occurred from about the 16th to the 27th. Among rather warm days were the 1st, 4th, 5th, 9th, 10th and 28th, particularly the 4th. Extreme temperatures for the month included 76°F . at Lowestoft, Finningley, Wakefield and Northwich on the 4th, and 31°F . at Marlborough on the 27th.

The general precipitation expressed as a percentage of the average for the period 1881-1915 was 196; it was the wettest September since 1935. More than three times the average occurred in the Cumbrian mountains, locally in the Isle of Man and in scattered areas in Wales. In contrast, in parts of Kent less than 110 per cent. of the average was received, while at Margate slightly less than the average was registered. The total rainfall for the month ranged from 1.4 in. locally on the north coast of Kent to more than 40 in. in the Cumbrian mountains. The excessive rain fall damaged the harvest and caused flooding in some parts. Rainfall was not only heavy but occurred very frequently; over the country as a whole the number of days with measurable rain was 9 in excess of the average for September, while in the south-west the excess was 12 days. Among the heaviest falls in 24 hours were 4.25 in. at Ulpha, Cumberland, 4.00 in. at Cwm Dyli, Snowdon, and 3.72 in. at Thirlmere, Cumberland, on the 6th, 4.14 in. at Hafod Fawr and 4.02 in. at Blaenau Festiniog, both in Merioneth, on the 23rd, 5.15 in. at Llydaw Intake, Snowdon, and 4.23 in. at Pandyrddrywyrd, Merioneth, on the 24th and 4.31 in. at Llydaw Intake on the 25th.

The duration of bright sunshine was almost everywhere appreciably below the average for the period 1906-35, the percentage of the average being 79. Among sunny days were the 2nd, 5th, 7th and 18th.

METEOROLOGY—continued.

Values of Air Temperature, Rainfall and Sunshine for the Third Quarter, 1950, expressed as differences from or percentages of the Average Values.

Districts of
England and Wales.

District.	Air Temperature.			Rainfall.		Sunshine.	Average Values 1881-1915.			
	Highest.	Lowest.	Difference from Average Daily Mean.	Percentage of Average.	Number of Days Difference from Average.	Percentage of Average.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
JULY, 1950.							JULY, 1881-1915.			
	°F.	°F.	°F.	%		%	°F.	mm.		hrs.
England, N.E. - - -	85	40	+ 0.8	117	+ 1	109	58.6	65	15	5.87
England, E. - - -	85	41	+ 0.5	192	+ 2	99	60.5	59	14	6.58
Midland Counties - - -	84	39	- 0.1	133	+ 1	100	59.8	62	14	5.86
England, S.E. - - -	86	40	+ 0.9	140	+ 2	103	61.1	55	13	6.96
England, N.W. - - -	80	41	+ 0.3	91	0	99	58.7	77	16	5.90
England, S.W. - - -	76	39	0.0	148	+ 4	90	59.7	75	15	6.39
Mean - - -	—	—	+ 0.4	137	+ 2	100	59.7	66	15	6.26
AUGUST, 1950.							AUGUST, 1881-1915.			
England, N.E. - - -	80	41	+ 0.4	136	4	100	58.2	66	16	5.27
England, E. - - -	82	40	+ 1.0	104	+ 2	97	60.1	56	14	6.05
Midland Counties - - -	79	41	+ 0.1	132	+ 3	100	59.0	65	15	5.43
England, S.E. - - -	83	40	+ 0.7	126	+ 2	107	60.9	59	14	6.48
England, N.W. - - -	76	42	+ 0.1	164	+ 4	96	58.3	92	17	5.19
England, S.W. - - -	78	42	- 0.7	173	+ 4	97	59.4	84	16	6.04
Mean - - -	—	—	+ 0.3	139	+ 3	99	59.3	70	15	5.74
SEPTEMBER, 1950.							SEPTEMBER, 1881-1915.			
England, N.E. - - -	75	34	- 0.5	181	+ 7	86	54.5	45	13	4.61
England, E. - - -	76	35	- 0.4	153	+ 8	81	56.2	48	13	5.15
Midland Counties - - -	76	32	- 0.5	183	+ 9	84	55.1	49	13	4.51
England, S.E. - - -	74	31	- 0.5	138	+ 9	80	57.3	54	13	5.43
England, N.W. - - -	76	35	- 0.5	246	+ 11	73	55.1	70	15	4.46
England, S.W. - - -	74	33	- 0.3	220	+ 12	73	56.3	71	14	4.96
Mean - - -	—	—	- 0.5	187	+ 9	79	55.7	56	13	4.85
THIRD QUARTER, 1950.							THIRD QUARTER, 1881-1915.			
England, N.E. - - -	85	34	+ 0.2	145	+ 4	98	57.1	176	44	5.25
England, E. - - -	85	35	+ 0.4	150	+ 4	92	58.9	163	41	5.93
Midland Counties - - -	84	32	- 0.2	149	+ 4	95	58.0	176	42	5.27
England, S.E. - - -	86	31	+ 0.4	135	+ 4	97	59.8	168	40	6.29
England, N.W. - - -	80	35	0.0	167	+ 5	89	57.4	239	48	5.18
England, S.W. - - -	78	33	- 0.3	180	+ 7	87	58.5	230	45	5.80
Mean - - -	—	—	- 0.1	154	+ 5	93	58.3	192	43	5.62

SURVEY OF SICKNESS IN JUNE QUARTER, 1950.

RECORD OF ILLNESS, INJURIES, INCAPACITY AND MEDICAL CONSULTATIONS EXPERIENCED BY REPRESENTATIVE POPULATION SAMPLES IN ENGLAND AND WALES.

The Social Survey has, during 1944-48, interviewed a sample of approximately 3,000 persons aged 16 and over at the beginning of each month. From the beginning of 1949 the number was increased to 4,000. The sample is distributed over the whole of England and Wales in different localities each month so selected as to secure proper representation of each class of area; within each locality the persons to be interviewed are chosen by a random process from the registers of the local National Registration Office. In the course of interviews conducted by Social Survey workers at the homes of the persons selected, information is asked for about the illnesses, ailments and days of incapacity experienced during the three months preceding interview and as to medical consultations and social factors. Participation in the survey is entirely voluntary but refusals are so exceptional as to have no appreciable effect on the validity of the data. Coding of the diseases, symptoms and injuries described, according to the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948*, and the statistical analysis is carried out by the General Register Office.

Table A summarizes sickness experiences and Tables B, C, D show the numbers of illnesses, days of incapacity and medical consultations during the months of April, May and June, 1950. Tables E, F, G show the numbers of persons affected by the experiences, with sex and age distinction, and Table H analyses them by occupation and income group.

TABLE A.—Summary of sickness experiences during the months stated, based on interviews in the two following months.

	April				May				June			
	16-64		65 & over		16-64		65 & over		16-64		65 & over	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
No. of persons whose experience was recorded for the month stated — —	3,101	3,613	454	648	3,117	3,604	457	625	3,111	3,639	444	648
No. of persons reporting some illness or injury — — — —	1,913	2,552	371	579	1,828	2,563	363	551	1,764	2,525	351	569
Rate per hundred persons interviewed — —	62	71	82	89	59	71	79	88	57	69	79	88
No. of illnesses and injuries — — —	3,495	5,503	876	1,550	3,332	5,522	865	1,483	3,134	5,434	785	1,467
Rate per hundred persons interviewed — —	113	152	193	239	107	153	189	237	101	149	177	226
No. of days of incapacity — — —	2,756	2,983	788	1,233	2,743	2,580	733	705	2,744	2,543	411	61
Rate per hundred persons interviewed — —	89	83	174	190	88	72	160	113	88	70	93	94
No. of medical consultations — — —	1,259	1,503	426	515	1,147	1,645	374	492	1,113	1,741	281	413
Rate per hundred persons interviewed — —	41	42	94	79	37	46	82	79	36	48	63	64

TABLE B.—Distribution of Illnesses and Injuries reported as affecting persons aged 16-64, 65 and over, in each month, by severity.

Month of interview	Month of experience	Class	Ages 16-64					Ages 65 and over				
			Serious	Moderate, Mild	Minor	Ill-defined	Total	Serious	Moderate, Mild	Minor	Ill-defined	Total
May	April	Illness New —	5	134	659	84	882	6	27	68	19	120
		Recurrent	15	41	653	444	1,153	21	7	109	55	192
		Continued	91	118	1,607	662	2,478	133	51	561	136	881
		Injury — —	6	17	73	—	96	4	1	14	—	19
June	April	Illness New —	8	128	394	74	604	2	28	45	12	87
		Recurrent	15	44	721	498	1,278	19	4	148	75	246
		Continued	70	100	1,584	685	2,439	137	39	517	177	870
		Injury — —	3	11	54	—	68	2	4	5	—	11
June	May	Illness New —	13	134	568	105	820	5	18	61	19	103
		Recurrent	19	36	762	501	1,318	18	5	146	77	246
		Continued	69	104	1,657	709	2,539	133	48	527	184	892
		Injury — —	2	19	72	—	93	3	5	10	—	18
July	May	Illness New —	4	108	311	64	487	3	17	38	9	67
		Recurrent	12	27	817	439	1,295	12	6	121	64	203
		Continued	57	100	1,526	552	2,235	99	15	532	162	808
		Injury — —	3	21	43	—	67	2	—	9	—	11
July	June	Illness New —	2	100	385	100	587	—	13	32	10	55
		Recurrent	12	33	829	466	1,340	13	8	124	67	212
		Continued	61	109	1,589	578	2,337	98	19	548	165	830
		Injury — —	6	19	79	—	104	2	1	10	—	13
August	June	Illness New —	4	76	216	56	352	1	9	35	4	49
		Recurrent	12	24	696	465	1,197	23	2	130	64	219
		Continued	95	96	1,701	685	2,577	125	30	551	157	863
		Injury — —	9	15	50	—	74	2	—	8	1	11

* See page 29

TABLE C(2).—Distribution of Illnesses and Injuries of Different Kinds according to Days of Incapacity at ages 16 and over.

Nature of Illness or Injury	Number of Illnesses and Injuries causing incapacity of the specified number of days during the month of experience															Total days of in- capacity in month
	0	1	2	3	4	5	6	7	8	9	10	11-	18-	25 or over	Total	
April (May and June interviews)																
1. Tuberculosis of lungs - -	22	—	1	—	—	—	—	1	—	—	—	—	—	3	27	99
2. Psychoneuroses, mental disorders - -	92	3	—	—	—	—	—	—	2	—	—	1	2	1	101	105
3. Eye affections - -	507	—	—	1	—	—	—	—	1	—	—	1	1	3	516	137
4. Ear and mastoid - -	319	1	—	—	—	—	—	—	1	—	—	1	—	1	323	48
5. Rheumatism (1) - -	1,353	2	3	7	3	1	3	9	3	—	2	14	3	7	1,410	646
6. Heart and arteries - -	287	—	—	2	1	—	3	2	—	—	5	3	5	5	313	383
7. Affections of veins - -	277	1	3	1	1	—	—	1	—	—	—	2	1	5	292	222
8. Colds, influenza - -	917	14	17	18	10	11	7	35	6	5	6	39	10	5	1,100	1,540
9. Sore throat (2) - -	57	2	2	3	—	—	1	6	1	1	1	2	1	1	78	167
10. Other respiratory - -	887	—	5	2	4	3	3	11	3	—	1	20	9	12	960	998
11. Dental disorders - -	425	3	4	1	1	—	1	2	—	—	—	—	—	—	437	38
12. Ulcer of stomach and duodenum - -	78	—	—	1	—	—	1	3	—	1	1	4	1	2	92	181
13. Other stomach - -	719	3	2	5	—	—	1	3	—	1	2	3	2	1	733	190
14. Other digestive (3) - -	387	1	—	1	—	—	3	2	—	1	—	1	2	2	400	161
15. Diseases of skin (4) - -	323	—	—	—	—	1	—	3	—	—	—	6	1	3	337	218
16. Other defined illness - -	900	12	5	7	7	6	4	10	3	1	10	18	10	13	1,006	1,182
17. Ill-defined symptoms - -	3,002	5	14	5	10	4	8	9	4	—	13	20	6	5	3,105	936
18. Injuries - -	148	4	5	5	3	1	—	2	1	—	5	9	7	4	194	509
Total - - -	10,691	51	61	59	40	27	35	102	24	10	48	143	60	73	11,424	7,760
May (June and July interviews)																
1. Tuberculosis of lungs - -	18	—	1	—	—	—	—	—	—	—	—	1	—	—	20	17
2. Psychoneuroses, mental disorders - -	80	2	1	3	1	—	1	2	1	—	—	3	1	4	99	228
3. Eye affections - -	488	—	—	1	—	—	—	3	—	—	—	3	—	1	496	99
4. Ear and mastoid - -	345	1	—	—	—	—	—	—	—	—	—	2	—	—	348	29
5. Rheumatism (1) - -	1,263	3	2	1	2	3	1	6	2	—	7	13	3	4	1,310	543
6. Heart and arteries - -	292	3	—	—	1	1	—	5	—	—	—	4	1	11	318	457
7. Affections of veins - -	291	—	—	—	—	1	—	3	—	—	—	3	1	2	301	149
8. Colds, influenza - -	632	9	13	16	8	5	2	12	1	2	5	18	9	2	734	807
9. Sore throat (2) - -	62	2	2	3	1	2	—	6	1	—	1	11	1	—	92	266
10. Other respiratory - -	923	5	5	4	3	—	2	7	—	2	2	22	5	13	993	960
11. Dental disorders - -	498	1	—	2	1	—	1	2	—	—	—	1	—	—	506	43
12. Ulcer of stomach and duodenum - -	82	2	3	1	—	—	1	—	—	—	—	2	3	3	97	202
13. Other stomach - -	701	4	4	3	1	—	2	4	—	—	1	2	1	2	725	184
14. Other digestive (3) - -	414	1	1	2	—	—	1	2	—	—	2	2	—	1	426	104
15. Diseases of skin (4) - -	337	1	1	1	—	—	1	3	—	1	3	8	1	2	359	268
16. Other defined illness - -	1,017	12	10	6	5	3	7	15	1	2	7	17	11	11	1,124	1,126
17. Ill-defined symptoms - -	2,981	15	15	7	9	1	2	6	—	1	7	14	1	6	3,065	643
18. Injuries - -	137	4	—	1	4	1	—	11	1	—	1	19	5	5	189	636
Total - - -	10,561	65	58	51	36	17	21	87	7	8	36	145	43	67	11,202	6,761
June (July and August interviews)																
1. Tuberculosis of lungs - -	12	—	—	—	—	—	—	—	—	—	—	1	—	1	14	45
2. Psychoneuroses, mental disorders - -	93	—	—	1	—	1	1	1	—	—	—	2	—	3	102	131
3. Eye affections - -	503	—	—	—	—	—	—	2	—	—	—	—	1	2	508	91
4. Ear and mastoid - -	387	2	—	1	—	—	—	—	—	—	—	1	—	1	392	47
5. Rheumatism (1) - -	1,265	1	5	6	—	—	1	10	1	—	3	8	3	8	1,311	544
6. Heart and arteries - -	285	—	2	—	3	—	—	1	1	—	1	1	3	12	309	476
7. Affections of veins - -	284	—	—	—	—	—	—	1	1	1	1	1	1	1	291	99
8. Colds, influenza - -	388	7	11	7	4	—	1	6	2	2	—	2	—	3	433	257
9. Sore throat (2) - -	27	1	2	—	—	—	2	2	—	1	—	1	—	—	36	54
10. Other respiratory - -	982	3	5	2	2	—	1	9	3	1	3	7	10	11	1,039	797
11. Dental disorders - -	428	4	1	—	—	—	1	—	—	—	—	1	—	—	435	26
12. Ulcer of stomach and duodenum - -	68	1	—	2	2	—	—	—	—	—	3	3	—	4	83	194
13. Other stomach - -	712	7	7	—	1	1	—	4	—	—	—	2	3	3	740	240
14. Other digestive (3) - -	401	2	3	—	1	2	1	2	—	—	1	1	3	2	419	188
15. Diseases of skin (4) - -	311	1	—	2	4	1	2	5	—	—	—	4	4	7	341	417
16. Other defined illness - -	1,066	14	10	3	8	1	4	15	2	1	7	22	8	15	1,176	1,208
17. Ill-defined symptoms - -	2,912	11	10	6	6	3	2	7	1	2	3	12	4	10	2,989	754
18. Injuries - -	145	5	3	2	2	2	1	8	3	—	7	9	3	12	202	741
Total - - -	10,269	59	59	32	33	11	17	73	14	8	29	78	43	95	10,820	6,309

1), (2), (3), (4)—See page 29.

Note:—When several illnesses and injuries occur concurrently sometimes only the total number of days of incapacity caused by them jointly can be recorded. In such cases the whole of the incapacity is allocated to or divided between the most severe of the concurrent illnesses and injuries.

TABLE C(3).—Aggregate Numbers of Days of Incapacity and of all Illnesses and Injuries, by Sex, Age and Kind.

Nature of Illness or Injury	Number of Illnesses and Injuries								Total days lost in month							
	Ages 16-64				Ages 65 and over				Ages 16-64				Ages 65 and over			
	New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
April (May and June interviews)																
1. Tuberculosis of lungs -	—	—	17	7	—	—	1	2	—	—	62	7	—	—	—	—
2. Psychoneuroses, mental disorders -	9	14	30	39	—	1	5	3	—	23	32	36	—	14	—	—
3. Eye affections -	39	43	116	159	4	15	47	93	88	17	—	—	3	—	14	—
4. Ear and mastoid -	30	24	78	67	4	5	52	63	1	—	40	7	—	—	—	—
5. Rheumatism (1) -	169	270	160	371	45	55	99	241	97	65	42	206	2	3	42	11
6. Heart and arteries -	8	26	43	97	2	10	44	83	—	—	105	86	—	21	49	11
7. Affections of veins -	17	23	42	149	2	4	16	39	31	38	22	61	—	—	—	—
8. Colds, influenza -	428	440	49	59	50	54	9	11	466	500	76	97	129	192	40	—
9. Sore throat (2) -	23	39	4	9	—	2	—	1	28	61	42	6	—	30	—	—
10. Other respiratory -	116	127	275	263	15	36	69	59	139	261	197	194	10	50	74	—
11. Dental disorders -	79	79	112	136	2	3	10	16	8	5	6	12	—	—	—	—
12. Ulcer of stomach and duodenum -	12	1	51	14	1	4	3	6	25	—	149	—	—	—	—	—
13. Other stomach -	154	175	119	123	36	47	28	51	74	28	40	16	7	—	25	—
14. Other digestive (3) -	16	47	51	196	7	7	20	56	21	61	6	50	3	14	6	—
15. Diseases of skin (4) -	58	47	84	93	5	7	10	33	45	35	15	72	21	—	30	—
16. Other defined illness -	67	197	162	344	11	30	79	116	61	262	254	325	57	16	110	—
17. Ill-defined symptoms -	351	789	408	990	59	122	131	255	79	205	146	204	40	38	86	—
18. Injuries -	64	28	54	18	4	8	6	12	277	43	82	—	19	67	21	—
Total -	1,640	2,369	1,855	3,134	247	410	629	1,140	1,440	1,604	1,316	1,379	291	445	497	7
May (June and July interviews)																
1. Tuberculosis of lungs -	—	—	14	5	—	—	1	—	—	—	17	—	—	—	—	—
2. Psychoneuroses, mental disorders -	7	14	25	43	—	1	4	5	44	15	37	132	—	—	—	—
3. Eye affections -	34	43	108	156	7	10	46	92	21	—	31	—	—	7	30	—
4. Ear and mastoid -	39	24	78	70	1	5	64	67	—	—	14	14	—	—	1	—
5. Rheumatism (1) -	173	284	133	311	39	66	85	219	145	45	63	108	15	31	57	—
6. Heart and arteries -	13	27	50	101	4	9	41	73	42	9	130	106	—	—	36	—
7. Affections of veins -	17	19	53	160	1	4	11	36	46	20	62	7	—	—	7	—
8. Colds, influenza -	282	302	32	31	28	43	4	12	240	329	65	12	45	63	15	—
9. Sore throat (2) -	29	44	7	4	1	6	—	1	60	149	50	7	—	—	—	—
10. Other respiratory -	136	139	284	271	25	26	63	49	173	77	225	281	21	70	76	—
11. Dental disorders -	92	104	114	164	4	3	12	13	8	10	7	18	—	—	—	—
12. Ulcer of stomach and duodenum -	12	3	48	21	1	3	3	6	5	—	155	40	2	—	—	—
13. Other stomach -	159	201	101	109	33	52	32	38	53	26	3	54	3	11	34	—
14. Other digestive (3) -	23	67	52	192	6	7	24	55	19	32	31	16	—	3	3	—
15. Diseases of skin (4) -	67	55	86	102	3	4	18	24	73	41	69	38	—	—	47	—
16. Other defined illness -	95	258	168	372	10	28	81	112	146	210	171	319	11	45	146	—
17. Ill-defined symptoms -	337	822	356	952	58	131	145	264	68	131	86	167	47	—	75	—
18. Injuries -	61	31	47	21	6	8	4	11	271	108	113	59	41	9	21	—
Total -	1,576	2,437	1,756	3,085	227	406	638	1,077	1,414	1,202	1,329	1,378	185	245	548	4
June (July and August interviews)																
1. Tuberculosis of lungs -	—	—	8	5	—	—	1	—	—	—	45	—	—	—	—	—
2. Psychoneuroses, mental disorders -	6	17	17	48	—	3	3	8	11	—	14	106	—	—	—	—
3. Eye affections -	21	42	128	170	2	4	43	98	14	—	30	21	—	—	—	—
4. Ear and mastoid -	31	21	116	81	3	3	68	69	17	2	28	—	—	—	—	—
5. Rheumatism (1) -	152	289	151	301	37	76	83	222	119	105	85	102	—	20	24	—
6. Heart and arteries -	9	21	48	109	1	9	32	80	—	—	173	111	—	10	88	—
7. Affections of veins -	8	16	60	155	3	5	13	31	—	—	62	16	21	—	—	—
8. Colds, influenza -	156	181	19	19	17	30	5	6	85	53	7	58	5	49	—	—
9. Sore throat (2) -	6	17	4	6	—	1	—	2	7	40	—	7	—	—	—	—
10. Other respiratory -	118	179	307	273	19	24	58	61	93	147	366	55	—	63	37	—
11. Dental disorders -	63	80	97	165	5	1	13	11	15	8	—	3	—	—	—	—
12. Ulcer of stomach and duodenum -	7	1	46	20	—	—	4	5	25	—	121	48	—	—	—	—
13. Other stomach -	148	211	106	124	26	47	35	43	69	53	34	55	1	28	—	—
14. Other digestive (3) -	31	53	46	189	5	11	19	65	66	33	12	35	—	7	—	—
15. Diseases of skin (4) -	53	52	84	98	3	5	16	30	130	82	119	41	—	—	38	—
16. Other defined illness -	76	289	186	395	15	23	78	114	93	215	191	510	2	80	81	—
17. Ill-defined symptoms -	335	787	378	955	51	106	116	261	55	165	162	235	28	4	79	—
18. Injuries -	63	35	50	30	4	4	7	9	261	83	235	154	7	1	—	—
Total -	1,283	2,291	1,851	3,143	191	352	594	1,115	1,060	986	1,684	1,557	64	262	347	3

(1), (2), (3), (4) See page 29. See note under Table C(2).

TABLE D(2).—Distribution of Illnesses and Injuries of Different Kinds according to the Number of Medical Consultations.

Nature of Illness or Injury	Number of illnesses and injuries causing consultations of the specified number during the month								Total Consultations in the Month							
	Ages 16 and over							Total illness and injury	Ages 16-64				Ages 65 and over			
	0	1	2	3	4	5 or more A† B†	New and Re-current		Con- tinued	New and Re-current		Con- tinued				
										M.	F.	M.	F.	M.	F.	M.
April (May and June interviews)																
1. Tuberculosis of lungs -	10	6	3	—	4	4	44	27	—	—	53	13	—	—	—	6
2. Psychoneuroses, mental disorders -	76	10	5	3	5	2	14	101	8	3	12	30	—	3	7	—
3. Eye affections -	463	33	10	1	5	4	32	516	26	23	8	19	3	2	17	10
4. Ear and mastoid -	294	20	4	1	3	1	6	323	9	8	11	12	—	—	7	2
5. Rheumatism (1) -	1,284	63	22	9	21	11	84	1,410	43	19	44	93	12	5	16	70
6. Heart and arteries -	213	52	19	5	14	10	81	313	2	6	32	80	—	9	57	56
7. Affections of veins -	258	21	7	4	2	—	—	292	9	13	7	20	—	—	—	6
8. Colds, influenza -	936	73	43	15	17	16	112	1,100	141	119	17	25	20	45	12	5
9. Sore throat (2) -	52	10	9	4	2	1	5	78	13	25	8	3	—	4	—	—
10. Other respiratory -	826	49	27	14	22	22	217	960	64	93	65	94	7	20	74	33
11. Dental disorders -	428	6	3	—	—	—	—	437	2	5	1	4	—	—	—	—
12. Ulcer of stomach and duodenum -	56	13	7	2	10	4	25	92	8	—	77	7	—	1	2	3
13. Other stomach -	661	33	21	8	9	1	5	733	21	22	34	25	7	4	11	16
14. Other digestive (3) -	372	12	12	2	—	2	14	400	4	19	2	17	2	3	5	4
15. Diseases of skin (4) -	273	32	16	5	3	8	76	337	39	22	14	56	22	2	5	7
16. Other defined illness -	746	113	64	25	36	22	174	1,006	36	101	123	204	13	9	63	85
17. Ill-defined symptoms -	2,813	166	63	24	26	13	111	3,105	45	109	112	171	12	19	40	71
18. Injuries -	115	29	16	10	13	11	96	194	117	42	52	1	8	15	4	—
Total -	9,876	741	351	132	192	132	1,096	11,424	587	629	672	874	106	141	320	374
May (June and July interviews)																
1. Tuberculosis of lungs -	6	5	6	—	2	1	6	20	—	—	22	9	—	—	—	—
2. Psychoneuroses, mental disorders -	65	8	12	5	8	1	10	99	13	3	24	43	—	—	3	3
3. Eye affections -	455	23	9	1	6	2	13	496	8	6	9	18	4	6	14	16
4. Ear and mastoid -	320	16	7	1	2	2	13	348	8	8	13	15	—	—	7	3
5. Rheumatism (1) -	1,163	79	36	11	14	7	44	1,310	42	40	28	87	—	11	17	59
6. Heart and arteries -	218	54	13	5	17	11	89	318	15	13	28	77	5	8	49	57
7. Affections of veins -	258	24	9	3	5	2	12	301	16	8	6	39	—	1	2	11
8. Colds, influenza -	628	52	20	16	10	8	48	734	69	95	16	11	21	11	—	5
9. Sore throat (2) -	56	10	13	6	3	4	24	92	25	50	11	2	—	2	—	—
10. Other respiratory -	878	37	25	14	16	23	208	993	58	44	82	98	16	19	47	37
11. Dental disorders -	495	4	4	1	—	2	12	506	9	5	3	7	—	1	2	—
12. Ulcer of stomach and duodenum -	54	17	15	2	5	4	25	97	8	2	60	15	—	—	2	11
13. Other stomach -	647	31	28	4	14	1	10	725	22	29	31	32	8	10	15	18
14. Other digestive (3) -	393	17	8	3	4	1	5	426	9	7	9	18	5	5	8	2
15. Diseases of skin (4) -	274	41	16	9	10	9	62	359	55	46	40	43	4	4	8	2
16. Other defined illness -	823	146	82	16	30	27	180	1,124	49	122	89	244	6	19	72	57
17. Ill-defined symptoms -	2,754	185	68	17	28	13	98	3,065	49	113	81	220	14	20	23	62
18. Injuries -	96	25	23	16	16	13	87	189	106	52	34	24	14	21	8	11
Total -	9,583	774	394	130	190	131	946	11,202	561	643	586	1,002	97	138	277	354
June (July and August interviews)																
1. Tuberculosis of lungs -	5	4	4	—	—	1	5	14	—	—	11	6	—	—	—	—
2. Psychoneuroses, mental disorders -	65	16	12	3	4	2	10	102	2	10	12	43	—	1	—	7
3. Eye affections -	461	31	12	1	1	2	11	508	6	5	12	22	—	—	11	17
4. Ear and mastoid -	350	29	7	1	4	1	5	392	19	10	12	11	—	2	6	7
5. Rheumatism (1) -	1,152	81	41	7	23	7	41	1,311	39	40	38	106	7	11	29	47
6. Heart and arteries -	206	56	16	4	17	10	86	309	7	14	41	87	—	2	41	62
7. Affections of veins -	245	26	10	3	5	2	11	291	—	5	17	51	5	—	1	7
8. Colds, influenza -	375	37	12	5	1	3	16	433	40	25	3	7	7	8	6	—
9. Sore throat (2) -	19	6	7	3	1	—	—	36	5	18	1	5	—	—	—	4
10. Other respiratory -	918	49	25	12	18	17	142	1,039	49	66	119	52	7	11	22	23
11. Dental disorders -	428	4	2	1	—	—	—	435	—	3	—	5	—	—	3	—
12. Ulcer of stomach and duodenum -	44	12	16	2	8	1	8	83	8	—	40	28	—	—	5	9
13. Other stomach -	656	45	19	6	12	2	15	740	16	23	26	43	5	15	15	21
14. Other digestive (3) -	384	16	7	5	4	3	26	419	13	16	8	19	4	1	6	20
15. Diseases of skin (4) -	249	43	12	8	15	14	102	341	60	50	74	42	—	10	7	10
16. Other defined illness -	853	158	83	14	39	29	258	1,176	39	164	101	364	7	13	45	47
17. Ill-defined symptoms -	2,708	179	52	17	15	18	116	2,989	40	116	70	203	10	7	28	36
18. Injuries -	104	35	25	14	12	12	111	202	119	39	66	43	4	7	—	8
Total -	9,222	827	362	106	179	124	963	10,820	462	604	651	1,137	56	88	225	325

(1), (2), (3), (4). See page 29.

†A. Number of illnesses and injuries.

B. Number of consultations.

note:—When several illnesses and injuries occur concurrently sometimes only the total number of consultations caused by them jointly can be recorded. In such cases all the consultations are allocated to or divided between the most severe of the concurrent illnesses and injuries.

TABLE E.—Distribution by Age and Sex of Persons according to Number of Illnesses (with distinction of the highest grade) and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month.

			16-	25-	35-	45-	55-	65-	75-	Total	16-	25-	35-	45-	55-	65-	75-	Total
			April (May interviews)								April (June interviews)							
Number of people interviewed	-	M.	238	357	404	310	238	155	66	1,768	231	385	405	317	216	158	75	1,787
	-	F.	256	456	418	383	290	223	125	2,151	286	437	430	376	281	184	116	2,110
Total illnesses in the month	-	M.	177	343	491	400	355	282	135	2,183	158	333	433	421	266	300	149	2,211
	-	F.	303	610	625	678	531	473	303	3,523	316	551	649	686	508	437	317	3,707
Total injuries in the month	-	M.	13	19	14	8	11	4	4	73	13	10	11	11	8	2	—	69
	-	F.	4	7	5	8	7	8	3	42	1	2	3	5	4	5	4	42
Number of people with one or more new or recurring illnesses starting in month (1)	-	M.	83	137	184	138	89	68	22	721	68	140	147	119	79	62	26	717
	-	F.	120	216	182	191	134	95	55	993	111	180	184	162	119	84	58	997
Grade of most severe illness suffered	Serious	M.	—	—	2	2	—	1	1	6	2	1	1	1	3	1	1	14
		F.	1	4	2	2	3	5	12	29	2	1	3	1	3	5	7	25
	Moderate or mild	M.	11	14	28	15	13	10	3	94	10	16	19	14	13	5	3	87
		F.	15	24	21	17	16	14	6	113	19	19	20	19	12	11	9	91
	Minor	M.	59	104	136	102	64	47	14	526	50	109	100	86	45	48	18	507
		F.	83	137	122	132	88	55	28	645	74	106	111	101	75	49	31	652
	Ill-defined symptom	M.	13	19	18	19	12	10	4	95	6	23	27	18	18	8	4	109
		F.	21	51	37	40	27	21	9	206	16	54	50	41	29	19	11	229
Number with continued illness but no new or recurrent one	-	M.	38	55	87	71	86	59	33	429	27	76	81	90	69	65	37	425
	-	F.	38	91	116	101	101	100	59	606	59	86	112	131	98	76	50	598
Number with an injury received in month (2)	-	M.	8	13	4	4	3	—	3	35	11	4	6	6	3	1	—	40
	-	F.	1	7	4	6	6	4	—	28	—	—	1	3	2	2	3	25
Number with continued trouble from injury (but no new injury) (2)	-	M.	5	6	7	4	8	4	1	35	—	5	5	4	5	1	—	24
	-	F.	3	—	1	2	1	4	3	14	1	2	2	2	1	1	1	14
Total with some illness or injury	-	M.	131	202	274	210	178	127	54	1,176	103	221	234	211	149	127	63	1,163
	-	F.	160	310	298	296	238	197	115	1,614	170	267	299	296	218	160	107	1,602
Total days of incapacity in month	-	M.	157	298	349	182	393	333	120	1,832	197	193	358	367	262	260	75	1,823
	-	F.	99	370	326	280	446	355	358	2,234	229	360	300	322	251	312	208	1,726
Total medical consultations in month	-	M.	82	108	169	121	187	132	81	880	62	114	161	145	110	161	52	803
	-	F.	62	164	216	176	158	142	134	1,052	105	151	174	167	130	116	123	1,027

			May (June interviews)								May (July interviews)							
Number of people interviewed	-	M.	231	383	405	317	216	158	75	1,787	227	378	405	320	233	148	76	1,787
	-	F.	286	437	430	376	281	184	116	2,110	280	432	425	366	291	210	115	2,110
Total illnesses in the month	-	M.	202	375	458	440	283	291	162	2,211	142	285	362	368	309	232	170	2,211
	-	F.	364	624	687	716	528	457	331	3,707	270	516	664	590	511	406	270	3,707
Total injuries in the month	-	M.	12	16	18	11	7	5	—	69	14	11	8	5	6	4	1	69
	-	F.	6	2	7	7	7	7	6	42	6	5	2	5	5	2	4	42
Number of people with one or more new or recurring illnesses starting in month (1)	-	M.	99	158	161	129	87	60	32	717	67	115	129	113	82	42	27	717
	-	F.	139	219	199	163	124	92	61	997	108	175	202	181	118	84	40	997
Grade of most severe illness suffered	Serious	M.	1	—	3	3	5	1	1	14	—	—	2	1	—	3	3	14
		F.	1	2	3	2	4	5	8	25	—	3	—	2	3	3	3	25
	Moderate or mild	M.	17	16	13	18	13	5	5	87	10	12	14	11	9	5	2	87
		F.	14	25	19	12	10	6	5	91	11	16	26	17	6	8	3	91
	Minor	M.	65	121	122	89	48	41	21	507	50	84	89	86	61	30	18	507
		F.	108	130	129	106	81	63	35	652	73	114	121	116	88	50	27	652
	Ill-defined symptom	M.	7	21	23	19	21	13	5	109	7	19	24	15	12	4	4	109
		F.	16	62	48	43	29	18	13	229	24	42	55	46	21	23	7	229
Number with continued illness but no new or recurrent one	-	M.	30	63	74	89	66	63	35	425	29	63	93	73	73	63	40	425
	-	F.	50	82	117	131	99	72	47	598	50	95	99	94	107	87	68	598
Number with an injury received in month (2)	-	M.	7	12	12	5	1	3	—	40	12	5	6	1	1	3	—	40
	-	F.	4	1	4	5	4	4	3	25	3	4	2	2	3	2	—	25
Number with continued trouble from injury (but no new injury) (2)	-	M.	4	3	5	5	5	2	—	24	2	5	2	4	5	1	1	24
	-	F.	1	1	3	2	2	2	3	14	3	1	—	2	2	—	4	14
Total with some illness or injury	-	M.	123	232	243	219	155	124	67	1,163	104	182	226	187	157	105	67	1,163
	-	F.	189	302	317	298	225	164	107	1,602	160	271	301	275	225	171	109	1,602
Total days of incapacity in month	-	M.	197	255	288	381	287	246	169	1,823	188	217	325	306	299	196	122	1,823
	-	F.	223	291	324	289	157	224	218	1,726	138	248	351	392	167	147	116	1,726
Total medical consultations in month	-	M.	78	119	141	158	111	152	44	803	59	103	127	148	103	93	85	803
	-	F.	93	156	173	196	143	116	150	1,027	63	163	248	241	169	125	101	1,027

Notes.—(1) Includes recurrent attacks of chronic illness.

(2) With or without an illness also.

TABLE E—continued.—Distribution by Age and Sex of Persons according to Number of Illnesses (with distinction of the highest grade) and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month.

		16-	25-	35-	45-	55-	65-	75-	Total	16-	25-	35-	45-	55-	65-	75-	Total
		June (July interviews)								June (August interviews)							
		M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
Number of people interviewed		227	280	378	432	405	425	320	366	233	291	148	210	76	115	1,787	2,119
Total illnesses in the month		146	319	313	547	393	699	392	609	308	538	238	411	172	276	1,962	3,399
Total injuries in the month		14	8	22	12	16	3	7	8	7	3	4	2	2	4	72	45
Number of people with one or more new or recurring illnesses starting in month (1) -		66	134	129	190	139	218	125	179	87	130	41	79	30	43	617	973
Grade of most severe illness suffered	Serious -	—	—	—	—	—	—	—	—	1	3	3	3	3	3	4	15
	Moderate or mild -	4	15	8	21	22	21	15	10	4	7	3	3	3	3	59	84
	Minor -	48	90	95	122	92	145	94	122	67	96	31	47	19	28	446	650
	Ill-defined symptom -	14	29	26	46	25	51	16	44	6	23	5	6	5	9	108	224
Number with continued illness but no new or recurrent one -		33	46	67	91	87	100	75	104	72	97	65	91	38	67	437	596
Number with an injury received in month (2) -		9	4	14	9	13	3	4	3	1	5	2	2	1	—	44	26
Number with continued trouble from injury (but no new injury) (2) -		5	4	7	2	3	—	3	3	6	3	2	1	1	4	27	17
Total with some illness or injury -		106	183	206	283	232	319	201	285	161	227	107	171	68	111	1,081	1,579
Total days of incapacity in month -		209	88	283	251	348	277	379	323	203	195	169	122	62	110	1,653	1,366
Total medical consultations in month -		73	88	137	179	164	222	165	218	97	176	82	103	84	93	802	1,079

Notes:—(1) Includes recurrent attacks of chronic illness.
(2) With or without an illness also.

SHORT LIST USED IN TABLES C(2), C(3), AND D(2).

Composition in Terms of Code Groups of the International Classification.*

SHORT LIST	INTERNATIONAL CLASSIFICATION	SHORT LIST	INTERNATIONAL CLASSIFICATION
1. Tuberculosis of lungs - - -	001-008	11. Dental disorders - - - -	530-535
2. Psychoneuroses, mental disorders	300-326	12. Ulcer of stomach and duodenum -	540; 541
3. Eye affections - - - -	370-389	13. Other stomach - - - -	542-545
4. Ear and mastoid - - - -	390-398	14. Other digestive (3) - - - -	550-553; 570-587
5. Rheumatism (1) - - - -	400-402; 720-727	15. Diseases of skin (4) - - - -	690-716
6. Heart and arteries- - - -	410-456	16. Other defined illness - - - -	{ 010-299; 330-369; 467; 468; 536-539; 560; 561; 590-689; 730-776
7. Affections of veins - - - -	460-466	17. Ill-defined symptoms - - - -	780-795
8. Colds, influenza - - - -	470; 480-483	18. Injuries - - - -	N800-N999
9. Sore throat (2) - - - -	472; 473; 510		
10. Other respiratory - - - -	{ 471; 474; 475; 490-502; 511-527		

(1) All forms except chronic heart affections of rheumatic origin; (2) Including chronic tonsillar conditions;
(3) Except hernia; (4) Including cellular tissue.

*The International Statistical Classification of Diseases, Injuries and Causes of Death, 1948,—obtainable from H.M. Stationery Office, price 30/- net.

TABLE F.—Distributions of Persons aged 16 and over according to Numbers of separate Illnesses and Injuries reported * and Days of Incapacity in the month.

Number of illnesses or injuries	APRIL		MAY		JUNE		APRIL, MAY AND JUNE			
	According to interviews in		According to interviews in		According to interviews in		Ages 16-64		Ages 65 and over	
	MAY	JUNE	JUNE	JULY	JULY	AUGUST	M.	F.	M.	F.
0	1,129	1,272	1,132	1,366	1,246	1,387	3,824	3,216	270	222
1	1,177	1,116	1,122	1,128	1,184	1,116	2,871	3,099	381	493
2	804	706	762	732	725	673	1,488	2,158	321	433
3	433	412	446	352	391	392	688	1,248	177	311
4	232	214	248	193	217	223	303	672	116	233
5	90	110	111	80	84	89	110	266	57	133
6	32	51	51	39	40	34	31	132	21	60
7	14	7	14	11	11	14	10	40	6	11
8 or over	8	9	11	5	8	8	4	25	6	11
Days of incapacity										
0	3,570	3,580	3,583	3,632	3,637	3,685	8,629	10,087	1,222	1,744
1	27	21	28	33	29	22	68	79	4	1
2	32	23	28	23	29	26	59	86	10	1
3	24	31	20	26	16	16	44	68	10	1
4	22	11	21	10	13	12	40	37	6	1
5	17	6	8	6	5	4	17	22	3	1
6	5	12	10	6	12	6	19	22	5	1
7	44	38	42	33	36	33	97	92	14	2
8	9	8	3	2	8	6	11	19	2	1
9	5	6	4	4	4	4	7	19	—	1
10	14	14	18	9	15	7	23	40	6	1
11-	54	73	66	59	35	31	141	120	24	3
18-	38	29	25	22	23	26	65	65	16	1
25 and over	58	45	41	41	44	58	109	100	33	4
Total people -	3,919	3,897	3,897	3,906	3,906	3,936	9,329	10,856	1,355	1,922
Total days -	4,066	3,694	3,549	3,212	3,019	3,290	8,243	8,106	1,932	2,544

* Including new and continued illness or injury affecting the person during the month. Some of the 'separate' illnesses and injuries described were merely symptoms, but no grouping together of these is practicable for the purpose of these tables.

TABLE G.—Distribution of Persons aged 16 and over according to Numbers of Medical Consultations in the month.

Number of Consultations in month	APRIL		MAY		JUNE		APRIL, MAY AND JUNE			
	According to interviews in		According to interviews in		According to interviews in		Ages 16-64		Ages 65 and over	
	MAY	JUNE	JUNE	JULY	JULY	AUGUST	M.	F.	M.	F.
0	3,193	3,199	3,143	3,203	3,149	3,273	8,017	8,777	1,001	1,301
1	331	289	334	316	371	291	503	1,041	131	211
2	161	164	181	154	155	169	327	455	79	111
3	60	70	66	65	67	48	129	173	22	1
4	95	109	97	97	92	93	205	233	75	1
5	21	24	23	21	21	19	48	53	15	1
6	10	14	19	14	19	7	37	32	6	1
7	6	5	10	11	8	4	18	15	6	1
8	14	7	9	10	9	11	19	24	7	1
9	2	2	4	1	—	3	1	9	1	1
10-	20	10	9	12	10	18	18	40	6	1
20 and over	6	4	2	2	5	—	7	4	6	1
Total Consultations	1,932	1,771	1,830	1,828	1,881	1,667	3,519	4,889	1,081	1,444

Occupation and Income Group†	Sex	April (May and June interviews)					May (June and July interviews)					June (July and August interviews)					Total days of incapacity	Total Consultations	No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consultations	No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consultations
		No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consultations	No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consultations	No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consultations												
Professional and Managerial (1) - -	{ M. F. }	605	383	648	367	186	618	361	620	434	190	596	343	601	349	173												
Clerical - - - -	{ M. F. }	167	102	198	90	44	163	109	191	146	65	145	89	169	59	52												
Operatives and Other grades:—																												
Manufacturing - - - -	{ M. F. }	328	211	432	387	149	351	236	438	283	139	382	276	548	309	192												
Transport and Public Services (2) -	{ M. F. }	333	186	330	291	128	324	168	320	225	113	325	171	314	266	106												
Mining and Quarrying - - - -	{ M. F. }	16	10	15	14	2	4	4	12	—	2	9	8	16	—	4												
Building and Roadmaking - - - -	{ M. F. }	154	102	193	238	101	154	110	208	280	95	166	97	191	376	100												
Agriculture - - - -	{ M. F. }	3	3	8	—	4	2	1	3	—	—	3	2	4	—	—												
Distributive - - - -	{ M. F. }	256	147	267	258	113	257	142	244	247	107	250	135	247	290	107												
Other industries - - - -	{ M. F. }	4	3	9	—	—	2	2	10	7	2	1	1	1	—	—												
Housewives - - - -	{ M. F. }	178	102	176	93	34	197	105	193	95	38	183	107	189	105	56												
Retired, part-time, unoccupied or un-	{ M. F. }	23	14	31	29	22	32	15	36	20	18	36	18	29	—	—												
stated - - - -	{ M. F. }	173	117	217	158	81	198	114	202	131	79	200	100	156	67	39												
		135	98	193	129	53	126	95	176	152	61	144	94	168	78	58												
		367	246	475	352	136	325	201	385	417	137	337	184	316	266	113												
		268	188	383	186	89	242	169	347	118	76	259	174	344	180	95												
		2,803	2,138	4,948	2,710	1,359	2,750	2,078	4,834	2,062	1,474	2,736	2,038	4,713	1,954	1,382												
		461	388	941	815	505	461	386	929	805	439	447	361	841	618	328												
		277	213	547	557	229	312	249	658	350	234	334	253	659	392	277												
Income Group of Chief Wage Earner																												
Up to £3 per week - - - -	{ M. F. }	111	101	246	255	95																						
Over £3 and up to £5 - - - -	{ M. F. }	280	241	593	343	147																						
Over £5 and up to £7 10s. 0d. - -	{ M. F. }	375	249	495	504	259																						
Over £7 10s. 0d. and up to £10 - -	{ M. F. }	486	369	788	474	249																						
Over £10 - - - -	{ M. F. }	762	485	915	719	300																						
		706	521	1,134	780	353																						
		225	153	274	108	90																						
		199	141	327	77	61																						
		148	98	177	118	76																						
		135	97	194	105	80																						
Income Group of Head of Household																												
Nil - - - -	{ M. F. }	15	7	11	20	1	29	15	20	44	11	23	11	21	30	26												
Up to £3 - - - -	{ M. F. }	25	19	38	32	12	37	27	58	61	17	29	18	36	62	17												
Over £3 and up to £5 - - - -	{ M. F. }	241	172	378	301	165	456	329	744	806	336	442	320	701	661	302												
Over £5 and up to £7 10s. 0d. - -	{ M. F. }	394	309	813	541	249	814	639	1,651	844	528	854	668	1,616	987	610												
Over £7 10s. 0d. and up to £10 - -	{ M. F. }	271	179	348	423	140	566	360	718	767	288	577	374	743	830	279												
Over £10 and up to £20 - - - -	{ M. F. }	399	283	682	388	205	772	576	1,302	552	398	1,379	550	1,223	516	386												
Over £20 - - - -	{ M. F. }	726	432	799	606	274	1,397	835	1,559	1,126	499	1,323	805	1,371	955	436												
Not ascertained - - - -	{ M. F. }	672	463	996	526	287	1,339	959	2,025	1,010	637	1,323	925	2,066	943	603												
		223	144	270	176	95	462	283	520	325	147	445	242	456	200	156												
		178	120	253	121	64	352	246	522	236	159	363	248	520	136	126												
		93	52	82	38	21	191	109	174	94	59	202	112	187	60	59												
		70	50	104	76	14	142	100	228	70	45	139	97	218	113	91												
		20	12	18	12	8	53	37	61	14	12	48	31	54	25	15												
		24	16	42	23	6	75	33	75	38	18	29	24	44	7	9												
		345	200	358	264	161	420	223	401	300	169	439	220	386	394	121												
		693	502	1,089	730	291	729	534	1,144	474	335	811	564	1,178	390	312												
Totals - - - -		7,816	5,415	11,424	7,760	3,703	7,803	5,305	11,202	6,761	3,658	7,842	5,200	10,820	6,309	3,548												

POPULATION ESTIMATES

Estimated Population by Sex and Age, distinguishing Total, Home and Civilian
 Populations*, as at the 30th June, 1950. England and Wales.

Figures in thousands).

Age Group	Total Population			Home Population			Civilian Population		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
All Ages	44,020	21,357	22,663	43,830	21,169	22,661	43,400	20,757	22,643
0—	698	357	341	698	357	341	698	357	341
1—	726	372	354	726	372	354	726	372	354
2—	777	397	380	777	397	380	777	397	380
3—	860	441	419	860	441	419	860	441	419
4—	664	340	324	664	340	324	664	340	324
5—	3,070	1,569	1,501	3,070	1,569	1,501	3,070	1,569	1,501
10—	2,835	1,442	1,393	2,835	1,442	1,393	2,835	1,442	1,393
15—	2,810	1,419	1,391	2,736	1,346	1,390	2,547	1,162	1,385
20—	3,055	1,545	1,510	2,995	1,486	1,509	2,884	1,383	1,501
25—	3,378	1,697	1,681	3,354	1,673	1,681	3,305	1,626	1,679
30—	3,069	1,530	1,539	3,054	1,515	1,539	3,024	1,486	1,538
35—	3,425	1,704	1,721	3,414	1,693	1,721	3,388	1,668	1,720
40—	3,402	1,692	1,710	3,398	1,688	1,710	3,383	1,674	1,709
45—	3,138	1,531	1,607	3,136	1,529	1,607	3,130	1,523	1,607
50—	2,774	1,293	1,481	2,774	1,293	1,481	2,771	1,290	1,481
55—	2,412	1,088	1,324	2,412	1,088	1,324	2,411	1,087	1,324
60—	2,139	950	1,189	2,139	950	1,189	2,139	950	1,189
65—	1,813	784	1,029	1,813	784	1,029	1,813	784	1,029
70—	1,408	596	812	1,408	596	812	1,408	596	812
75—	907	373	534	907	373	534	907	373	534
80—	447	169	278	447	169	278	447	169	278
85 and over	213	68	145	213	68	145	213	68	145

* See Note 3 on page 3.

APPENDIX A.—Abridged Life Tables
(Civilian Population). } **England and Wales.**

Age x	Males		Females	
	l_x	$^o e_x$	l_x	$^o e_x$
	1948			
0	10,000	66·39	10,000	71·15
1	9,619	68·01	9,705	72·30
2	9,592	67·20	9,679	71·50
3	9,573	66·33	9,665	70·60
4	9,562	65·41	9,654	69·68
5	9,550	64·49	9,645	68·75
10	9,508	59·76	9,616	63·94
15	9,478	54·94	9,590	59·11
20	9,416	50·29	9,536	54·43
25	9,344	45·66	9,462	49·84
30	9,263	41·04	9,379	45·26
35	9,170	36·43	9,295	40·64
40	9,055	31·86	9,199	36·04
45	8,885	27·42	9,069	31·52
50	8,597	23·25	8,878	27·15
55	8,170	19·34	8,594	22·96
60	7,511	15·82	8,195	18·96
65	6,558	12·75	7,595	15·26
70	5,366	10·03	6,722	11·91
75	3,948	7·73	5,445	9·12
80	2,452	5·92	3,817	6·95
85	1,164	4·71	2,150	5·39
	1949			
0	10,000	66·01	10,000	70·63
1	9,635	67·50	9,720	71·66
2	9,609	66·68	9,697	70·83
3	9,596	65·77	9,683	69·93
4	9,582	64·87	9,673	69·00
5	9,572	63·94	9,665	68·06
10	9,534	59·18	9,637	63·25
15	9,504	54·36	9,613	58·40
20	9,444	49·69	9,567	53·67
25	9,370	45·06	9,499	49·04
30	9,292	40·42	9,425	44·40
35	9,205	35·78	9,342	39·77
40	9,092	31·19	9,243	35·17
45	8,922	26·74	9,112	30·64
50	8,633	22·55	8,917	26·26
55	8,190	18·63	8,630	22·05
60	7,504	15·11	8,210	18·05
65	6,504	12·05	7,579	14·34
70	5,242	9·35	6,637	11·02
75	3,744	7·09	5,244	8·29
80	3,207	5·28	3,514	6·14
85	947	3·98	1,812	4·55

These abridged life tables are constructed from the estimated civilian populations in 1948 and 1949 and the civilian deaths registered in those years.

The column headed l_x shows the numbers who would survive to exact age x out of 10,000 born who were subject throughout their lives to the death probabilities indicated by the 1948 and 1949 death records. Column $^o e_x$ is the "expectation of life," that is the average future lifetime which would be lived by a person aged exactly x, if likewise subject to these death probabilities.

APPENDIX B.—Numbers of insured persons absent from work owing to sickness or industrial injury (or prescribed disease). } { England and Wales
Standard Regions

(Figures in thousands)
(Supplied by the Ministry of National Insurance)

Date	England and Wales	Standard Regions										
		Northern	East and West Ridings	North Western	North Midland	Midland	Eastern	London and South Eastern		Southern	South Western	Wales
								London & Middx.	Remainder			
1	2	3	4	5	6	7	8	9	10	11	12	13

(a) Estimated numbers of insured persons absent from work owing to sickness.

1949												
June 21	715.8	56.5	78.8	139.5	51.6	73.8	37.7	85.8	65.6	30.9	44.0	51.0
July 19	704.2	55.0	79.2	138.0	50.4	71.0	36.8	86.4	62.7	30.6	43.2	50.0
Aug. 16	702.0	56.3	78.3	138.6	50.0	71.6	36.7	84.0	62.7	30.1	43.0	50.0
Sept. 20	739.6	59.2	81.9	145.3	53.0	74.0	39.5	90.6	66.8	31.8	44.7	52.0
Oct. 18	782.2	62.5	87.6	153.3	57.0	78.7	40.9	95.6	70.9	33.3	47.7	54.0
Nov. 15	816.8	63.2	86.7	157.6	59.3	80.6	43.8	105.1	78.2	34.9	50.8	56.0
Dec. 20	744.2	58.5	80.7	145.4	54.0	74.8	39.6	89.7	68.1	32.9	47.6	52.0
1950												
Jan. 17	863.1	75.4	93.8	165.5	62.9	87.3	45.2	103.3	78.5	37.3	53.4	60.0
Feb. 21	948.1	81.8	102.5	179.5	68.6	95.0	51.0	115.2	87.5	41.1	58.4	67.0
Mar. 21	958.8	67.9	101.6	188.1	71.6	100.5	50.2	116.8	88.9	42.4	59.6	71.0
Apr. 18	861.6	63.8	94.3	165.9	63.6	86.6	45.8	103.4	79.2	38.7	55.0	65.0
May 16	780.0	60.9	85.6	148.2	57.8	79.4	41.7	94.2	71.4	34.4	50.0	56.0
June 20	731.9	57.3	80.5	137.8	54.2	74.6	38.6	89.7	67.0	32.2	46.3	53.0

(b) Estimated numbers of insured persons absent from work owing to industrial injury (or prescribed disease).

1949												
June 21	52.6	8.0	7.8	7.0	5.3	4.7	1.7	3.8	3.2	1.4	2.1	7.0
July 19	54.2	8.1	8.3	7.2	5.6	4.9	1.8	3.8	3.0	1.4	1.9	8.0
Aug. 16	52.0	7.8	8.0	7.1	5.5	4.4	1.7	3.6	2.7	1.3	1.9	8.0
Sept. 20	57.5	8.5	8.8	7.7	5.9	5.4	2.0	4.0	3.1	1.4	2.2	8.0
Oct. 18	58.4	8.5	9.0	7.8	6.1	5.1	2.0	4.5	3.3	1.4	2.2	8.0
Nov. 15	55.8	8.1	8.7	7.5	5.8	5.0	2.2	4.3	3.1	1.5	2.1	7.0
Dec. 20	50.9	7.5	7.5	6.5	5.3	4.6	2.0	4.0	2.9	1.6	2.0	6.0
1950												
Jan. 17	56.2	8.3	8.8	7.4	5.8	4.9	2.2	4.1	3.1	1.6	2.2	7.0
Feb. 21	59.2	8.9	9.1	7.8	6.3	5.1	2.3	4.2	3.2	1.6	2.4	8.0
Mar. 21	58.3	8.7	8.8	7.8	6.1	5.1	2.0	4.1	3.2	1.7	2.3	8.0
Apr. 18	57.8	8.8	8.8	7.2	5.8	4.8	2.2	4.3	3.1	1.6	2.3	9.0
May 16	53.4	8.3	8.1	7.1	5.5	4.6	1.9	3.9	2.9	1.5	2.1	7.0
June 20	52.8	8.3	8.2	6.9	5.3	4.5	1.7	3.8	2.9	1.4	2.0	7.0

See notes to Table XI.

APPENDIX C.—New claims to injury benefit under the National Insurance } **England and Wales,**
(Industrial Injuries) Act. January, 1949 to November, 1950. } **Standard Regions.**

Weekly Averages. (Figures to nearest hundred).

(Supplied by the Ministry of National Insurance).

Period	England and Wales	Standard Regions										
		Northern	East and West Ridings	North Western	North Midland	Midland	Eastern	London and South Eastern		Southern	South Western	Wales
								London & Middx.	Remainder			
1	2	3	4	5	6	7	8	9	10	11	12	13
1949												
January	13,600	1,800	2,000	1,800	1,500	1,300	600	1,200	1,000	500	600	1,600
February	14,500	2,000	2,200	1,800	1,600	1,300	600	1,200	1,000	500	600	1,700
March	14,300	2,000	2,100	1,800	1,600	1,300	600	1,200	1,000	400	600	1,700
April	12,600	1,700	1,900	1,600	1,300	1,200	500	1,000	900	400	500	1,600
May	13,600	2,000	2,000	1,700	1,400	1,300	500	1,100	900	400	500	1,600
June	12,600	1,900	1,900	1,500	1,300	1,100	500	1,000	800	400	500	1,600
July	12,600	1,800	1,900	1,500	1,400	1,200	500	1,000	800	400	500	1,700
August	13,100	1,900	2,000	1,700	1,400	1,100	500	1,000	800	400	500	1,600
September	14,700	2,100	2,300	1,900	1,600	1,400	600	1,200	900	400	600	1,900
October	14,700	2,100	2,300	1,800	1,600	1,400	600	1,300	900	400	600	1,800
November	14,500	2,100	2,200	1,800	1,600	1,400	600	1,300	900	400	600	1,700
December	12,000	1,800	1,900	1,400	1,300	1,100	500	1,000	700	400	500	1,500
1950												
January	14,300	2,000	2,200	1,700	1,600	1,400	600	1,200	900	400	600	1,800
February	15,100	2,200	2,400	1,800	1,700	1,400	600	1,200	900	400	600	1,800
March	14,600	2,200	2,300	1,700	1,600	1,400	600	1,200	800	400	600	1,900
April	12,800	1,900	2,000	1,500	1,400	1,200	500	1,100	800	400	500	1,700
May	13,000	2,000	2,000	1,600	1,400	1,200	500	1,100	800	400	500	1,600
June	13,500	2,000	2,100	1,600	1,400	1,300	500	1,100	800	400	500	1,800
July	13,200	2,000	2,200	1,500	1,400	1,200	500	1,000	800	400	500	1,700
August	11,600	1,800	1,700	1,500	1,200	1,000	400	900	700	300	400	1,500
September	14,100	2,100	2,100	1,700	1,500	1,300	500	1,100	800	400	600	1,800
October	14,700	2,200	2,200	1,900	1,500	1,400	600	1,200	800	500	600	1,800
November	14,600	2,100	2,200	1,900	1,500	1,300	600	1,200	900	500	600	1,800

See note (2) to Table XI. The weekly averages are for periods of four weeks, except for those months marked *, which are for periods of five weeks.

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased from

York House, Kingsway, LONDON, W.C.2 429 Oxford Street, LONDON, W.1

P.O. Box 569 LONDON, S.E.1

13a Castle Street, EDINBURGH, 2	1 St. Andrew's Crescent, CARDIFF
39 King Street, MANCHESTER, 2	Tower Lane, BRISTOL, 1
2 Edmund Street, BIRMINGHAM, 3	80 Chichester Street, BELFAST

or from any Bookseller

1950

Price 1s. 0d. net



No. 408

4th Qtr.

1950

GENERAL REGISTER OFFICE

THE REGISTRAR GENERAL'S
QUARTERLY RETURN FOR
ENGLAND AND WALES

**BIRTHS, DEATHS AND
MARRIAGES
INFECTIOUS DISEASES
WEATHER
SURVEY OF SICKNESS
POPULATION ESTIMATES**

Quarter ended 31st December, 1950

Crown Copyright Reserved.



LONDON: HIS MAJESTY'S STATIONERY OFFICE,
1951

One Shilling Net.

TABLE OF CONTENTS

	Page
General Notes	31
Non-Quarterly Statistics	41
Special Notes	41
Notes on the Quarter	41
" " " Year	51
Approximate Reproduction Rates	51
Births, Deaths, Marriages and Infectious Diseases	
Table I	Marriages, Live Births, Stillbirths and Deaths—Total numbers registered. England and Wales. Years 1940-50 and in each Quarter of those years ...
Table II	Persons Married, Live Births and Deaths—Annual rates per 1,000 population. Stillbirths—Rates per 1,000 total live and still births. Deaths under 1 year and Deaths under 4 weeks—Rates per 1,000 related live births. England and Wales. Years 1940-50 and in each Quarter of those years. ...
Table III	Birth Rates, Death Rates from All Causes and from several diseases (annual rate) for each of the last Five Quarters. England and Wales, Great Towns and Smaller Towns
Table IV	Estimated Home Population, Marriages, Births (distinguishing Stillbirths) and Deaths (distinguishing Deaths of Infants under 1 year of age) registered in the Quarter. England and Wales and Administrative Counties with associated County Boroughs
Table V	Estimated Home Population, Births (distinguishing Stillbirths), Deaths (distinguishing Deaths of Infants under 1 year of age) and Deaths from Certain Causes registered in the Quarter. Great Towns, Metropolitan Boroughs, Greater London, and 4 Scottish and Irish Towns
Table VI	Estimated Home Population, Births (distinguishing Stillbirths), Deaths (distinguishing Deaths of Infants under 1 year of age) and Deaths from Certain Causes registered in the Quarter. Smaller Towns
Table VII	Population, Births and Deaths in the last two Quarters. London and certain Cities abroad
Table VIII	Notifications of Certain Infectious Diseases in the Quarter. England and Wales, Counties, County Boroughs, London and Metropolitan Boroughs and Port Health Districts
Table VIIla	Corrected Notifications of Certain Infectious Diseases in the Quarter, analysed by sex and age. England and Wales
Table IX	Infant Mortality. Rates by Quarters and each completed year, 1947-50. England and Wales and various other countries
Table X	Deaths from Certain Causes, by Quarters 1948-1950. England and Wales
Table XI	Numbers of insured persons absent from work owing to sickness or industrial injury (or prescribed disease)
Meteorology	
Notes on the Quarter	23
Values of Air Temperature, Rainfall and Sunshine for the Quarter, expressed as differences from or percentages of the Average Values. Districts of England and Wales	24
Survey of Sickness : England and Wales	
Table A	Summary of sickness experiences during the months stated, based on interviews in the two following months
Table B	Distribution of Illnesses and Injuries reported as affecting persons aged 16-64, 65 and over, in each month, by severity
Table C(2)	Distribution of Illnesses and Injuries of Different Kinds according to Days of Incapacity at ages 16 and over
Table C(3)	Aggregate Numbers of Days of Incapacity and of all Illnesses and Injuries by Sex, Age and Kind
Table D(2)	Distribution of Illnesses and Injuries of Different Kinds according to the Number of Medical Consultations
Table E	Distribution by Age and Sex of Persons according to Number of Illnesses and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month

	Page
International Statistical Classification of Diseases, Injuries and Causes of Death—Short List	30
Table F Distribution of Persons aged 16 and over according to Numbers of separate Illnesses and Injuries reported and Days of Incapacity in the month	31
Table G Distribution of Persons 16 and over according to Numbers of Medical Consultations in the month	31
Table H Incidence of Illness, etc., amongst Men and Women aged 16 and over in different Occupations and Income Groups of Head of Household	32
Populations	
Table 1 Estimated Population by Sex and Age, distinguishing Total, Home and Civilian Populations as at 31st December, 1950. England and Wales	33
Table 2 Estimated Home Population by Sex and Age, at 30th June, 1950. England and Wales; Standard Regions; Greater London and Density Aggregates ...	34
Table 3 Estimated Total Population by Sex, Age and Marital Condition, at 30th June, 1949. England and Wales	34
Table 4 Total Population, Projections from December, 1950, by Sex and Age. England and Wales	35
Appendix	
A Summary for the Year, 1950	36
B Births, Deaths and Marriages registered in England and Wales in the periods 1911-1923 and 1938-1950 (diagram)	37
C Changes in Boundaries, Names, etc., of Boroughs, Urban Districts and Rural Districts during the six months ended 31st December, 1950	37

GENERAL NOTES

1. Introduction.—The figures in this return are provisional until confirmed in the Statistical Reviews. Births and deaths are tabulated from returns furnished to the Registrar General by Registrars of births and deaths; marriages from returns furnished by the Clergy, Authorised Persons, Registrars of marriages and others, and notifications of infectious diseases (Tables VIII and VIIIA) from special quarterly statements furnished to the Registrar General by Medical Officers of Health.

Information relating to the incidence of sickness (Tables A-H) is obtained for the Registrar General by the Social Survey of the Central Office of Information by interviewing a representative sample of the population.

Meteorological data (pages 23-24) are furnished by the Director of the Meteorological Office (Air Ministry).

2. Definition of Areas.—London=administrative county of London; Great Towns=London, all county boroughs and, in addition, municipal boroughs and urban districts within whose present areas there was a resident population exceeding 50,000 at the Census, 1931. These Great Towns number 126; Smaller Towns=municipal boroughs and urban districts within whose present areas there was a resident population of 25,000-50,000 at the Census, 1931. These Smaller Towns number 148; C.B.=county borough; M.B.=municipal borough; U.D.=urban district; R.D.=rural district; Greater London=aggregate of the City of London and of the boroughs and county districts falling entirely within the area of the Metropolitan Police District as defined in the Police Act, 1946, i.e., an area of approximately 15 miles radius from Charing Cross.

3. Total Population is the population of England and Wales *including* members of the armed forces and merchant navy serving at home and abroad. The Civilian Population *excludes* members of the armed forces serving at home and abroad: it *includes* all members of the merchant navy. The Home Population is the Civilian Population plus the armed forces stationed in each area.

4. Non-civilians are *included* except where otherwise stated.

5. Births and Deaths for England and Wales, and the parts thereof, are those registered in the quarter and relate to the area of occurrence, except in the case of some non-quarterly statistics (see page 4) where they are assigned to the area of residence.

6. Cause of Death assignments (Tables V and VI) are provisional, and final figures are published in the Registrar General's annual Statistical Review (Tables 24 and 24A).

7. The notifications of infectious diseases (Tables VIII and VIIIA) have been corrected for changes in diagnosis by the notifying medical practitioner or the medical superintendent of the infectious diseases hospital.

8. Estimates of national total populations for years up to 1949 and of the national home population for 1950 are shown in Table II. National and local home populations are shown in Tables IV, V and VI.

NON-QUARTERLY STATISTICS

Certain non-quarterly information is published in the Quarterly Return as stated below :—

Half-yearly

June and December Returns

Lists of the changes in boundaries of administrative areas during the six months ending 30th June and 31st December respectively.

September and December Returns

Estimates of the sex and age distribution of the Total, Home and Civilian Populations of England and Wales as a whole, as at 30th June and 31st December respectively.

Yearly

March Return

- (1) Deaths registered during the preceding year and assigned to London, analysed by cause and age.
- (2) Estimated mid-year Home populations for the preceding year, births (distinguishing stillbirths), total deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales during the preceding year, showing,
 - (a) those assigned to the Great Towns, Metropolitan Boroughs and Greater London, with comparative figures for four Scottish and Irish Towns.
 - (b) those assigned to the Smaller Towns.
- (3) Populations, births and deaths for the preceding year in London and certain cities abroad, distinguishing deaths from certain causes.
- (4) Infant mortality in England and Wales, Standard Regions and certain large towns in the preceding three years.

December Return

- (1) A textual summary of the vital statistics of England and Wales for the year then ended.
- (2) A table showing the Home Populations of each Standard Region by sex and age as at 30th June.
- (3) A table showing the Total Population of England and Wales by Marital Conditions of each sex at 30th June of the previous year.
- (4) Projections of the Total Population by sex and age, the base date being 31st December of the year then ended.
- (5) A summary table showing the number of marriages, births (distinguishing stillbirths), total deaths (distinguishing deaths of infants under 1 year of age) registered in England and Wales and in each administrative county during the year.
- (6) Diagrams showing the numbers of live births, marriages and deaths registered in the last 13 years compared with those in a corresponding earlier period.

Occasional

From time to time additional population and medical data are given in the form of notes, tables or diagrams, particulars of which are, in each case, given in the Special Notes on this page.

SPECIAL NOTES

As from this Return the numbers and rates of neonatal deaths (deaths under 4 weeks) have been distinguished in Tables I and II, respectively.

NOTES ON THE FOURTH QUARTER OF 1950. ENGLAND AND WALES.

Births

The number of births registered during this quarter was 160,431, representing a birth rate based on the home population of England and Wales for 1950, of 14.5 per thousand. These figures compare with 170,180 births and a rate of 15.4 for the preceding quarter, 169,302 births and a rate of 15.3 for the corresponding quarter of 1949, and an average birth rate for the fourth quarters of the five years 1944-1948, of 17.4.

Of the births registered 82,385 were males and 78,046 females, a proportion of 1,056 males to 1,000 females. The average proportion for the fourth quarters of the ten years 1940-1949 was 1,056 males per 1,000 females.

The number of illegitimate births, included in the total, was 7,765 or 4.8 per cent. of the total births registered, comparing with 8,207 or 4.8 per cent. in the corresponding quarter of 1949.

NOTES ON THE FOURTH QUARTER OF 1950. ENGLAND AND WALES—continued.*Stillbirths*

The 3,722 stillbirths registered represent 22.7 per 1,000 of the total live and still births. This rate is 0.1 higher than for the fourth quarter of 1949.

The stillbirth rate per 1,000 home population was 0.34.

Deaths

The number of deaths registered was 135,530, representing a death rate based on the 1950 home population, of 12.3 per 1,000; it compares with 11.6 for the corresponding quarter of 1949, and an average death rate for the fourth quarters of the five years 1944-1948 of 11.4. Of the deaths registered 69,568 were males and 65,962 females, a proportion of 1,055 males to 1,000 females.

The deaths of children under one year of age numbered 4,994, representing an infant mortality rate, provisionally corrected, of 30.2 per 1,000 related live births; this was the lowest ever recorded for any fourth quarter in this country, being 2.1 per 1,000 below that for the fourth quarter of 1949 and 15.8 per 1,000 below the average rate for the fourth quarters of the ten preceding years 1939-1948. The diarrhoea death rate for children under two years of age was 1.9 per 1,000 births (299 deaths) compared with 2.9, 2.6, 1.7 and 1.4 in the four preceding quarters (December, 1949, to September, 1950).

Deaths from acute poliomyelitis (provisional total) numbered 201 compared with 330, 86, 71 and 373 in the four preceding quarters.

There were no deaths from smallpox registered during the quarter. There were 4 cases notified: 3 in Brighton C.B. and 1 in Portslade by Sea U.D.

Natural Increases

The births registered exceeded the deaths by 24,901, the corresponding increases for the fourth quarters of the years 1947, 1948 and 1949 being respectively 72,821, 54,008 and 40,993.

Marriages

The number of persons married during the quarter was 151,318 which was 34,308 less than the average for the corresponding quarters of the preceding five years 1945-1949.

NOTES ON THE YEAR 1950. ENGLAND AND WALES.*Births*

The provisional birth rate per 1,000 home population (as at mid-1950) was 15.8. This was 0.9 below that of 1949. The illegitimacy rate was 49 per 1,000 live births, or 15 per 1,000 below the average for the preceding five years.

Stillbirths

The provisional stillbirth rate was 22.6 per 1,000 total live and still births, compared with 22.7 for 1949.

Deaths

The death rate was 11.6 per 1,000 home population. This was 0.1 below that for 1949. Infant mortality was 29.8 per 1,000 related live births and was the lowest ever recorded in this country. It was 2.4 per 1,000 below that of 1949, the previous lowest.

Natural Increase

The births registered exceeded the deaths by 182,148, the corresponding increase for the preceding year was 210,479 and the average for 1944-1948 was 290,783.

Marriages

The marriage rate of 16.3 was 0.8 below that of 1949.

Population Estimates

The estimated total population for the year was 44,020,000, an increase of 235,000 over the estimate for 1949. The estimated home population for 1950 was 43,830,000.

Effective Reproduction Rate

The effective reproduction rate corresponding to the births which occurred in 1950, after making allowance for a continuing improvement in survivorship conditions, is provisionally assessed at 0.98, indicating that births of 1950 were 2 per cent. below those required by a par replacement standard.

APPROXIMATE REPRODUCTION RATES

These approximate reproduction rates correspond to the births which occurred in each year and make allowance for a continuing improvement in survivorship conditions.

Year	1939	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949	1950
Reproduction Rate	0.808	0.772	0.761	0.853	0.900	0.996	0.909	1.103	1.205	1.070	1.023	0.98†

Provisional.

TABLE I.—Marriages, Live Births, Stillbirths and Deaths—Total numbers registered.

{ England and Wales. Years 1940-50 and in each Quarter of those years.

	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949(a)	1950
MARRIAGES											
Year - - -	470,549	388,921	369,744	296,432	302,714	397,626	385,606	401,210	396,891	375,041	357,214
March Quarter (b) -	109,322	81,034	88,280	62,684	62,879	76,975	78,237	75,241	95,443	81,774	86,483
June " (b) -	116,700	105,576	100,992	82,577	82,583	99,709	101,213	109,146	92,822	95,565	80,544
September " -	131,894	104,702	96,445	81,569	82,312	119,447	109,750	119,426	123,157	114,405	114,533
December " -	112,633	97,609	84,027	69,602	74,940	101,495	96,406	97,397	85,469	83,297	75,659
LIVE BIRTHS											
Year - - -	607,029	587,228	654,039	683,212	744,843	685,273	819,894	886,820	776,971	731,172	692,455
March Quarter -	154,345	147,027	158,225	172,271	183,973	177,946	181,220	241,530	202,047	186,611	180,063
June " -	166,686	147,414	167,611	180,709	199,039	175,221	203,808	235,196	203,593	192,038	181,784
September " -	149,092	147,621	168,335	169,306	183,594	167,807	213,051	216,508	191,858	183,221	170,186
December " -	136,906	145,166	159,868	160,926	178,237	164,299	221,815	193,586	179,473	169,302	160,433
STILLBIRTHS											
Year - - -	22,731	20,902	22,335	21,275	21,212	19,452	22,915	21,916	18,469	16,977	16,011
March Quarter -	6,223	5,632	5,652	5,783	5,587	5,190	5,202	6,347	5,045	4,446	4,222
June " -	5,994	5,407	5,787	5,577	5,496	4,853	5,767	5,831	4,746	4,496	4,177
September " -	5,371	4,970	5,437	4,980	5,018	4,676	5,831	5,073	4,447	4,118	3,888
December " -	5,143	4,893	5,459	4,935	5,111	4,733	6,115	4,665	4,231	3,917	3,722
DEATHS (excluding stillbirths): ALL AGES											
Year - - -	581,537	535,180	480,137	501,412	492,176	488,108	492,090	517,615	469,898	510,736	510,309
March Quarter -	205,183	178,637	151,262	137,578	146,039	157,743	155,227	181,736	132,628	161,265	151,170
June " -	119,706	140,186	116,937	112,911	115,548	110,972	113,908	118,015	110,257	119,972	120,746
September " -	111,733	101,336	97,336	98,469	107,254	97,157	100,409	97,099	101,548	101,190	102,853
December " -	144,915	115,021	114,602	152,454	123,335	122,236	122,546	120,765	125,465	128,309	135,530
INFANT MORTALITY (deaths of infants under 1 year of age)											
Year - - -	33,892	34,550	32,258	33,431	33,455	31,959	33,548	36,849	26,766	23,882	20,711
March Quarter -	11,948	11,062	9,771	10,067	10,152	10,676	9,637	12,561	8,387	7,532	6,533
June " -	7,713	8,787	7,868	8,106	7,983	7,227	7,657	9,195	6,357	5,758	5,020
September " -	6,371	6,470	6,821	6,851	7,376	6,429	7,100	7,141	5,514	4,915	4,154
December " -	7,860	8,231	7,798	8,407	7,944	7,627	9,154	7,952	6,508	5,677	4,999
NEO-NATAL MORTALITY (deaths of infants under 4 weeks of age)											
Year - - -	17,503	16,746	17,676	17,251	18,218	16,910	19,857	20,102	15,326	14,106	
March Quarter -	5,562	4,847	5,073	4,743	5,138	4,910	5,053	6,700	4,278	3,870	3,599
June " -	4,315	4,325	4,573	4,429	4,618	4,128	4,818	5,164	3,895	3,644	3,289
September " -	3,713	3,557	3,904	3,852	4,077	3,787	4,682	4,098	3,509	3,239	2,899
December " -	3,913	4,017	4,126	4,227	4,385	4,085	5,304	4,140	3,644	3,353	

(a) Provisional.

(b) Note:—An exceptional number of marriages is celebrated at Easter, which usually falls in the second quarter of the year. In the years under review, however, Easter Sunday fell in the first quarter of 1940 and 1948, with a consequential influence on the quarterly marriage totals for those years.

TABLE II.—Persons Married.

Live births.
Deaths.

Stillbirths.

Infant Mortality.

Neo-natal Mortality.

Annual rates per 1,000 population.

Rates per 1,000 total live and still births.

Rates per 1,000 related live births.

England and Wales.
Years 1940-50
and in each
Quarter of those
years.

Estimated Population } in thousands.	41,862 (c)	41,748 (c)	41,897 (c)	42,259 (c)	42,449 (c)	42,636 (c)	42,737 (c)	43,050 (c)	43,502 (c)	43,785 (c)	43,830 (d)
—	1940	1941	1942	1943	1944	1945	1946	1947	1948	1949(a)	1950(a)
PERSONS MARRIED											
Year — — —	22.5	18.6	17.7	14.0	14.3	18.7	18.0	18.6	18.2	17.1	16.3
March Quarter (b) —	21.0	15.7	17.1	12.0	11.9	14.6	14.8	14.2	17.6	15.1	16.0
June „ (b) —	22.4	20.3	19.3	15.7	15.6	18.8	19.0	20.3	17.2	17.5	14.7
September „ —	25.1	19.9	18.3	15.3	15.4	22.2	20.4	22.0	22.5	20.7	20.7
December „ —	21.4	18.6	15.9	13.1	14.0	18.9	17.9	18.0	15.6	15.1	13.7
LIVE BIRTHS											
Year — — —	14.5	14.1	15.6	16.2	17.5	16.1	19.2	20.6	17.9	16.7	15.8
March Quarter —	14.8	14.3	15.3	16.5	17.4	16.9	17.2	22.8	18.7	17.3	16.7
June „ —	16.0	14.2	16.0	17.2	18.9	16.5	19.1	21.9	18.8	17.6	16.6
September „ —	14.2	14.0	15.9	15.9	17.2	15.6	19.8	20.0	17.5	16.6	15.4
December „ —	13.0	13.8	15.1	15.1	16.7	15.3	20.6	17.8	16.4	15.3	14.5
STILLBIRTHS											
Year — — —	36.1	34.4	33.0	30.2	27.7	27.6	27.2	24.1	23.2	22.7	22.6
March Quarter —	38.8	36.9	34.5	32.5	29.5	28.3	27.9	25.6	24.4	23.3	22.9
June „ —	34.7	35.4	33.4	29.9	26.9	27.0	27.5	24.2	22.8	22.9	22.5
September „ —	34.8	32.6	31.3	28.6	26.6	27.1	26.6	22.9	22.7	22.0	22.3
December „ —	36.2	32.6	33.0	29.8	27.9	28.0	26.8	23.5	23.0	22.6	22.7
DEATHS (excluding stillbirths): ALL AGES											
Year — — —	13.9	12.8	11.5	11.9	11.6	11.4	11.5	12.0	10.8	11.7	11.6
March Quarter —	19.7	17.4	14.6	13.2	13.8	15.0	14.7	17.1	12.3	14.9	14.0
June „ —	11.5	13.5	11.2	10.7	10.9	10.4	10.7	11.0	10.2	11.0	11.0
September „ —	10.6	9.6	9.2	9.2	10.1	9.0	9.3	8.9	9.3	9.2	9.3
December „ —	13.8	10.9	10.9	14.3	11.6	11.4	11.4	11.1	11.5	11.6	12.3
INFANT MORTALITY (deaths of infants under 1 year of age)											
Year — — —	56.8	60.0	50.6	49.1	45.4	46.0	42.9	41.4	33.9	32.4	29.8
March Quarter —	78.6	77.5	64.8	60.3	57.9	59.7	55.5	55.2	41.1	40.4	36.8
June „ —	50.5	61.5	49.1	46.7	42.2	41.1	40.1	39.7	31.5	30.3	28.1
September „ —	42.4	44.5	41.6	39.7	39.6	37.3	34.7	32.1	28.2	26.5	24.0
December „ —	55.3	56.7	48.1	50.2	43.0	45.4	42.6	38.4	34.8	32.3	30.2
NEO-NATAL MORTALITY (deaths of infants under 4 weeks of age)											
Year — — —	29.6	29.0	27.2	25.2	24.3	24.8	24.5	22.7	19.7	19.3	
March Quarter —	36.6	34.2	32.8	27.9	28.5	28.4	28.5	28.3	21.3	20.9	20.1
June „ —	28.2	30.2	27.5	24.9	23.3	23.7	24.1	22.0	19.4	19.0	18.0
September „ —	24.8	24.1	23.4	22.3	21.9	22.2	22.0	18.9	18.2	17.6	16.8
December „ —	28.7	27.7	25.6	25.9	23.9	24.7	23.9	21.1	20.1	19.6	

(a) Provisional.

(b) Note :—An exceptional number of marriages is celebrated at Easter, which usually falls in the second quarter of the year. In the years under review, however, Easter Sunday fell in the first quarter in 1940 and 1948, with a consequential influence on the quarterly marriage totals for those years.

(c) Total population (see Note 3 on page 3).

(d) Home population (see Note 3 on page 3).

TABLE III.—Birth Rates, Death Rates from All Causes and from several diseases { England and Wales, Great Towns and Smaller Towns.
(annual rate) for each of the last Five Quarters.

All rates for 1949 are calculated on *civilian* population estimated to the middle of the year, and deaths of non-civilians have been excluded. Birth rates for England and Wales based on *total* population are shown in Table II.

For 1950, deaths of non-civilians are included and all rates calculated on *home* population estimated at 30th June, 1950.

	Quarter	Rate per 1,000 Population	Rate per 1,000 Total (Live and Still) births	Rate per 1,000 Population	Rate per 1,000 Related Live Births	Death rate per million Population					Rate per 1,000 Live Births	
		Live Births	Still-births	Deaths (All Ages)	Deaths Under 1 year	Whooping cough	Diphtheria	Influenza	Ac: poliomyelitis and polioencephalitis	Pneumonia	Enteritis and Diarrhoea (under 2 years)	
ENGLAND AND WALES	1949 Fourth	15.6	22.6	11.8	32.3	4	1	47	29	490	2.9	
	1950 First	16.7	22.9	14.0	36.8	8	2	226	8	717	2.6	
	1950 Second	16.6	22.5	11.0	28.1	9	1	84	6	385	1.7	
	1950 Third	15.4	22.3	9.3	24.0	8	1	11	34	252	1.4	
	1950 Fourth	14.5	22.7	12.3	30.2	9	1	67	18	484	1.9	
GREAT TOWNS	1949 Fourth	17.1	24.5	12.6	37.5	6	2	52	39	546	3.7	
	1950 First	18.6	24.8	14.7	40.4	12	3	206	13	789	2.9	
	1950 Second	18.4	24.5	11.6	32.6	11	1	69	11	406	2.2	
	1950 Third	17.2	24.9	9.8	27.6	11	1	9	47	266	1.6	
	1950 Fourth	16.1	25.1	13.1	34.2	13	1	70	24	522	2.2	
SMALLER TOWNS	1949 Fourth	16.6	21.3	11.7	29.4	5	3	43	37	480	2.4	
	1950 First	17.6	23.1	14.0	38.0	7	2	241	6	708	2.6	
	1950 Second	17.5	22.2	11.1	26.2	9	1	65	6	389	0.9	
	1950 Third	16.2	20.9	9.3	24.0	7	2	14	38	224	1.1	
	1950 Fourth	15.5	22.5	12.2	29.3	5	1	67	18	468	1.9	

TABLE IV.—Estimated Home Population at 30th June, 1950, and Marriages, Births and Deaths (distinguishing Deaths of Infants under 1 year of age) registered in the Quarter ended 31st December, 1950.

(England and Wales and Administrative Counties with associated County Boroughs.)

(See General Notes on page 3).

ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGH	Home Population (thousands)	Marriages	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year	ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGH	Home Population (thousands)	Marriages	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year
ENGLAND & WALES ...	43,830	75,659	160,431	3,722	135,530	4,994	ENGLAND— <i>contd.</i>						
ENGLAND* ...	41,231	71,116	150,407	3,467	127,150	4,599	RUTLAND ...	21	31	56	1	75	—
County of—							SALOP ...	289	453	1,096	36	857	26
EDFORD ...	313	468	1,094	31	826	18	SOMERSET ...	553	868	1,847	42	1,781	43
ERKS ...	405	637	1,451	39	1,182	38	SOUTHAMPTON	1,193	2,021	4,417	84	3,733	112
UCKINGHAM	386	593	1,343	19	1,006	33	STAFFORD ...	1,620	3,015	6,331	151	4,660	206
AMBRIDGE...	174	261	585	13	486	14	SUFFOLK, E.	320	584	1,179	23	1,021	32
HESTER ...	1,256	1,811	4,650	95	3,970	132	SUFFOLK, W.	116	182	440	6	355	19
ORNWALL ...	342	638	1,030	25	1,225	32	SURREY ...	1,610	2,355	4,951	118	4,676	130
UMBERLAND	284	526	1,240	31	957	43	SUSSEX, E.	621	945	1,794	28	2,298	49
ERBY ...	828	1,416	2,778	58	2,279	74	SUSSEX, W.	316	456	938	14	1,148	19
EVON ...	795	1,410	2,751	74	2,842	78	WARWICK ...	1,863	3,184	7,387	207	5,314	247
ORSET ...	291	517	941	23	861	19	WESTMORLAND	67	78	210	10	231	16
URHAM ...	1,469	2,648	5,969	137	4,687	240	WIGHT, ISLE OF ...	94	161	286	8	328	5
LY, ISLE OF	88	166	323	6	250	10	WILTS ...	382	589	1,351	23	1,089	39
SSEX ...	2,037	3,331	6,485	149	5,455	133	WORCESTER	527	877	1,676	26	1,375	38
LOUCESTER	939	1,501	3,508	86	2,946	112	YORKS, E.R.	514	983	2,194	52	1,550	73
EREFORMD ...	127	202	477	13	424	20	YORKS, N.R.	522	875	2,015	64	1,530	61
ERTFORD ...	607	855	2,247	41	1,724	36	YORKS, W.R. (including YORK, C.B.)	3,600	6,636	13,609	337	11,535	480
UNTINGDON	68	129	200	1	160	1	WALES* ...	2,599	4,543	10,024	255	8,380	395
ENT ...	1,564	2,535	5,626	100	4,617	156	County of—						
ANCASTER...	5,135	8,777	19,522	513	18,101	799	ANGLESEY ...	50	76	116	—	154	6
RICESTER ...	635	1,096	2,371	59	1,851	60	BRECKNOCK	56	85	146	5	184	3
INCOLN							CAERNARVON	124	212	545	12	473	24
HOLLAND	102	208	406	8	279	9	CARDIGAN ...	54	103	177	4	219	11
KESTEVEN	130	192	479	8	371	15	CARMARTHEN	172	305	545	13	546	13
LINDSEY	472	819	1,877	43	1,422	63	DENBIGH ...	170	293	711	16	630	30
ONDON ...	3,390	7,476	13,979	295	10,768	377	FLINT ...	145	236	539	9	385	9
IDDLESEX	2,287	3,639	5,809	105	5,840	137	GLAMORGAN	1,205	2,099	4,782	128	3,929	208
ORFOLK ...	534	1,025	1,932	33	1,652	50	MERIONETH	40	84	86	1	136	2
ORTHAMPTON	360	537	1,217	27	1,105	30	MONMOUTH	427	745	1,810	55	1,274	67
ORTHUMBERLAND ...	799	1,320	3,536	86	2,979	131	MONTGOMERY	46	83	179	4	123	6
OTTINGHAM	841	1,566	3,311	93	2,267	106	PEMBROKE ...	90	188	327	6	269	13
NFORD ...	280	421	1,182	18	870	28	RADNOR ...	20	34	61	2	58	3
ETERBORO', SOKE OF	65	103	311	8	192	10							

* The County of Monmouth is included in Wales and not in England.

TABLE V.—Estimated Home Population at 30th June, 1950, and Births (distinguishing Stillbirths), Deaths (distinguishing Deaths of Infants under 1 year of age), and Deaths from Certain Causes registered in the Quarter ended 31st December, 1950.

Great Towns, Metropolitan Boroughs, Greater London and 4 Scottish and Irish Towns.

(See General Notes on page 3).

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia	Enteritis and Diarrhoea
126 GREAT TOWNS	21,145,230	85,634	2,208	69,950	3,019	1	70	4	2,121	372	130	2,784	188
Northern													
Carlisle C.B.	68,290	392	15	257	14	—	—	—	4	—	—	5	—
Darlington C.B.	85,550	378	8	331	28	—	—	—	7	1	1	8	—
Gateshead C.B.	115,500	580	13	447	22	—	—	—	25	12	—	36	—
Middlesbrough C.B.	145,500	821	30	518	39	—	—	—	18	3	1	33	—
Newcastle upon Tyne C.B.	294,800	1,563	50	1,343	73	—	1	—	57	23	2	110	—
South Shields C.B.	109,400	455	9	396	14	—	—	—	16	8	1	16	—
Stanley U.D. (Durham)	48,480	108	2	97	2	—	—	—	2	4	—	—	—
Stockton on Tees M.B.	73,840	318	8	212	16	—	—	—	3	1	—	3	—
Sunderland C.B.	178,100	1,027	38	728	59	—	—	—	26	7	4	38	—
Tynemouth C.B.	66,270	423	14	301	12	—	—	—	17	6	—	21	—
West Hartlepool C.B.	72,460	297	6	256	14	—	—	—	12	4	—	13	—
East and West Ridings													
Barnsley C.B.	75,780	527	13	206	15	—	1	—	9	—	—	17	—
Bradford C.B.	294,300	1,178	30	1,187	49	—	4	—	29	8	1	38	—
Dewsbury C.B.	53,140	391	17	253	16	—	—	—	2	—	1	13	—
Doncaster C.B.	80,930	505	17	321	19	—	—	—	11	1	—	13	—
Halifax C.B.	98,840	661	18	466	23	—	2	—	7	—	1	16	—
Huddersfield C.B.	129,600	591	14	490	13	—	1	—	10	—	—	8	—
Keighley M.B.	56,980	240	3	218	7	—	1	—	5	—	—	5	—
Kingston upon Hull C.B.	302,100	1,358	33	908	49	—	1	—	25	2	—	37	—
Leeds C.B.	509,700	2,017	51	1,750	81	—	2	—	46	2	2	89	—
Rotherham C.B.	82,860	416	16	258	13	—	—	—	5	1	—	9	—
Sheffield C.B.	515,000	1,892	56	1,650	72	—	2	—	68	3	2	33	—
Wakefield C.B.	60,580	372	10	266	33	—	—	—	6	2	—	14	—
York C.B.	107,700	465	6	409	9	—	—	—	9	4	2	13	—
North Western													
Ashton under Lyne M.B.	47,300	390	15	294	12	—	—	—	7	3	—	10	—
Barrow-in-Furness C.B.	67,820	283	4	241	19	—	—	—	8	2	—	8	—
Birkenhead C.B.	143,150	632	16	510	23	—	—	—	24	2	1	18	—
Blackburn C.B.	111,500	466	15	545	18	1	—	—	12	5	—	23	—
Blackpool C.B.	149,600	463	11	593	21	—	—	1	13	—	1	16	—
Bolton C.B.	168,600	434	3	501	9	—	—	—	8	6	—	14	—
Bootle C.B.	70,240	200	5	140	9	—	—	—	7	1	—	9	—
Burnley C.B.	84,920	325	8	427	12	—	1	—	9	3	—	16	—
Bury C.B.	59,190	356	6	250	13	—	—	—	8	—	—	5	—
Chester C.B.	48,680	449	17	198	11	—	—	—	3	1	—	2	—
Crosby M.B.	59,720	167	2	145	4	—	—	—	3	2	—	7	—
Liverpool C.B.	802,300	4,174	109	2,857	213	—	14	—	141	24	3	250	—
Manchester C.B.	704,500	2,859	88	2,718	131	—	3	—	101	10	1	156	—
Oldham C.B.	119,500	701	21	532	22	—	—	—	11	1	—	23	—
Preston C.B.	120,300	483	11	405	17	—	—	—	16	5	1	12	—
Rochdale C.B.	89,530	131	1	224	2	—	—	—	11	1	—	11	—
St. Helens C.B.	112,500	449	17	282	26	—	3	—	11	1	—	10	—
Salford C.B.	177,700	772	15	709	38	—	1	1	21	3	2	19	—
Southport C.B.	85,500	221	7	359	4	—	1	—	1	4	—	9	—
Stockport C.B.	142,110	657	9	663	17	—	—	—	14	3	1	21	—
Stretford M.B.	62,450	163	—	125	—	—	—	—	3	—	—	2	—
Wallasey C.B.	102,510	330	6	279	9	—	—	—	3	4	4	9	—
Warrington C.B.	79,480	409	13	334	20	—	1	—	7	2	1	12	—
Wigan C.B.	84,950	198	4	297	19	—	—	—	8	6	1	21	—
North Midland													
Chesterfield M.B.	68,000	430	10	253	15	—	—	—	7	1	—	12	—
Derby C.B.	143,430	771	22	594	31	—	—	—	16	1	1	24	—
Grimsby C.B.	93,240	393	12	310	19	—	—	—	10	1	—	17	—
Leicester C.B.	287,520	1,291	31	1,017	40	—	1	—	33	—	2	21	—
Lincoln C.B.	69,900	303	7	266	17	—	—	—	9	—	5	9	—
Northampton C.B.	105,490	575	15	395	19	—	—	—	4	—	—	7	—
Nottingham C.B.	307,000	1,615	52	1,063	59	—	5	—	34	8	2	62	—
Midland													
Birmingham C.B.	1,117,900	4,287	135	3,469	159	—	4	—	115	19	7	115	—
Burton upon Trent C.B.	49,000	325	8	236	17	—	—	—	—	1	—	25	—
Coventry C.B.	256,800	776	19	538	23	—	—	—	31	4	—	19	—
Dudley C.B.	63,240	137	3	162	7	—	—	—	8	—	—	4	—
Newcastle under Lyme M.B.													
Smethwick C.B.	70,530	230	6	118	—	—	—	—	6	—	—	1	—
Stoke on Trent C.B.	77,370	134	—	140	2	—	—	—	13	1	—	1	—
Walsall C.B.	275,800	1,261	38	920	64	—	—	—	35	4	4	25	—
West Bromwich C.B.	114,500	568	11	373	11	—	—	—	17	2	—	16	—
Wolverhampton C.B.	87,910	480	16	290	17	—	—	—	15	1	—	16	—
Worcester C.B.	162,100	910	29	588	36	—	1	—	22	4	1	23	—
	61,500	261	4	222	6	—	—	—	6	—	—	4	—

TABLE V.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia.	Enteritis and Diarrhoea under 2 years
Eastern													
Cambridge M.B. — —	90,470	474	13	290	13	—	—	—	6	1	—	6	—
Great Yarmouth C.B. —	51,310	206	8	185	3	—	—	—	3	—	1	5	—
Ipswich C.B.— —	104,140	505	10	403	23	—	—	1	8	3	1	17	2
Luton M.B. — —	110,210	462	16	291	6	—	—	—	6	1	—	6	—
Norwich C.B. — —	119,700	520	14	464	26	—	—	—	16	1	4	14	4
Southeast-on-Sea C.B.—	152,400	247	4	414	2	—	—	—	12	—	1	12	—
Thurrock U.D. — —	79,880	322	7	284	8	—	—	—	8	—	—	8	—
Watford M.B. — —	74,380	312	5	267	4	—	—	—	6	1	3	12	—
London and South Eastern													
Greater London — —	8,417,377	28,025	590	23,289	636	—	15	1	641	101	22	850	17
Great Towns in Greater London*													
London — — —	3,389,620	13,979	295	10,768	377	—	10	1	312	46	9	396	8
City of London — —	4,711	149	3	103	4	—	—	—	—	—	—	2	—
The Temples — —	159	—	—	—	—	—	—	—	—	—	—	—	—
Metropolitan Boro's													
Battersea — —	117,700	452	16	510	14	—	—	—	15	2	2	18	1
Bermondsey — —	59,810	115	1	212	3	—	—	—	5	1	—	14	—
Bethnal Green — —	58,730	184	4	193	12	—	—	—	10	1	—	14	1
Camberwell — —	178,900	628	12	536	16	—	—	—	11	1	—	20	—
Chelsea — —	52,490	241	5	289	6	—	—	—	5	1	—	14	—
Deptford — —	76,560	122	—	98	1	—	—	—	1	1	—	5	—
Finsbury — —	35,810	54	—	45	—	—	—	—	—	—	—	3	—
Fulham — —	123,400	199	2	318	5	—	—	—	7	—	2	12	—
Greenwich — —	89,570	303	9	396	10	—	—	—	14	2	—	15	—
Hackney — —	172,100	1,004	25	592	30	—	1	—	34	7	—	25	1
Hammersmith — —	119,200	1,136	32	377	33	—	—	—	9	1	—	9	—
Hampstead — —	97,400	552	21	287	11	—	—	—	10	—	1	5	1
Holborn — —	25,930	21	—	138	23	—	—	—	4	—	—	1	1
Islington — —	238,200	1,277	23	677	25	—	1	—	17	2	—	35	—
Kensington — —	177,400	489	9	449	10	—	—	—	16	4	—	21	—
Lambeth — —	231,000	1,380	25	825	37	—	1	—	28	6	—	29	1
Lewisham — —	228,300	584	10	552	23	—	3	1	15	3	—	18	1
Paddington — —	130,600	737	12	443	8	—	—	—	11	—	—	12	—
Poplar — —	74,050	272	6	271	8	—	—	—	9	—	1	8	—
St. Marylebone — —	78,260	400	6	325	5	—	—	—	3	—	—	6	—
St. Pancras — —	141,300	619	6	505	22	—	1	—	24	1	1	23	—
Shoreditch — —	44,800	67	—	161	3	—	—	—	—	3	—	4	—
Southwark — —	97,080	351	8	291	9	—	—	—	5	3	—	4	—
Stepney — —	99,730	873	21	413	15	—	—	—	16	—	—	8	—
Stoke Newington —	48,510	198	3	68	1	—	—	—	2	—	—	5	1
Wandsworth — —	333,800	674	16	1,002	12	—	3	—	26	5	2	41	—
Westminster — —	105,100	451	13	372	18	—	—	—	5	2	—	8	—
Woolwich — —	149,000	447	7	320	13	—	—	—	10	—	—	17	—
Acton M.B. — —	68,210	47	—	125	1	—	—	—	3	—	—	4	—
Barking M.B. — —	79,260	344	8	95	8	—	—	—	1	—	—	11	—
Beckenham M.B. — —	75,850	255	2	173	6	—	—	—	1	1	—	10	—
Brentford & Chiswick													
M.B. — —	60,320	324	5	123	7	—	—	—	2	2	—	2	—
Croydon C.B. — —	251,600	948	23	773	23	—	—	—	16	4	4	24	—
Dagenham M.B. — —	115,400	215	5	165	3	—	—	—	9	3	1	4	3
Ealing M.B. — —	188,800	469	7	326	9	—	—	—	5	2	—	18	—
East Ham C.B. — —	121,900	197	4	236	3	—	—	—	10	1	—	8	—
Edmonton M.B.— —	105,500	464	14	422	13	—	—	—	10	—	—	19	—
Enfield U.D. — —	111,600	388	6	320	14	—	1	—	7	1	—	9	—
Finchley M.B. — —	70,720	178	1	164	4	—	—	—	3	—	—	5	—
Harrow U.D. — —	222,300	310	4	383	3	—	—	—	11	—	1	11	—
Hendon M.B. — —	158,200	486	7	476	10	—	—	—	12	1	2	7	—
Heston & Isleworth													
M.B. — —	107,300	519	18	507	18	—	—	—	12	3	—	19	1
Hornsey M.B. — —	98,780	219	1	200	4	—	1	—	5	2	—	3	—
Ilford M.B. — —	186,200	464	13	451	5	—	1	—	10	—	—	21	—
Leyton M.B. — —	106,600	81	4	559	5	—	—	—	9	1	—	32	—
Mitcham M.B. — —	67,430	115	—	107	—	—	—	—	3	1	—	1	—
Southgate M.B.— —	74,180	108	1	183	1	—	—	—	6	—	—	2	—
Tottenham M.B. —	129,400	131	3	290	4	—	—	—	10	1	—	2	2
Twickenham M.B.—	107,600	256	2	231	1	—	—	—	3	5	—	11	—
Walthamstow M.B.—	122,700	399	10	226	9	—	—	—	5	—	—	10	—
Wembley M.B. — —	132,700	319	10	193	3	—	—	—	6	3	—	5	—
West Ham C.B. — —	172,800	871	24	324	11	—	—	—	8	1	—	17	—
Willesden M.B. — —	181,700	597	9	578	19	—	—	—	15	3	1	37	—
Wimbledon M.B. —	58,650	25	1	174	1	—	—	—	2	2	—	3	—
Wood Green M.B.—	52,710	38	—	104	—	—	—	—	—	—	—	2	—
Brighton C.B. — —	157,800	668	13	642	33	—	—	—	13	1	3	13	5
Canterbury C.B. — —	27,080	162	8	149	10	—	1	—	—	2	—	3	—
Eastbourne C.B. — —	58,050	192	4	280	7	—	—	—	4	2	—	9	—
Gillingham M.B. — —	75,470	212	3	161	6	—	—	—	5	2	—	14	1
Hastings C.B. — —	65,690	280	4	343	2	—	—	—	4	—	—	14	—
Hove M.B. — —	69,470	70	4	242	1	—	—	—	1	—	—	—	—
Southern													
Bournemouth C.B. —	139,600	488	8	605	6	—	—	—	13	1	—	20	—
Oxford C.B. — —	108,200	636	15	415	23	—	—	—	8	1	1	1	—
Poole M.B. — —	82,140	266	8	243	6	—	—	—	10	1	2	1	1
Portsmouth C.B. — —	240,000	864	21	811	32	—	—	—	32	—	—	19	2
Reading C.B. — —	115,700	540	20	419	16	—	—	—	11	3	—	18	—
Southampton C.B.—	180,800	809	24	551	22	—	—	—	21	1	2	15	—

* These Great Towns do not comprise the whole of Greater London and the figures given do not aggregate to the Greater London total.

TABLE V.—continued.

Area.	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia.	Enteritis and Diarrhoea
South Western													
Bath C.B. - - -	77,040	370	14	341	11	—	—	—	3	3	—	15	—
Bristol C.B. - - -	442,600	1,756	55	1,508	64	—	—	—	38	14	16	79	—
Cheltenham M.B. - - -	64,600	428	14	259	24	—	—	—	1	—	—	3	—
Exeter C.B. - - -	77,260	327	10	356	11	—	—	—	14	1	6	10	—
Gloucester C.B. - - -	67,890	279	11	271	6	—	—	—	6	1	2	12	—
Plymouth C.B. - - -	208,960	851	26	710	38	—	1	—	32	3	7	32	—
Swindon M.B. - - -	68,790	292	9	158	9	—	—	—	3	—	3	3	—
Wales													
Cardiff C.B. - - -	244,600	1,210	34	790	51	—	1	—	30	5	1	24	—
Merthyr Tydfil C.B. - - -	60,600	265	10	226	15	—	—	—	10	1	1	2	—
Newport C.B. - - -	107,300	496	17	343	24	—	—	—	12	4	1	2	—
Rhondda U.D. - - -	112,300	465	7	374	27	—	1	—	8	1	—	14	—
Swansea C.B. - - -	161,700	480	17	629	25	—	3	—	31	7	1	16	—
†Edinburgh - - -	—	—	—	—	—	—	—	—	—	—	—	—	—
†Glasgow - - -	—	—	—	—	—	—	—	—	—	—	—	—	—
†Belfast - - -	—	—	—	—	—	—	—	—	—	—	—	—	—
†Dublin - - -	—	—	—	Not	avail	able	—	—	—	—	—	—	—

† The births and deaths for Edinburgh, Glasgow, Belfast and Dublin are classified according to area of residence. Non-civilians are included in the figures of deaths and populations for Edinburgh, Glasgow and Dublin.

‡ Return not received.

TABLE VI.—Estimated Home Population at 30th June, 1950, and Births (distinguishing Stillbirths), Deaths (distinguishing Deaths of Infants under 1 year of age), and Deaths from Certain Causes registered in the Quarter ended 31st December, 1950.

Smaller Towns.

(See General Notes on page 3).

Area.	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Polio-myelitis	Pneumonia.	Enteritis and Diarrhoea
SMALLER TOWNS	6,291,680	24,657	567	19,273	743	—	8	1	507	106	29	742	44
Northern													
Ashington U.D. — —	29,090	44	2	107	2	—	—	—	1	—	—	3	—
Bedlingtonshire U.D. —	28,790	49	1	70	2	—	—	—	2	—	—	1	—
Bishop Auckland U.D. —	36,510	221	9	139	7	—	—	—	5	—	—	3	—
Blaydon U.D. — — —	30,960	76	—	87	2	—	—	—	1	1	—	8	—
Blyth M.B. — — —	35,280	66	2	92	6	—	—	—	1	3	—	9	—
Consett U.D. — — —	39,130	219	5	147	9	—	—	—	7	1	—	13	—
Crook & Willington U.D.	27,340	74	2	91	4	—	—	—	4	—	—	3	—
Eston U.D. — — —	33,440	110	3	64	—	—	—	—	3	—	—	2	—
Felling U.D. — — —	25,280	44	1	68	—	—	—	—	1	2	—	—	—
Houghton le Spring U.D.	30,330	95	—	65	1	—	—	—	3	—	—	3	—
Jarrow M.B. — — —	28,450	155	1	75	6	—	—	—	4	2	—	9	—
Scarborough M.B. — —	43,970	215	6	179	4	—	—	—	1	—	—	2	—
Seaham U.D. — — —	25,990	71	2	54	2	—	1	—	3	2	—	—	—
Seaton Valley U.D. — —	26,520	39	—	55	1	—	—	—	3	—	—	4	—
Wallsend M.B. — — —	48,860	258	5	135	3	—	1	—	7	4	—	2	—
Whitley Bay U.D. — —	32,520	30	1	116	2	—	—	—	—	—	—	9	—
Workington M.B. — —	29,050	180	2	103	12	—	—	—	2	—	—	6	—
East and West Ridings													
Batley M.B. — — —	40,210	117	5	130	5	—	—	—	3	1	—	5	—
Brighouse M.B. — — —	30,710	36	—	72	1	—	—	—	—	—	—	1	—
Castleford U.D. — — —	43,620	165	3	100	3	—	—	—	2	—	—	13	—
Harrogate M.B. — — —	51,920	227	4	226	17	—	—	—	2	—	—	15	—
Morley M.B. — — —	40,060	116	2	92	—	—	—	—	1	—	—	4	—
Shipley U.D. — — —	32,840	156	7	82	1	—	—	—	1	1	—	8	—
Spenborough U.D. — —	37,030	29	1	105	1	—	—	—	—	—	—	1	—
North Western													
Accrington M.B. — — —	40,420	108	1	180	5	—	—	—	4	—	—	6	—
Altrincham M.B. — — —	39,600	155	1	109	5	—	—	—	5	4	—	5	—
Bebington M.B. — — —	47,150	299	7	232	17	—	1	—	3	—	1	22	—
Chadderton U.D. — — —	31,140	29	—	66	—	—	—	—	4	2	—	1	—
Chorley M.B. — — —	32,430	201	1	110	1	—	—	—	1	6	—	5	—
Crewe M.B. — — —	53,290	153	1	144	13	—	—	1	5	—	1	5	—
Darwen M.B. — — —	31,030	79	3	98	—	—	—	—	1	1	—	1	—
Eccles M.B. — — —	44,370	149	1	174	1	—	—	—	3	1	1	3	—
Farnworth M.B. — — —	28,290	445	17	254	28	—	—	—	3	—	—	26	—
Heywood M.B. — — —	25,360	41	—	59	1	—	—	—	—	—	—	—	—
Hyde M.B. — — —	31,670	112	3	112	4	—	—	—	6	3	—	5	—
Lancaster M.B. — — —	51,750	220	9	227	12	—	—	—	12	—	—	1	—

TABLE VI.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from							
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia	Enteritis and Diarrhoea under 2 years
Leigh M.B. — — —	48,900	212	6	114	4	—	—	—	3	—	—	5	1
Lytham St. Annes M.B.	30,170	121	3	152	3	—	—	—	2	—	—	2	—
Macclesfield M.B.	36,140	192	7	145	8	—	—	—	2	—	—	4	—
Middleton M.B. — —	32,870	41	—	60	—	—	—	—	4	—	—	—	—
Nelson M.B. — — —	34,670	102	1	119	1	—	—	—	1	2	—	6	—
Radcliffe M.B. — —	27,660	88	1	83	3	—	—	—	2	1	—	4	—
Rawtenstall M.B. —	25,350	110	4	148	7	—	—	—	1	—	—	7	—
Sale M.B. — — —	43,540	117	1	124	5	—	—	—	3	—	—	2	—
Stalybridge M.B. — —	22,600	35	—	76	—	—	—	—	1	1	—	7	—
Swinton & Pendlebury M.B.	41,340	48	1	105	10	—	1	—	6	—	—	4	1
Widnes M.B. — — —	48,800	163	7	119	7	—	—	—	3	3	—	7	—
North Midland													
Beeston & Stapleford U.D.	49,470	107	5	74	—	—	—	—	4	1	—	4	—
Carlton U.D. — — —	34,330	68	1	62	3	—	—	—	—	1	—	1	1
Cleethorpes M.B. — —	30,320	179	4	71	4	—	—	—	3	1	—	5	—
Hinckley U.D. — — —	39,050	74	2	68	1	—	—	—	1	—	—	2	—
Ilkeston M.B. — — —	33,880	109	—	76	1	—	—	—	1	—	—	2	—
Kettering M.B. — — —	37,340	130	5	137	4	—	—	—	5	2	—	4	1
Loughborough M.B. —	37,160	152	8	116	4	—	—	—	1	—	—	—	—
Mansfield M.B. — —	50,960	325	13	211	9	—	—	—	10	—	—	5	—
Peterborough M.B. —	54,700	293	8	174	10	—	—	—	1	—	2	6	—
Scunthorpe M.B. — —	54,090	311	6	168	13	—	—	—	1	—	—	4	1
Sutton in Ashfield U.D.	40,300	100	1	75	4	—	—	—	3	—	—	5	—
Wellingborough U.D. —	28,290	153	3	90	1	—	—	—	—	—	—	—	—
Worksop M.B. — — —	32,410	253	6	90	6	—	—	—	2	—	—	10	—
Midland													
Bilston M.B. — — —	33,360	106	2	61	4	—	—	—	4	2	5	—	1
Brierley Hill U.D. —	48,900	226	2	140	3	—	—	—	4	2	—	—	—
Cannock U.D. — — —	41,080	117	3	117	1	—	—	—	7	—	—	4	—
Coseley U.D. — — —	33,850	104	1	64	4	—	—	—	7	—	—	1	—
Halesowen M.B. — —	40,280	69	1	85	5	—	—	—	2	2	1	2	—
Kidderminster M.B. —	37,700	165	2	160	5	—	—	—	7	—	1	6	—
Nuneaton M.B. — — —	53,940	304	14	156	10	—	—	—	3	—	1	15	—
Oldbury M.B. — — —	53,820	111	4	85	2	—	—	—	3	—	—	1	—
Rowley Regis M.B. —	49,480	129	2	97	2	—	—	—	7	1	—	1	—
Royal Leamington Spa M.B. — — —	36,370	213	5	119	5	—	—	—	—	—	—	2	—
Rugby M.B. — — —	46,780	56	—	124	4	—	—	—	—	—	—	3	—
Shrewsbury M.B. — —	45,820	128	6	180	7	—	—	—	3	1	—	7	1
Solihull U.D. — — —	67,640	329	3	131	4	—	—	—	2	2	—	6	—
Stafford M.B. — — —	40,060	206	10	173	6	—	—	—	6	—	—	14	1
Stourbridge M.B. — —	37,220	168	2	60	—	—	—	—	1	—	—	1	—
Sutton Coldfield M.B. —	47,440	137	—	106	—	—	—	—	4	—	—	1	—
Tipton M.B. — — —	39,280	100	1	80	2	—	—	—	2	—	—	5	—
Wednesbury M.B. — —	35,080	78	1	64	2	—	—	—	9	2	—	3	—
Willenhall U.D. — —	30,960	74	—	54	1	—	—	—	3	1	—	1	—
Eastern													
Bedford M.B. — — —	53,770	360	13	195	10	—	—	—	3	—	—	1	—
Billerica U.D. — — —	43,130	134	2	156	1	—	—	—	5	—	—	5	—
Chelmsford M.B. — —	37,250	334	5	144	13	—	—	—	1	—	—	5	—
Colchester M.B. — —	57,880	356	11	268	3	—	—	—	11	4	—	3	—
Hornchurch U.D. — —	103,700	178	—	252	—	—	—	—	5	1	—	10	—
Lowestoft M.B. — — —	43,000	163	3	105	3	—	—	—	1	—	—	—	—
Romford M.B. — — —	80,240	642	12	300	27	—	—	—	11	1	—	18	—
St. Alban M.B. — — —	44,200	200	5	141	6	—	—	—	1	—	—	7	3
London & South Eastern													
Barnes M.B. — — —	41,150	34	—	102	1	—	—	—	4	1	—	2	—
Beddington & Wallington M.B. — — —	32,890	22	—	60	—	—	—	—	1	—	—	—	—
Bexley M.B. — — —	89,410	223	1	131	5	—	—	—	2	—	—	7	—
Bromley M.B. — — —	64,610	321	14	171	7	—	—	—	3	1	—	1	—
Carshalton U.D. — —	62,150	535	16	259	19	—	1	—	6	—	—	14	2
Chatham M.B. — — —	46,500	363	9	135	24	—	—	—	8	—	—	7	—
Chislehurst & Sidcup U.D.	80,040	141	—	169	3	—	—	—	10	1	—	—	—
Coulsdon & Purley U.D. —	64,490	61	1	179	—	—	—	—	6	—	—	11	—
Dartford M.B. — — —	40,440	337	9	180	9	—	—	—	3	1	—	7	1
Dover M.B. — — —	34,240	191	5	105	6	—	—	—	3	1	1	6	—
Epsom & Ewell M.B. —	68,460	355	8	292	7	—	—	—	12	1	1	20	—
Erith M.B. — — —	46,850	152	—	106	2	—	—	—	3	1	—	5	—
Esher U.D. — — —	51,500	35	1	117	1	—	—	—	—	—	—	—	—
Folkestone M.B. — —	45,380	177	2	145	4	—	—	—	—	—	—	8	—
Gravesend M.B. — —	44,290	170	4	146	4	—	—	—	5	1	—	5	—
Guildford M.B. — — —	47,100	361	9	200	13	—	—	—	2	2	—	2	2
Kingston upon Thames M.B. — — —	41,950	348	14	244	12	—	—	—	7	—	—	14	—
Maidstone M.B. — — —	54,940	191	4	180	3	—	—	—	2	1	1	5	1
Margate M.B. — — —	41,560	128	2	136	4	—	—	—	4	—	—	4	—
Merton & Morden U.D. —	75,790	221	6	129	2	—	—	—	4	1	—	3	—
Orpington U.D. — — —	62,420	360	7	261	9	—	—	—	11	1	—	2	—
Penge U.D. — — —	25,160	25	—	72	3	—	—	—	1	—	—	7	—
Ramsgate M.B. — — —	35,960	126	1	132	5	—	—	—	1	1	—	3	—

TABLE VI.—continued.

Area	Home Population	Live Births	Stillbirths	Deaths (excluding Stillbirths)	Deaths of Infants under 1 year of age	Deaths from								
						Typhoid and paratyphoid fevers	Whooping cough	Diphtheria	Tuberculosis (all forms)	Influenza	Acute Poliomyelitis	Pneumonia	Enteritis and Diarrhoea under 2 years	
Reigate M.B. - -	42,030	341	7	203	12	—	—	—	3	—	1	8	—	
Richmond M.B. - -	42,410	48	1	137	1	—	—	—	5	—	—	6	—	
Rochester M.B. - -	43,130	90	1	181	8	—	—	—	4	3	1	8	2	
Royal Tunbridge Wells M.B. - -	38,970	143	—	184	4	—	—	—	2	—	—	9	—	
Southall M.B. - -	56,310	43	—	126	1	—	—	—	3	—	—	12	—	
Surbiton M.B. - -	61,230	97	3	134	2	—	—	—	2	—	1	1	—	
Sutton & Cheam M.B. - -	81,110	129	5	191	3	—	—	—	4	1	—	6	—	
Uxbridge U.D. - -	55,160	497	13	302	18	—	—	—	9	—	—	3	1	
Walton & Weybridge U.D. - -	38,440	113	1	91	2	—	—	—	2	—	—	1	—	
Wanstead & Woodford M.B. - -	62,460	299	7	162	7	—	—	—	6	1	—	4	—	
Woking U.D. - -	48,650	307	4	181	8	—	—	—	4	2	—	8	—	
Werthing M.B. - -	68,350	134	—	324	4	—	—	—	1	2	1	11	—	
Southern														
Aldershot M.B. - -	41,850	220	3	55	4	—	—	—	1	—	—	—	—	
Gosport M.B. - -	58,450	210	1	128	3	—	—	—	1	—	—	5	—	
High Wycombe M.B. - -	41,010	163	1	85	4	—	—	—	2	—	—	1	—	
Slough M.B. - -	66,340	159	5	126	1	—	—	—	3	—	—	4	—	
Weymouth & Melcombe Regis M.B. - -	36,160	175	1	117	3	—	—	—	6	—	4	1	—	
South Western														
Camborne-Redruth U.D. - -	35,800	379	12	173	9	—	—	—	6	4	—	23	—	
Salisbury M.B. - -	34,300	238	8	147	7	—	—	—	2	—	—	4	—	
Taunton M.B. - -	34,710	226	8	151	11	—	—	—	6	—	2	3	—	
Torquay M.B. - -	50,960	160	4	221	8	—	—	—	5	1	2	1	2	
Weston super Mare M.B. - -	40,210	139	1	153	1	—	—	—	3	—	—	2	—	
Wales														
Aberdare U.D. - -	41,050	126	2	147	6	—	—	—	3	4	—	1	—	
Abertillery U.D. - -	27,900	47	1	75	3	—	—	—	2	—	—	2	1	
Barry M.B. - -	42,120	144	—	116	1	—	—	—	9	1	—	4	—	
Bedwellty U.D. - -	28,930	79	1	64	4	—	—	—	2	—	—	7	1	
Caerphilly U.D. - -	34,600	187	5	100	7	—	—	—	5	1	—	14	—	
Ebbw Vale U.D. - -	29,370	145	6	79	3	—	—	—	—	1	—	4	—	
Gelligaer U.D. - -	36,400	114	2	65	2	—	—	—	3	4	—	4	1	
Llanelli M.B. - -	33,630	131	5	132	2	—	—	—	5	—	—	4	—	
Llwchwr U.D. - -	25,620	100	—	65	4	—	1	—	5	—	—	1	—	
Maesteg U.D. - -	23,950	98	4	58	5	—	—	—	3	—	—	2	—	
Mountain Ash U.D. - -	31,750	102	1	87	3	—	—	—	2	—	—	—	1	
Neath M.B. - -	32,230	366	17	127	10	—	—	—	5	1	—	5	—	
Ogmore & Garw U.D. - -	22,620	31	—	45	2	—	—	—	1	—	—	1	—	
Pontypool U.D. - -	42,850	251	11	133	8	—	—	—	—	—	—	2	2	
Pontypridd U.D. - -	39,220	45	—	155	—	—	—	—	6	1	—	4	—	
Port Talbot M.B. - -	44,050	51	2	109	3	—	1	—	2	—	—	11	—	

TABLE VII.—Population, Births and Deaths in the Third Quarter, 1950, and where available Fourth Quarter, 1950. }

London and certain Cities abroad.

CITIES	POPULATION (enumerated or estimated)	LIVE BIRTHS	STILLBIRTHS	TOTAL DEATHS (excluding Stillbirths)	Rate per 1,000 living		Deaths from										Deaths under 1 year per 1,000 Live Births
					Live Births	Deaths (ex- cluding Still- births)	Typhoid and paratyphoid fevers	Smallpox	Whooping cough	Diphtheria* †	Tuberculosis (all forms)	Influenza	Ac. Poliomyelitis and polioencephalitis	Enteritis and Diarrhoea (under 2 years)†			
Third Quarter, 1950.																	
LONDON - - -	3,410,720	14,790	284	7,904	17.2	9.2	1	—	11	—	245	5	17	9	—	21†	
ALEXANDRIA - -	1,011,700	12,296	249	6,699	48.6	26.5	41	—	3	18	?	—	?	3,096	—	248	
AMSTERDAM - -	841,280	3,507	130	1,315	16.5	6.2	1	—	1	5	37	2	—	—	—	24	
BOMBAY - - -	1,796,000	15,005	1,041	8,426	33.4	18.8	129	12	—	20	559	—	15	177	—	167	
CAIRO - - -	2,273,400	27,116	421	15,691	47.7	27.6	176	—	4	27	?	2	?	7,203	—	253	
CALCUTTA - - -	2,991,000	13,058	903	12,040	17.5	16.1	539	505	3	34	886	18	4	706	—	225	
CAPETOWN - - -	180,805	1,213	9	611	26.6	13.4	—	—	—	—	?	—	?	—	—	24	
COLOGNE - - -	591,449	1,830	38	1,281	12.3	8.6	3	—	8	—	53	—	1	10	—	67	
COPENHAGEN - -	763,700	2,794	63	1,494	14.5	7.8	—	?	—	—	33	—	16	?	—	24	
DURBAN - - -	117,228	861	13	407	29.1	13.8	—	—	—	1	?	8	?	2	—	12	
FRANKFURT-ON- MAIN - - -	533,611	1,440	26	1,053	10.8	7.9	1	—	1	—	27	1	?	?	—	54	
GOTHENBURG - -	349,323	?	?	634	?	7.2	—	?	—	—	19	—	1	1	—	?	
JOHANNESBURG -	322,268	2,544	51	888	31.3	10.9	—	—	—	2	?	—	?	3	—	32	
MADRID - - -	1,493,000	6,232	314	2,872	16.6	7.6	20	—	3	4	398	2	?	59	—	47	
MONTREAL - - -	1,067,000	5,898	237	2,368	21.9	8.8	1	—	2	2	101	2	1	34	—	54	
MUNICH - - -	832,740	2,024	53	2,100	9.6	10.0	—	—	2	6	64	2	5	3	—	46	
NEW YORK - - -	8,258,000	40,843	4,164	17,484	20.1	8.6	—	—	—	1	521	9	31	8	—	21	
PERTH - - -	272,528	1,833	27	836	23.8	10.9	—	—	1	2	21	5	—	3	—	15	
ROME - - -	1,673,181	6,730	176	3,029	16.0	7.2	9	—	—	7	312	—	16	58	—	39	
STOCKHOLM - - -	733,615	2,705	63	1,469	14.7	8.0	—	—	—	1	35	—	2	—	—	13	
TORONTO - - -	673,104	3,087	58	1,430	18.2	8.4	—	—	—	—	22	2	—	1	—	26	
VIENNA - - -	1,755,033	3,527	64	5,391	8.0	12.2	9	—	2	9	242	1	2	20	—	48	
ZURICH - - -	385,880	1,362	29	775	14.1	8.0	—	—	—	—	17	1	1	—	—	18	
Fourth Quarter, 1950.																	
LONDON - - -	3,389,620	13,979	295	10,768	16.4	12.5	—	—	10	1	312	46	9	8	—	26†	
ALEXANDRIA - -	1,011,700	13,514	252	4,845	53.4	19.2	11	—	—	34	?	1	?	1,452	—	139	
BOMBAY - - -	1,796,000	18,947	982	8,255	42.2	19.4	85	24	2	20	568	—	4	155	—	130	
CAIRO - - -	2,273,400	28,805	446	10,771	50.7	18.9	48	—	3	46	?	2	?	3,308	—	137	
CALCUTTA - - -	2,991,000	15,916	889	12,115	21.3	16.2	329	1,320	8	27	809	12	4	392	—	187	
CAPETOWN - - -	180,805	1,234	15	546	27.1	12.0	—	—	—	—	?	—	?	—	—	27	
COLOGNE - - -	599,167	1,840	44	1,503	12.3	10.0	2	—	1	2	55	—	2	4	—	52	
DURBAN - - -	117,228	825	18	346	27.9	11.7	—	—	—	1	?	1	?	1	—	33	
FRANKFURT-ON- MAIN - - -	541,470	1,458	27	1,286	10.7	9.4	—	—	1	1	21	—	?	?	—	38	
HAMBURG - - -	1,612,000	4,506	81	4,630	11.1	11.4	2	—	5	2	148	7	3	13	—	42	
JOHANNESBURG -	322,268	2,461	60	716	30.3	8.8	—	—	1	1	?	—	?	3	—	32	
MONTREAL - - -	1,067,000	6,143	236	2,688	22.8	10.0	—	—	1	1	90	6	1	16	—	59	
MUNICH - - -	844,315	2,068	53	2,254	9.7	10.6	—	—	1	7	72	7	2	5	—	51	
NEW YORK - - -	8,258,000	38,674	4,348	19,848	18.6	9.5	—	—	1	—	530	11	38	7	—	26	
ROME - - -	1,678,664	6,389	195	3,475	15.1	8.2	2	—	—	28	306	1	5	58	—	?	
STOCKHOLM - - -	733,615	2,613	54	1,692	14.2	9.2	—	—	—	—	37	2	12	1	—	15	
TORONTO - - -	667,487	2,838	51	1,657	16.9	9.8	—	—	—	—	28	—	—	1	—	28	
ZURICH - - -	387,910	1,321	29	933	13.6	9.6	1	—	—	—	25	3	1	—	—	30	

* Including deaths from croup in Bombay. † Per 1,000 related live births.

‡ The deaths in this column relate to children under 1 year of age for Gothenburg and Madrid.

TABLE VIII.—Notifications of Certain Infectious Diseases in the Quarter ended 31st December, 1950.

England and Wales, Counties, County Boroughs, London and Metropolitan Boroughs and Port Health Districts.

Note:—Total original and corrected notifications are distinguished for England and Wales as a whole. Otherwise the figures refer to corrected notifications only.

(See General Notes on page 3).

	Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	Food poisoning.		Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	
England and Wales:	16031	641	140*	6964	7332	1690	659	2617	Original Notifications	Essex:	695	2	9	364	206	42	19
										Total C.B.s—	188	—	5	65	18	11	2
										East Ham C.B.	38	—	2	8	—	3	1
										Southend-on-Sea C.B.	72	—	1	32	2	6	—
										West Ham C.B.	78	—	2	25	16	2	1
										Total U.D.s	462	2	2	272	185	26	15
										Total R.D.s	45	—	2	27	3	5	2
England and Wales:	15801	232	118*	6930	6841	1578	524	2346	Corrected Notifications	Gloucester:	331	1	4	147	88	116	24
Bedford:	48	—	1	30	7	16	3	—		Total C.B.s—	175	1	1	104	31	84	15
Total U.D.s	33	—	1	23	1	12	3	—		Bristol C.B.	165	—	1	96	31	83	15
Total R.D.s	15	—	—	7	6	4	—	—		Gloucester C.B.	10	1	—	8	—	1	—
Berks:	245	—	—	44	9	14	5	26		Total U.D.s	75	—	—	17	32	9	2
Reading C.B.	158	—	—	10	—	—	—	3		Total R.D.s	81	—	3	26	25	23	7
Total U.D.s	32	—	—	2	7	3	2	10		Hereford:	51	—	1	12	14	6	3
Total R.D.s	55	—	—	32	2	11	3	13		Total U.D.s	24	—	—	6	7	1	—
Buckingham:	78	1	8	26	14	13	6	9		Total R.D.s	27	—	1	6	7	5	3
Total U.D.s	34	1	—	14	—	6	3	4		Hertford:	230	—	—	47	18	18	8
Total R.D.s	44	—	8	12	14	7	3	5		Total U.D.s	163	—	—	36	5	13	5
Cambridge:	43	—	—	8	11	4	2	—		Total R.D.s	67	—	—	11	13	5	3
Urban District	28	—	—	2	8	3	1	—		Huntingdon:	9	—	—	2	—	1	—
Total R.D.s	15	—	—	6	3	1	1	—		Total U.D.s	3	—	—	2	—	—	—
										Total R.D.s	6	—	—	—	—	1	—
Chester:	435	12	4	188	211	40	20	63		Kent:	493	3	5	213	107	37	66
Total C.B.s	193	5	2	70	66	22	3	24		Canterbury C.B.	4	—	—	—	14	—	1
Birkenhead C.B.	81	4	—	49	11	9	—	—		Total U.D.s	396	3	4	155	76	26	61
Chester C.B.	11	—	1	3	—	2	—	—		Total R.D.s	93	—	1	58	17	11	4
Stockport C.B.	70	—	1	15	4	3	1	18		Lancaster:	2113	42	7	986	1297	105	28
Wallasey C.B.	31	1	—	3	51	8	2	6		Total C.B.s—	1331	25	3	660	808	59	18
Total U.D.s	202	6	2	93	115	16	16	33		Barrow-in-Furness C.B.	7	—	—	4	6	—	—
Total R.D.s	40	1	—	25	30	2	1	6		Blackburn C.B.	16	—	1	13	8	2	—
Cornwall:	87	1	—	44	2	47	13	8		Blackpool C.B.	77	1	—	7	8	2	1
Total U.D.s	28	—	—	13	2	32	7	4		Bolton C.B.	58	—	—	31	2	—	1
Total R.D.s	59	1	—	31	—	15	6	4		Bootle C.B.	21	—	1	12	18	1	—
Cumberland:	138	—	—	39	115	1	2	2		Burnley C.B.	107	1	—	28	16	2	—
Carlisle C.B.	28	—	—	6	12	—	—	1		Bury C.B.	20	—	—	8	6	—	—
Total U.D.s	46	—	—	11	43	—	—	—		Liverpool C.B.	267	17	—	183	126	28	6
Total R.D.s	64	—	—	22	60	1	2	1		Manchester C.B.	321	6	—	194	117	13	6
Derby:	389	—	1	119	18	16	3	12		Oldham C.B.	34	—	—	24	140	—	—
Derby C.B.	70	—	—	24	7	2	1	6		Preston C.B.	146	—	—	22	23	1	—
Total U.D.s	183	—	—	49	3	10	1	4		Rochdale C.B.	29	—	—	4	1	—	—
Total R.D.s	136	—	1	46	8	4	1	2		St. Helens C.B.	35	—	—	10	16	2	1
Devon:	324	16	2	95	48	103	18	9		Salford C.B.	67	—	1	77	75	4	1
Total C.B.s	253	13	—	45	22	28	5	6		Southport C.B.	49	—	—	9	245	—	—
Exeter C.B.	21	—	—	8	22	9	1	3		Warrington C.B.	34	—	—	13	1	—	—
Plymouth C.B.	232	13	—	37	—	19	4	3		Wigan C.B.	43	—	—	21	—	4	2
Total U.D.s	35	1	2	18	18	31	9	—		Total U.D.s	678	17	3	283	454	35	9
Total R.D.s	36	2	—	32	8	44	4	3		Total R.D.s	104	—	1	43	35	11	1
Dorset:	56	1	2	27	16	33	4	23		Leicester:	226	4	—	91	694	16	12
Total U.D.s	32	—	1	18	3	15	2	7		Leicester C.B.	114	4	—	20	469	4	8
Total R.D.s	24	1	1	9	13	18	2	16		Total U.D.s	60	—	—	24	84	3	—
Durham:	661	17	3	520	366	54	5	21		Total R.D.s	52	—	—	47	141	9	4
Total C.B.s	213	2	1	269	277	26	2	10		Lincoln, Parts of Holland:	49	—	—	18	9	1	—
Darlington C.B.	18	—	—	11	218	—	—	—		Total U.D.s	37	—	—	7	8	—	—
Gateshead C.B.	121	—	—	54	26	3	1	2		Total R.D.s	12	—	—	11	1	1	—
South Shields C.B.	30	—	1	33	25	5	—	7		Lincoln, Parts of Kesteven:	23	—	2	24	3	10	4
Sunderland C.B.	32	—	—	158	7	18	1	1		Total U.D.s	15	—	2	14	2	1	4
West Hartlepool C.B.	—	—	—	—	—	—	—	—		Total R.D.s	8	—	—	10	1	9	—
Total U.D.s	279	13	2	170	77	13	3	11		Lincoln, Parts of Lindsey:	178	3	1	63	21	23	4
Total R.D.s	169	2	—	81	12	15	—	—		Total C.B.s—	73	—	—	20	5	10	3
Isle of Ely:	21	—	—	14	4	2	—	1		Grimsby C.B.	54	—	—	14	—	8	2
Total U.D.s	7	—	—	12	4	1	—	—		Lincoln C.B.	19	—	—	6	5	2	1
Total R.D.s	14	—	—	2	—	1	—	1		Total U.D.s	46	2	1	21	14	3	—
										Total R.D.s	59	1	—	22	2	10	1

* Typhoid fever: Original 51; Corrected 38.

Paratyphoid fevers: Original 89; Corrected 80.

TABLE VIII.—continued.

	Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.	Food poisoning.		Scarlet fever.	Diphtheria.	Enteric (typhoid and paratyphoid) fever.	Acute pneumonia (prim'y or influenz'l).	Dysentery.	Paralytic.	Non-paralytic.
Yorks,									Carmarthen:	35	—	—	31	34	1	4
East Riding:	157	1	—	30	76	11	7	1	Total U.D.s	22	—	—	18	27	1	3
Kingston upon									Total R.D.s	13	—	—	13	7	—	1
Hull C.B. —	122	—	—	53	69	4	5	—	Denbigh:	45	1	—	36	17	22	6
Total U.D.s —	23	—	—	17	6	3	1	—	Total U.D.s	14	1	—	16	17	6	1
Total R.D.s —	12	1	—	10	1	4	1	1	Total R.D.s	31	—	—	20	—	16	5
Yorks,									Flint:	49	—	—	24	21	4	—
North Riding:	175	7	—	57	132	24	7	2	Total U.D.s	26	—	—	9	21	—	—
Middlesbrough									Total R.D.s	23	—	—	15	—	4	—
C.B. —	75	6	—	21	91	5	1	—	Glamorgan:	664	4	1	180	136	31	12
Total U.D.s —	63	1	—	21	10	12	4	2	Total C.B.s—	243	—	—	62	122	11	6
Total R.D.s —	37	—	—	15	31	7	2	—	Cardiff C.B. —	65	—	—	48	88	5	2
Yorks,									Merthyr Tydfil							
West Riding:	1576	23	3	798	749	124	31	691	C.B. —	91	—	—	3	—	—	—
Total C.B.s—	924	5	2	548	267	78	20	135	Swansea C.B. —	87	—	—	11	34	6	4
Barnsley C.B. —	53	—	—	27	3	3	—	2	Total U.D.s	348	3	1	98	14	11	4
Bradford C.B. —	114	—	—	77	58	16	2	58	Total R.D.s	73	1	—	20	—	9	2
Dewsbury C.B. —	28	—	—	1	47	2	—	1	Merioneth:	17	—	—	—	1	5	—
Doncaster C.B. —	26	—	—	8	—	6	1	—	Total U.D.s	1	—	—	—	—	1	—
Halifax C.B. —	97	—	—	16	3	—	—	—	Total R.D.s	16	—	—	—	1	4	—
Huddersfield C.B. —	145	1	1	13	43	2	—	2	Monmouth:	205	5	2	63	215	8	—
Leeds C.B. —	149	4	—	80	27	25	1	5	Newport C.B. —	69	1	—	22	99	1	—
Rotherham C.B. —	29	—	—	15	2	1	—	1	Total U.D.s	122	4	—	38	115	6	—
Sheffield C.B. —	167	—	1	284	70	17	14	57	Total R.D.s	14	—	2	3	1	1	—
Wakefield C.B. —	18	—	—	19	1	1	—	2	Montgomery:	4	—	—	6	—	4	2
York C.B. —	98	—	—	8	13	5	2	7	Total U.D.s	2	—	—	3	—	1	2
Total U.D.s —	478	3	1	185	436	30	2	27	Total R.D.s	2	—	—	3	—	3	—
Total R.D.s —	174	15	—	65	46	16	9	529	Pembroke:	8	—	—	5	—	7	—
Anglesey:	6	—	—	6	23	1	—	—	Total U.D.s	6	—	—	2	—	3	—
Total U.D.s —	1	—	—	—	—	1	—	—	Total R.D.s	2	—	—	3	—	4	—
Total R.D.s —	5	—	—	6	23	—	—	—	Radnor:	1	—	—	3	—	2	3
Brecknock:	12	1	—	3	—	3	—	—	Total U.D.s	—	—	—	—	—	2	—
Total U.D.s —	2	—	—	3	—	2	—	—	Total R.D.s	1	—	—	3	—	—	3
Total R.D.s —	10	1	—	—	—	1	—	—	Port Health Districts:*	3	1	1	4	—	2	—
Caernarvon:	34	1	—	12	36	14	2	1								
Total U.D.s —	18	1	—	7	30	6	2	—								
Total R.D.s —	16	—	—	5	6	8	—	1								
Cardigan:	1	—	—	—	—	—	—	—								
Total U.D.s —	1	—	—	—	—	—	—	—								
Total R.D.s —	—	—	—	—	—	—	—	—								

Original notifications of *Meningococcal infection* numbered 406, *Whooping cough* 46,998 and *Measles* 132,891. Corrected notifications were *Meningococcal infection* 297, *Whooping cough* 46,885 and *Measles* 132,832, distributed by counties as follows:—

	Meningo-coccal infection.	Whooping cough.	Measles.		Meningo-coccal infection.	Whooping cough.	Measles.		Meningo-coccal infection.	Whooping cough.	Measles.
Bedford	3	276	716	Lincs. (Lindsey)	2	274	3,850	Wilts	—	505	86
Berks	—	231	189	London	27	4,229	11,590	Worcester	6	410	2,40
Buckingham	2	335	531	Middlesex	16	2,254	6,271	Yorks (E. Riding)	4	539	7,04
Cambridge	—	106	172	Norfolk	4	697	268	Yorks (N. Riding)	2	196	1,17
Chester	4	965	2,474	Northampton	2	121	1,497	Yorks (W. Riding)	—	—	—
Cornwall	2	253	98	Northumberland	6	699	574	(including York C.B.)	—	—	—
Cumberland	1	201	364	Nottingham	3	1,000	4,591	Anglesey	24	3,120	19,53
Derby	3	1,046	3,185	Oxford	1	283	133	Brecknock	—	67	7
Devon	5	664	861	Peterboro', Soke of	—	72	4	Caernarvon	—	1	5
Dorset	2	517	305	Rutland	1	3	3	Cardigan	—	59	50
Durham	12	1,021	1,887	Salop	—	183	414	Carmarthen	1	7	1
Ely, Isle of	4	115	9	Somerset	6	352	1,090	Denbigh	1	8	9
Essex	16	3,438	4,427	Southampton	3	1,100	1,144	Flint	1	306	43
Gloucester	2	655	2,957	Stafford	7	1,569	3,188	Glamorgan	—	129	47
Hereford	2	184	1,078	Suffolk, East	1	558	28	Merioneth	18	1,249	3,57
Hertford	3	912	1,951	Suffolk, West	—	187	47	Monmouth	1	18	—
Huntingdon	—	91	24	Surrey	4	1,982	5,896	Montgomery	1	220	1,13
Kent	6	2,272	3,845	Sussex, East	3	800	1,271	Pembroke	—	40	1
Lancaster	45	7,449	22,409	Sussex, West	2	423	111	Radnor	—	85	5
Leicester	8	635	822	Warwick	28	1,586	3,648		—	5	1
Lincs. (Holland)	—	63	285	Westmorland	1	45	79		—	—	—
Lincs. (Kesteven)	—	42	879	Wight, Isle of	—	33	175	Port Health Dists.*	1	27	—

Other diseases notified:—*Ophthalmia neonatorum*: Original 427; Corrected 426. *Acute encephalitis, Infective*: Original 42; Corrected 40. *Acute encephalitis, Post infectious*: Original 20; Corrected 19. *Erysipelas*: Original 1,744; Corrected 1,722. *Puerperal Pyrexia*: Original 933, Corrected 922. *Smallpox*: Original 4; Corrected 4. (See page 5). No cases of *Cholera*, *Plague* or *Typhus fever* were notified.

* Uncorrected figures for 13 weeks ended 31st December, 1950, not included in totals for England and Wales.

TABLE VIII(a).—Corrected Notifications of Certain Infectious Diseases in the Quarter ended 31st December, 1950, analysed by sex and age. } England and Wales.

(See General Notes on page 3).

Age Group	Scarlet fever		Whooping cough		Diphtheria		Measles		Acute Poliomyelitis			
									Paralytic		Non-Paralytic	
	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	7,950	7,851	22,180	24,705	120	112	68,138	64,694	810	768	294	230
0—	29	22	1,920	1,853	3	—	2,035	1,988	52	34	5	5
1—	662	537	5,344	5,786	16	5	13,791	13,101	132	122	28	27
3—	2,080	1,798	6,751	7,571	20	18	21,325	19,947	113	119	50	23
5—	4,074	4,193	7,547	8,524	34	25	29,105	27,671	184	161	88	52
10—	695	879	310	367	19	24	1,271	1,195	73	80	50	26
15—	277	251	48	108	15	20	245	326	99	103	36	44
25 and over	106	144	105	317	13	19	199	313	152	143	35	52
Unknown	27	27	155	179	—	1	167	153	5	6	2	1

Age Group	Enteric or Typhoid fever		Paratyphoid fevers		Meningococcal infection		Erysipelas		Dysentery		Acute Encephalitis				Acute pneumonia		Food poisoning	
											Infective		Post-infectious					
	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F	M	F
All Ages	14	24	37	43	177	120	743	979	3,257	3,584	19	21	10	9	3,942	2,988	1,101	1,245
0—	2	—	8	6	109	67	10	13	1,404	1,145	9	4	4	1	717	533	156	162
5—	2	2	10	7	32	20	34	30	951	844	6	3	4	7	497	398	299	327
15—	8	8	14	20	26	22	187	268	555	1,033	2	9	2	1	957	762	365	371
45—	2	10	3	5	5	11	345	426	169	274	—	2	—	—	1,097	625	136	133
65 & over	—	4	2	4	3	—	158	230	121	205	2	1	—	—	632	632	92	199
Unknown	—	—	—	1	2	—	9	12	57	83	—	2	—	—	42	38	53	53

TABLE IX.—Infant Mortality: Rates by Quarters and each completed Year, 1948-50. } England and Wales and various other countries.

(Deaths under 1 year per 1,000 live births).

COUNTRY	1948	1949	1950	1948				1949				1950			
				Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.	Mar.	June	Sept.	Dec.
England and Wales	34	32	30	41	31	28	35	40	30	27	32	37	28	24	30
Scotland — — —	45	41	—	51	43	40	44	50	36	35	44	46	34	33	—
Northern Ireland—	46	45	—	53	44	41	44	55	38	43	46	44	37	36	—
Australia — — —	28	25	—	25	29	31	27	26	25	25	24	24	—	—	—
Belgium — — —	50	52	—	64	40	39	77	63	40	42	58	62	—	—	—
Canada — — —	44	43	—	55	43	36	41	45	41	37	44	—	—	—	—
Chile — — —	160	169	—	196	145	138	162	217	169	138	157	194	129	—	—
Denmark — — —	35	34	—	44	34	29	33	40	37	28	32	36	32	—	—
France — — —	51	61	—	57	52	45	51	71	62	57	55	66	56	42	—
Irish Republic —	49	59	—	63	46	38	48	55	50	44	58	59	44	37	—
Italy — — —	70	74	—	66	70	73	73	81	65	78	61	64	65	67	—
Netherlands — —	29	27	25	34	28	26	27	32	26	22	26	30	24	22	25
New Zealand — —	22	24	—	22	18	25	23	21	25	26	24	23	22	24	—
Sweden — — —	23	23	—	21	23	22	21	18	21	20	23	22	19	18	—
U.S.A. — — —	32	31	29	35	33	29	32	34	31	30	30	31	31	27	30

* Rate per 1,000 related live births.

† Rates for years prior to 1949 exclude live born infants who died before registration.

TABLE X.—Deaths from Certain Causes, by Quarters } England and Wales.
1948-1950.

For corresponding figures for 1945-1947 see Return for March Quarter 1948.

(See General Notes on page 3).

Sex	Quarter	1948	1949	1950	1948	1949	1950	1948	1949	1950
		001-008 Tuberculosis-respiratory.			010 Tuberculosis-meninges and C.N.S.			011-019 Tuberculosis-remainder.		
M.	March	3,183	3,241	2,811	186	162	127	231	230	145
	June... ..	2,874	2,671	2,254	222	152	122	249	173	137
	September ...	2,487	2,143	1,721	120	143	99	163	150	141
	December ...	3,047	2,644		128	113		201	165	
F.	March	2,023	2,016	1,544	185	134	129	197	165	133
	June... ..	1,782	1,687	1,335	214	148	118	206	119	108
	September ...	1,684	1,467	1,012	146	136	122	162	127	114
	December ...	2,008	1,607		120	115		165	125	
		020-029 Syphilis and its sequelæ.			040, 041 Typhoid and paratyphoid fevers.			045-048 Dysentery—all forms.		
M.	March	416	418	337	5	2	2	17	8	12
	June... ..	367	347	282	3	3	5	10	4	4
	September ...	314	290	269	5	5	2	6	5	9
	December ...	344	364		9	5		2	8	
F.	March	167	190	177	8	3	3	10	2	7
	June... ..	154	158	110	8	4	1	3	5	8
	September ...	137	124	96	3	5	2	7	4	3
	December ...	184	169		7	5		7	4	
		050, 051 Scarlet fever and streptococcal sore throat.			055 Diphtheria.			056 Whooping cough.		
M.	March			20	36	19	16	92	96	38
	June... ..			8	17	10	5	110	79	33
	September ...			8	11	6	4	76	46	49
	December ...				15	11		58	18	
F.	March			18	25	10	8	126	121	49
	June... ..			6	17	14	3	116	86	73
	September ...			8	24	10	5	98	54	53
	December ...				11	5		72	27	
		057 Meningococcal infections.			080, 081 Acute poliomyelitis (including late effects).			085 Measles.		
M.	March	43	61	46	39	15	41	51	88	30
	June... ..	40	38	26	20	17	39	54	53	31
	September ...	37	18	29	33	148	220	16	6	22
	December ...	44	37		50	185		42	5	
F.	March	48	40	48	50	11	41	44	74	22
	June... ..	37	32	33	8	15	34	62	56	22
	September ...	21	27	14	27	117	165	23	16	17
	December ...	30	35		34	149		35	10	
		162, 163 Cancer of bronchus and lung.			140-161, 164-200, 202, 203, 205 Other cancer*			204 Leukæmia and aleukæmia.		
M.	March	2,016	2,318	2,505	7,870	7,917	8,083	202	243	225
	June... ..	2,142	2,214	2,478	7,819	7,720	7,826	223	193	241
	September ...	2,109	2,318	2,535	7,814	7,901	7,952	198	228	247
	December ...	2,353	2,500		8,007	7,958		201	259	
F.	March	451	509	506	9,349	9,416	9,563	146	192	204
	June... ..	465	463	481	9,264	9,197	9,588	166	209	190
	September ...	452	479	469	9,493	9,673	9,690	188	208	204
	December ...	499	491		9,434	9,658		183	190	
		252 Thyrotoxicosis, with or without goitre.			260 Diabetes mellitus.			290 Pernicious and hyperchromic anæmia.		
M.	March	18	22	25	310	347	371	135	126	125
	June... ..	21	24	9	238	235	284	95	103	103
	September ...	10	16	12	225	215	223	97	76	83
	December ...	16	17		277	305		125	117	
F.	March	170	153	149	597	662	704	212	237	220
	June... ..	132	107	111	540	548	588	202	203	202
	September ...	110	110	105	468	507	475	187	177	172
	December ...	138	134		600	625		195	208	

*Excluding Hodgkin's disease and leukæmia.

TABLE X.—continued.

Sex	Quarter	1948	1949	1950	1948	1949	1950	1948	1949	1950
M.	330-334 Vascular lesions of nervous system.				400-402 Rheumatic fever. (including chorea)			420 Coronary and arterio-sclerotic heart disease.		
	March	6,475	7,186	7,729			89			9,393
	June... ..	5,293	6,060	6,511			74			8,235
	September ...	4,916	5,165	5,579			52			7,308
	December ...	5,866	6,414							
	March	8,542	9,907	10,566			116			5,707
	June... ..	7,281	8,351	9,067			88			4,573
	September ...	7,074	7,165	7,739			55			4,094
	December ...	8,452	9,005							
F.	440-447 Hypertensive disease.				480-483 Influenza.			490-493, 763 Pneumonia. (including neonatal)		
	March			2,651	281	1,777	1,042	3,494	4,644	3,760
	June... ..			2,245	93	592	409	2,022	2,241	2,003
	September ...			1,865	71	55	45	1,492	1,376	1,251
	December ...				231	251		2,719	2,639	
	March			2,856	271	2,076	1,232	2,746	4,412	3,546
	June... ..			2,438	77	673	423	1,601	1,904	1,842
	September ...			2,094	31	40	57	1,156	1,176	1,125
	December ...				185	200		2,399	2,402	
M.	500-502 Bronchitis.				540, 541 Ulcer of stomach and duodenum.			550-553 Appendicitis.		
	March	5,914	8,691	6,696	1,009	1,112	1,096	205	179	177
	June... ..	3,094	3,485	3,382	864	907	840	172	185	163
	September ...	2,147	1,709	1,934	821	768	824	182	209	196
	December ...	4,675	4,566		1,002	1,033		177	175	
	March	3,427	6,175	4,643	297	334	336	120	131	146
	June... ..	1,601	2,076	1,920	233	261	289	139	108	137
	September ...	1,038	874	940	239	233	246	135	142	127
	December ...	3,017	2,862		300	290		142	127	
F.	571, 764 Gastro-enteritis (excl. ulcerative) and infant diarrhœa.				590-594 Nephritis and nephrosis.			770 Hæmolytic disease of newborn.		
	March	601	470	300			1,008	80	74	75
	June... ..	400	329	244			839	89	83	89
	September ...	359	363	201			729	78	80	47
	December ...	372	325					92	62	
	March	438	357	266			1,017	63	56	65
	June... ..	302	265	180			842	54	48	46
	September ...	313	295	141			743	51	64	52
	December ...	284	293					50	50	
M.	610 Hyperplasia of prostate.				640-649, 660-689 Disorders of pregnancy and childbirth (excl. abortion).			750-759 Congenital malformations. (both sexes).		
	March	1,270	1,381	1,307						
	June... ..	1,120	1,148	1,171						
	September ...	1,107	1,156	1,071						
	December ...	1,268	1,267					1,356	1,299	1,341
	March				179	156	126	1,205	1,225	1,179
	June... ..				178	150	117	1,099	1,150	1,082
	September ...				172	184	138	1,251	1,241	
	December ...				157	121				
F.	E810-835 Motor vehicle accidents.				E800-802, E840-962 Other accidents and poisoning.			E963, E970-979 Suicide and self- inflicted injury.		
	March	613	692	691	1,474	1,516	1,422	736	776	736
	June... ..	533	727	733	1,446	1,396	1,380	840	834	790
	September ...	723	729	875	1,537	1,559	1,485	746	763	786
	December ...	796	816		1,464	1,406		711	681	
	March	244	233	277	1,118	1,259	1,269	411	413	384
	June... ..	200	188	230	947	992	959	461	500	461
	September ...	228	224	234	917	852	860	449	402	384
	December ...	301	283		1,035	1,045		437	381	

TABLE XI.—Numbers of insured persons absent from work owing to certified sickness or industrial injury (or prescribed disease). } England and Wales,
} Standard Regions.

(Figures to nearest hundred)

(Supplied by the Ministry of National Insurance).

Area	17th October, 1950.		21st November, 1950.		19th December, 1950.	
	Sickness	Injury	Sickness	Injury	Sickness	Injury
England and Wales	777,200	55,700	790,700	55,200	751,700	50,200
Northern	61,500	8,700	63,900	8,600	64,300	7,600
East and West Ridings...	83,600	8,600	84,300	8,400	79,200	7,700
North Western	148,300	7,500	153,400	7,700	141,000	6,500
North Midland	56,500	5,600	57,700	5,400	55,200	5,100
Midland	78,200	4,700	77,500	4,500	74,100	4,300
Eastern	41,400	2,000	41,800	2,000	40,700	1,900
London and South Eastern						
London and Middlesex	96,300	3,800	97,000	3,800	90,400	3,600
Remainder	71,100	3,000	71,200	3,200	68,000	3,000
Southern	33,800	1,500	34,900	1,500	34,000	1,400
South Western	49,600	2,300	50,700	2,300	49,300	2,200
Wales	57,100	7,900	58,300	7,700	55,400	7,000

Notes: (1) Broadly, the whole of the civilian *working* population aged 15 and over can now qualify under the National Insurance Act for sickness benefit without limit of income, including not only those employed under contract of service but also the self-employed. Only comparatively small sections of the working population are excluded, the most numerous being those employed married women who elect not to be insured in their own right.

(2) The National Insurance (Industrial Injuries) Act applies, broadly speaking, to all civilians working for an employer under contract of service or apprenticeship, corresponding closely with the class of "employed persons" under the main scheme.

(3) It is not practicable to make a straightforward count of the number of persons who are absent from work on a given day owing to sickness or industrial injury. The method followed has accordingly been to take the number of long term certificates then current, and to add to it the number of first and intermediate certificates of incapacity received during the week ended on the given day. (The figure so obtained includes a small proportion of persons whose incapacity in fact ended before that day, and excludes a small proportion of persons whose incapacity in fact began on or before that day. Sample enquiries indicate that these factors do not produce on balance any significant effect on the national and regional totals).

METEOROLOGY*—ENGLAND AND WALES

FOURTH QUARTER, 1950.

October

The weather in October was dry, with both mean temperature and sunshine about average for the month.

Mean temperature over the country as a whole equalled the average for the period 1906-35, the deviations for the districts ranging from -0.3°F. in the north-west and south-east to $+0.6^{\circ}\text{F.}$ in the north-east. Rather warm days occurred at times during the first 19 days, notably on the 5th, when temperature reached or exceeded 70°F. at a large number of places. The last week was cold and some unusually low minimum temperatures were registered for the time of year on the 28th and 29th. Extremes for the month included 75°F. in London (Camden Square) on the 5th and 20°F. at Porton on the 28th.

The general precipitation expressed as a percentage of the average for the period 1881-1915 was 44. The deficiency was general except in small areas in north Wales and north-west England. In most of south-east England, Essex, Suffolk and much of southern Midlands, less than 25 per cent. of the average was registered and locally in Kent only 5 per cent. Snow or sleet showers occurred locally in the extreme north-east on the 9th and at a number of places on the 27th and 28th.

The general sunshine equalled the average for the period 1906-35, the percentages of the average for the districts ranging from 87 in England, S.W. and S. Wales to 106 in England, E.

November

In contrast to October, the weather of November was remarkable for excessive rainfall.

Mean temperature was 0.4°F. below the average for the period 1906-35, the deviations for the districts ranging from -0.8°F. in the north-west to $+0.1^{\circ}\text{F.}$ in the south-east. It was mild in the west and north at the beginning of the month and more generally from the 8th to the 11th and around the 28th. A cold spell occurred from the 24th to the 26th or 27th and it was rather cold from the 14th to the 17th. Extremes for the month included 60°F. at Plymouth (Mount Batten) on the 1st and 21°F. at Northolt and Silloth on the 26th.

The general precipitation was 172 per cent. of the average for the period 1881-1915. The total rainfall was the highest for any month this year and there have been only seven wetter Novembers since before 1869. The excess was general except locally in the extreme north-west while more than twice the average occurred over much of southern England, in a belt on the north-east coast from the Tweed to near the Yorkshire border, and in an area covering most of Lincolnshire and the neighbouring part of Nottinghamshire and extending north to include Pontefract. Among the heaviest falls in 24 hours were 2.18 in. at Redewater, Northumberland, and 2.09 in. at Weardale Reservoir, County Durham, on the 22nd and 2.68 in. at Princetown, Devon, and 2.35 in. at Brechfa, Carmarthenshire, on the 27th. Snow or sleet showers occurred locally at times during the cold spell.

The general sunshine was 95 per cent. of the average for the period 1906-35. The deficiency was greatest on the whole in east England and the Midlands.

December

The weather in December was exceptionally cold, with frequent and, at times, heavy snowfall.

Mean temperature was 5.6°F. below the average for the period 1906-35. As far as can be estimated at present it was the coldest December over the British Isles as a whole since 1890. Locally in south and west England, however, December, 1933, was slightly colder. It was mild over much of England and Wales on the 1st and a mild spell occurred from the 7th to 10th. On the other hand at a number of places temperature remained at 32°F. or below continuously from the 13th to 15th inclusive. At high level stations there were several such cold spells; for example at Bwlchgwyn, Denbighshire (1,267 ft.) temperature remained at 32°F. or below from the 12th to 15th, 21st to 24th and 26th to 29th inclusive. Extreme temperatures for the month included 55°F. at Paignton on the 1st, at Torquay on the 1st and 9th and at Dawlish on the 9th and 6°F. at Droitwich on the 6th.

The general precipitation was 76 per cent. of the average for the period 1881-1915. More than the average occurred in some eastern coastal districts, in Cheshire and at a few rather isolated places elsewhere. More than 150 per cent. of the average was registered in a coastal area in the north-east and 192 per cent. was recorded at Scarborough. On the other hand less than 50 per cent. of the average was received in many scattered inland areas. Snow fell frequently; for example on 22 days at Ushaw, County Durham, 20 at Bwlchgwyn, and 19 at Princetown. The falls were heavy locally during the first four days, and from the 13th to the 17th and on the 30th. Snow lay more than 6 in. deep at many places during the first two of these periods. It was 10 in. deep at Cockle Park, Northumberland, on the 4th, 11 in. at Bwlchgwyn and 10 in. at Houghall on the 5th, 10 in. or more at Scarborough, Weymouth, Poole and a number of places in the Isle of Wight on the 15th and 14 in. at Scarborough and Lowestoft on the 16th. At 17h. on the 30th snow was 9 in. deep at Southport and, on the morning of the 31st, 9 in. at Buxton. At Whipsnade, there were drifts up to 5ft. on the 18th and 19th. Drifting of snow and ice-bound roads caused dislocation of transport services in some areas.

The duration of bright sunshine was 102 per cent. of the average for the period 1906-35, the percentages for the districts ranging from 75 in east England to 111 in south-west England and South Wales. Percentages of the average at individual stations were very variable. At Greenwich it was the dullest December since 1897.

* Furnished by the Director of the Meteorological Office.

METEOROLOGY—continued.

Values of Air Temperature, Rainfall and Sunshine for the Fourth Quarter, 1950, expressed as differences from or percentages of the Average Values.

Districts of
England and Wales.

District.	Air Temperature.			Rainfall.		Sunshine.	Average Values 1881-1915.			
	Highest.	Lowest.	Difference from Average Daily Mean.	Percentage of Average.	Number of Days Difference from Average.	Percentage of Average.	Daily Mean Temperature.	Total Rainfall.	Number of Days.	Daily Sunshine.
OCTOBER, 1950							OCTOBER, 1881-1915.			
England, N.E.	74	24	+ 0.4	34	— 5	105	48.6	76	18	3.03
England, E.	73	21	+ 0.1	23	— 9	106	49.6	67	17	3.33
Midland Counties	74	22	+ 0.1	30	— 8	101	48.3	74	17	2.88
England, S.E.	75	23	— 0.3	22	— 9	103	50.8	88	17	3.44
England, N.W.	73	24	— 0.3	87	— 2	100	49.2	97	18	2.85
England, S.W.	72	21	— 0.1	46	— 1	84	50.6	116	19	3.27
Mean	—	—	0.0	40	— 6	100	49.5	86	18	3.13
NOVEMBER, 1950.							NOVEMBER, 1881-1915.			
England, N.E.	56	23	— 0.7	200	+ 4	99	43.1	60	18	1.87
England, E.	57	22	0.0	177	+ 6	83	43.5	59	17	2.12
Midland Counties	57	22	— 0.6	187	+ 5	88	42.7	64	17	1.79
England, S.E.	59	20	+ 0.1	191	+ 4	100	44.9	78	17	2.15
England, N.W.	57	21	— 0.8	134	+ 1	100	44.0	93	19	1.73
England, S.W.	60	22	— 0.4	189	+ 4	97	45.6	107	19	2.14
Mean	—	—	— 0.4	180	+ 4	95	44.0	77	18	1.97
DECEMBER, 1950.							DECEMBER, 1881-1915.			
England, N.E.	50	14	— 5.5	116	+ 2	109	39.5	59	18	1.20
England, E.	52	13	— 5.5	84	— 2	75	39.5	58	18	1.33
Midland Counties	51	6	— 5.5	57	— 1	111	39.2	70	18	1.16
England, S.E.	54	15	— 6.2	72	— 3	98	41.3	79	18	1.44
England, N.W.	54	8	— 5.7	82	— 1	108	40.8	95	20	1.04
England, S.W.	55	15	— 5.3	76	— 2	111	42.8	127	21	1.42
Mean	—	—	— 5.6	81	— 1	102	40.5	81	19	1.27
FOURTH QUARTER, 1950.							FOURTH QUARTER, 1881-1915.			
England, N.E.	74	14	1.9	117	0	104	43.7	195	54	2.03
England, E.	73	13	— 1.8	95	— 2	88	44.2	184	52	2.26
Midland Counties	74	6	— 2.0	91	— 1	100	43.4	208	52	1.94
England, S.E.	75	15	— 2.1	95	— 3	100	45.7	245	52	2.34
England, N.W.	73	8	— 2.3	101	— 1	103	44.7	285	57	1.87
England, S.W.	72	15	1.9	104	0	97	46.3	350	59	2.28
Mean	—	—	— 2.0	101	— 1	99	44.7	245	54	2.12

SURVEY OF SICKNESS IN SEPTEMBER QUARTER, 1950.

RECORD OF ILLNESS, INJURIES, INCAPACITY AND MEDICAL CONSULTATIONS EXPERIENCED BY REPRESENTATIVE POPULATION SAMPLES IN ENGLAND AND WALES.

The Social Survey has, during 1944-48, interviewed a sample of approximately 3,000 persons aged 16 and over at the beginning of each month. From the beginning of 1949 the number was increased to 4,000. The sample is distributed over the whole of England and Wales in different localities each month so selected as to secure proper representation of each class of area; within each locality the persons to be interviewed are chosen by a random process from the registers of the local National Registration Office. In the course of interviews conducted by Social Survey workers at the homes of the persons selected, information is asked for about the illnesses, ailments and days of incapacity experienced during the three months preceding interview and as to medical consultations and social factors. Participation in the survey is entirely voluntary but refusals are so exceptional as to have no appreciable effect on the validity of the data. Coding of the diseases, symptoms and injuries described, according to the International Statistical Classification of Diseases, Injuries and Causes of Death, 1948*, and the statistical analysis is carried out by the General Register Office.

Table A summarizes sickness experiences and Tables B, C, D show the numbers of illnesses, days of incapacity and medical consultations during the months of July, August and September, 1950. Tables E, F, G show the numbers of persons affected by the experiences, with sex and age distinction, and Table H analyses them by occupation and income group.

TABLE A.—Summary of sickness experiences during the months stated, based on interviews in the two following months.

	July				August				September			
	16-64		65 & over		16-64		65 & over		16-64		65 & over	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
No. of persons whose experience was recorded for the month stated — —	3,108	3,661	459	639	3,112	3,639	474	637	3,077	3,645	451	657
No. of persons reporting some illness or injury — — — —	1,829	2,483	356	565	1,769	2,465	356	565	1,857	2,576	363	572
Rate per hundred persons interviewed — —	59	68	78	88	57	68	75	89	60	71	80	87
No. of illnesses and injuries — — —	3,307	5,409	762	1,537	3,196	5,216	805	1,398	3,341	5,427	827	1,415
Rate per hundred persons interviewed — —	106	148	166	241	103	143	170	219	109	149	183	215
No. of days of incapacity — — — —	2,475	2,227	395	439	2,258	2,042	644	507	2,465	2,392	589	737
Rate per hundred persons interviewed — —	80	61	86	69	73	56	136	80	80	66	131	112
No. of medical consultations — — —	1,033	1,473	315	396	991	1,429	353	338	1,216	1,491	313	500
Rate per hundred persons interviewed — —	33	40	69	62	32	39	74	53	40	41	69	76

TABLE B.—Distribution of Illnesses and Injuries reported as affecting persons aged 16-64, 65 and over, in each month, by severity.

Month of interview	Month of experience	Class	Ages 16-64					Ages 65 and over				
			Serious	Moderate, Mild	Minor	Ill-defined	Total	Serious	Moderate, Mild	Minor	Ill-defined	Total
August	July	Illness New —	4	96	378	115	593	2	20	48	12	82
		Recurrent —	9	27	722	476	1,234	24	2	134	66	226
		Continued —	97	119	1,718	721	2,655	124	33	558	164	879
		Injury — —	9	18	71	—	98	2	1	9	1	13
September	July	Illness New —	4	80	245	58	387	—	10	31	14	55
		Recurrent —	10	45	804	454	1,313	18	7	109	67	201
		Continued —	69	115	1,537	651	2,372	110	30	538	154	832
		Injury — —	4	11	49	—	64	2	2	7	—	11
September	August	Illness New —	1	106	427	90	624	—	13	53	10	76
		Recurrent —	10	40	822	462	1,334	20	6	111	69	206
		Continued —	66	125	1,570	667	2,428	108	37	545	155	845
		Injury — —	4	14	69	—	87	1	—	15	—	16
October	August	Illness New —	3	85	259	38	385	1	12	31	6	50
		Recurrent —	3	25	737	473	1,238	14	3	161	64	242
		Continued —	70	112	1,512	556	2,250	75	30	506	139	750
		Injury — —	6	14	46	—	66	4	2	12	—	18
October	September	Illness New —	1	156	750	89	996	5	24	81	13	123
		Recurrent —	2	27	789	501	1,319	13	4	165	63	245
		Continued —	71	132	1,548	570	2,321	77	35	517	145	774
		Injury — —	8	22	68	—	98	3	1	19	—	23
November	September	Illness New —	1	95	343	44	483	—	11	33	5	49
		Recurrent —	17	28	762	410	1,217	17	7	138	52	214
		Continued —	81	97	1,489	608	2,275	155	21	515	116	807
		Injury — —	1	11	47	—	59	3	—	4	—	7

* See page 30.

TABLE C(2).—Distribution of Illnesses and Injuries of Different Kinds according to Days of Incapacity at ages 16 and over.

Nature of Illness or Injury	Number of Illnesses and Injuries causing incapacity of the specified number of days during the month of experience															Total days of incapacity in month
	0	1	2	3	4	5	6	7	8	9	10	11	18	25 or over		
July (August and September interviews)																
1. Tuberculosis of lungs - -	8	-	-	-	-	-	-	-	-	-	-	-	-	3	11	92
2. Psychoneuroses, mental disorders - -	117	-	1	1	-	-	-	1	-	-	-	-	1	5	126	183
3. Eye affections - -	525	1	1	-	-	-	-	-	-	-	-	-	-	-	527	31
4. Ear and mastoid - -	375	-	-	-	-	1	-	2	-	-	-	1	-	-	379	33
5. Rheumatism (1) - -	1,293	1	6	3	3	1	-	8	1	1	2	4	2	9	1,334	505
6. Heart and arteries - -	289	2	1	4	1	2	-	2	1	-	1	4	-	4	311	242
7. Affections of veins - -	291	1	1	-	-	-	1	-	-	-	-	3	2	-	299	92
8. Colds, influenza - -	433	1	8	7	4	3	3	8	-	1	2	3	1	1	475	266
9. Sore throat (2) - -	20	1	4	2	2	1	-	3	1	1	-	4	-	-	39	121
10. Other respiratory - -	945	4	3	5	3	1	2	7	1	-	1	8	3	8	991	540
11. Dental disorders - -	393	1	1	1	-	-	-	-	-	-	-	-	-	-	396	65
12. Ulcer of stomach and duodenum - -	64	-	-	-	2	1	-	-	-	1	1	2	2	3	76	196
13. Other stomach - -	732	8	2	3	1	2	-	2	-	1	1	3	1	-	756	134
14. Other digestive (3) - -	435	1	1	-	-	-	2	-	-	1	-	2	2	-	444	99
15. Diseases of skin (4) - -	304	-	3	2	-	1	-	6	-	-	-	3	3	2	324	230
16. Other defined illness - -	1,083	13	11	11	6	10	3	18	8	1	5	23	10	9	1,211	1,215
17. Ill-defined symptoms - -	3,037	21	13	5	2	5	3	8	2	1	7	10	7	9	3,130	826
18. Injuries - -	132	3	7	3	-	1	2	7	-	1	-	12	6	12	186	753
Total - -	10,476	58	63	47	24	29	16	72	14	9	20	82	40	65	11,015	5,536
August (September and October interviews)																
1. Tuberculosis of lungs - -	12	-	-	-	-	-	-	-	-	-	-	-	-	3	15	92
2. Psychoneuroses, mental disorders - -	106	-	-	1	1	-	-	2	1	-	1	-	1	4	117	178
3. Eye affections - -	468	2	-	1	-	2	1	-	-	-	-	-	-	-	474	21
4. Ear and mastoid - -	313	1	-	-	1	-	1	-	-	-	-	-	-	1	317	42
5. Rheumatism (1) - -	1,319	2	4	3	1	3	1	6	-	1	3	4	-	7	1,354	397
6. Heart and arteries - -	291	2	7	2	2	1	2	4	1	-	1	3	1	5	322	312
7. Affections of veins - -	294	-	1	1	1	-	-	1	-	-	-	2	-	6	306	224
8. Colds, influenza - -	501	7	15	7	9	-	1	6	-	1	-	4	1	1	553	258
9. Sore throat (2) - -	40	1	1	2	-	-	-	9	-	-	2	2	-	-	57	122
10. Other respiratory - -	874	4	2	5	-	2	-	5	-	-	-	6	6	2	906	339
11. Dental disorders - -	377	1	-	2	-	-	-	-	-	-	-	-	-	-	380	77
12. Ulcer of stomach and duodenum - -	62	-	-	-	-	1	1	2	-	-	2	2	1	4	75	218
13. Other stomach - -	724	4	7	4	2	1	2	4	-	1	1	1	1	2	754	198
14. Other digestive (3) - -	415	1	1	3	-	-	-	-	-	-	2	3	2	3	430	207
15. Diseases of skin (4) - -	312	1	1	1	4	2	1	5	2	-	-	4	1	3	337	252
16. Other defined illness - -	1,031	13	6	9	6	4	3	16	9	-	7	14	4	15	1,137	1,096
17. Ill-defined symptoms - -	2,801	13	11	9	3	1	9	15	1	3	3	10	5	10	2,894	851
18. Injuries - -	140	3	4	1	2	-	5	8	-	-	2	8	4	10	187	637
Total - -	10,080	55	60	51	32	17	27	83	14	6	24	63	27	76	10,615	5,451
September (October and November interviews)																
1. Tuberculosis of lungs - -	17	-	-	-	-	-	-	-	-	-	-	-	-	3	20	90
2. Psychoneuroses, mental disorders - -	98	-	-	2	1	-	-	-	-	-	1	3	1	2	108	143
3. Eye affections - -	475	3	2	-	2	-	1	2	-	-	-	2	1	-	488	88
4. Ear and mastoid - -	319	-	-	-	-	-	1	-	-	-	-	1	-	-	321	20
5. Rheumatism (1) - -	1,397	3	2	2	7	1	2	6	-	1	-	10	1	3	1,435	354
6. Heart and arteries - -	304	2	1	3	4	-	2	2	-	-	3	6	-	7	334	386
7. Affections of veins - -	271	-	1	-	2	-	-	-	-	-	2	3	3	2	284	192
8. Colds, influenza - -	929	20	35	17	13	8	3	20	-	2	5	13	4	-	1,069	719
9. Sore throat (2) - -	30	1	-	1	-	-	-	6	-	-	1	4	1	-	44	132
10. Other respiratory - -	899	5	5	4	1	4	-	8	-	1	2	7	5	3	944	429
11. Dental disorders - -	355	6	2	-	-	-	-	1	-	-	-	1	-	-	365	28
12. Ulcer of stomach and duodenum - -	70	1	2	1	1	1	-	1	-	-	1	3	3	2	86	198
13. Other stomach - -	725	3	1	1	2	1	1	1	1	1	1	4	-	-	742	118
14. Other digestive (3) - -	399	-	-	-	1	-	-	-	-	1	2	-	-	4	407	153
15. Diseases of skin (4) - -	318	-	2	2	3	-	2	4	1	1	1	5	3	2	344	282
16. Other defined illness - -	915	8	16	6	7	1	2	8	2	1	4	15	7	21	1,013	1,205
17. Ill-defined symptoms - -	2,722	15	14	7	5	1	2	10	1	4	3	14	7	14	2,819	999
18. Injuries - -	132	7	4	7	2	1	-	6	1	-	2	10	5	10	187	647
Total - -	10,375	74	87	53	51	18	16	75	6	12	28	101	41	73	11,010	6,183

(1), (2), (3), (4)—See page 30.

Note:—When several illnesses and injuries occur concurrently sometimes only the total number of days of incapacity caused by them jointly can be recorded. In such cases the whole of the incapacity is allocated to or divided between the most severe of the concurrent illnesses and injuries.

TABLE C(3).—Aggregate Numbers of Days of Incapacity and of all Illnesses and Injuries, by Sex, Age and Kind.

Nature of Illness or Injury	Number of Illnesses and Injuries								Total days lost in month							
	Ages 16-64				Ages 65 and over				Ages 16-64				Ages 65 and over			
	New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued		New and Recur- rent		Con- tinued	
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.
July (August and September interviews)																
1. Tuberculosis of lungs -	—	—	7	3	—	—	1	—	—	—	92	—	—	—	—	—
2. Psychoneuroses, mental disorders -	10	17	30	55	1	4	4	5	3	31	89	58	2	—	—	—
3. Eye affections -	27	51	117	170	2	7	52	101	—	2	—	—	—	—	—	1
4. Ear and mastoid -	34	17	114	88	4	6	49	67	21	—	5	—	—	7	—	—
5. Rheumatism (1) -	147	283	153	334	31	73	94	219	55	61	94	186	38	4	3	64
6. Heart and arteries -	10	19	47	101	6	14	37	77	20	3	70	74	—	5	—	—
7. Affections of veins -	22	24	50	145	—	4	15	39	23	14	1	40	—	14	—	—
8. Colds, influenza -	181	196	17	19	16	34	5	7	67	106	—	49	—	44	—	—
9. Sore throat (2) -	10	23	1	2	—	1	1	1	37	70	—	—	—	14	—	—
10. Other respiratory -	114	149	317	246	15	20	62	68	44	79	292	37	17	21	17	33
11. Dental disorders -	60	76	86	148	3	1	11	11	1	5	—	—	—	—	—	—
12. Ulcer of stomach and duodenum -	6	6	39	15	1	—	5	4	—	35	79	62	—	—	5	15
13. Other stomach -	190	187	107	117	32	42	28	53	67	9	19	17	—	—	—	22
14. Other digestive (3) -	34	49	46	219	4	12	19	61	44	1	—	54	—	—	—	—
15. Diseases of skin (4) -	55	53	81	77	8	5	13	32	34	28	45	60	3	—	—	60
16. Other defined illness -	87	254	201	426	16	25	69	133	123	145	374	343	12	33	158	27
17. Ill-defined symptoms -	344	792	461	988	54	123	95	273	75	141	209	313	7	4	32	45
18. Injuries -	57	36	45	24	3	6	6	9	206	75	291	124	17	9	31	—
Total -	1,388	2,232	1,919	3,177	196	377	566	1,160	820	805	1,655	1,422	96	155	299	284
August (September and October interviews)																
1. Tuberculosis of lungs -	—	—	11	4	—	—	—	—	—	—	92	—	—	—	—	—
2. Psychoneuroses, mental disorders -	11	16	35	47	1	1	1	5	4	35	94	37	—	—	—	8
3. Eye affections -	21	56	109	159	3	8	46	72	6	8	—	—	—	1	—	6
4. Ear and mastoid -	28	24	81	72	4	8	47	53	1	—	31	4	—	—	—	6
5. Rheumatism (1) -	141	293	157	339	33	74	103	214	51	5	75	131	31	—	40	64
6. Heart and arteries -	8	29	52	89	10	12	45	77	9	13	161	39	23	2	38	27
7. Affections of veins -	18	33	47	154	1	3	13	37	—	52	62	20	—	—	31	59
8. Colds, influenza -	207	228	29	22	26	31	2	8	49	127	4	—	21	19	—	38
9. Sore throat (2) -	17	31	1	5	—	1	1	1	21	87	—	14	—	—	—	—
10. Other respiratory -	103	117	306	229	19	15	64	53	72	89	101	14	22	3	36	2
11. Dental disorders -	81	77	81	120	1	1	9	10	3	1	—	3	—	—	—	—
12. Ulcer of stomach and duodenum -	14	7	33	11	1	1	3	5	—	—	132	33	31	—	6	16
13. Other stomach -	197	187	100	110	31	48	28	53	67	85	5	11	21	3	—	6
14. Other digestive (3) -	34	51	41	210	7	9	22	56	22	23	51	108	—	3	—	—
15. Diseases of skin (4) -	60	66	76	87	3	5	17	23	60	78	10	59	—	—	45	—
16. Other defined illness -	87	235	198	377	17	32	79	112	82	149	250	351	17	69	161	17
17. Ill-defined symptoms -	315	789	405	881	52	116	102	234	67	115	289	179	28	18	55	100
18. Injuries -	52	38	40	23	4	10	10	10	127	93	260	79	—	10	38	30
Total -	1,394	2,277	1,802	2,939	213	375	592	1,023	641	960	1,617	1,082	194	128	450	379
September (October and November interviews)																
1. Tuberculosis of lungs -	—	—	14	4	—	—	2	—	—	—	60	—	—	—	30	—
2. Psychoneuroses, mental disorders -	10	20	23	44	2	—	1	8	—	45	55	40	—	—	—	3
3. Eye affections -	26	52	120	164	3	5	41	77	24	19	24	3	—	—	12	6
4. Ear and mastoid -	27	25	84	73	2	5	50	55	14	—	—	—	—	—	—	6
5. Rheumatism (1) -	183	303	159	352	45	72	96	225	52	37	73	50	—	14	30	98
6. Heart and arteries -	10	36	42	86	10	10	48	92	—	10	147	118	—	12	25	74
7. Affections of veins -	12	24	48	154	—	2	12	32	28	29	44	51	—	—	40	—
8. Colds, influenza -	424	482	35	22	39	57	4	6	272	350	12	21	8	56	—	—
9. Sore throat (2) -	12	28	—	4	—	—	—	—	56	69	—	7	—	—	—	—
10. Other respiratory -	125	142	281	238	29	20	68	41	116	84	39	87	53	29	21	—
11. Dental disorders -	60	70	95	116	1	2	12	9	16	9	1	2	—	—	—	—
12. Ulcer of stomach and duodenum -	15	5	41	12	1	1	6	5	1	—	112	24	26	—	35	—
13. Other stomach -	170	194	99	117	29	56	25	52	23	19	47	14	—	9	—	6
14. Other digestive (3) -	24	50	45	181	8	11	22	66	10	30	13	70	—	—	—	30
15. Diseases of skin (4) -	63	55	72	97	4	14	20	19	86	24	54	46	—	52	20	—
16. Other defined illness -	79	196	164	354	17	26	75	102	143	136	143	492	25	30	120	116
17. Ill-defined symptoms -	321	772	358	898	48	112	94	216	49	125	302	217	32	47	108	119
18. Injuries -	56	34	44	23	5	8	8	9	219	113	230	51	1	—	3	30
Total -	1,617	2,488	1,724	2,939	243	401	584	1,014	1,109	1,099	1,356	1,293	145	249	444	488

(1), (2), (3), (4) See page 30. See note under Table C(2)

TABLE D(2).—Distribution of Illnesses and Injuries of Different Kinds according to the Number of Medical Consultations.

Nature of Illness or Injury	Number of illnesses and injuries causing consultations of the specified number during the month								Total Consultations in the Month							
	Ages 16 and over								Ages 16-64				Ages 65 and over			
	0	1	2	3	4	5 or more		Total illness and injury	New and Re-current		Con- tinued		New and Re-current		Con- tinued	
						A†	B†		M.	F.	M.	F.	M.	F.	M.	F.
July (August and September interviews)																
1. Tuberculosis of lungs -	7	2	1	—	1	—	—	11	—	—	7	1	—	—	—	—
2. Psychoneuroses, mental disorders -	88	21	6	4	4	3	15	126	3	13	26	25	1	—	—	—
3. Eye affections -	477	32	15	2	—	1	5	527	9	12	5	28	2	1	7	—
4. Ear and mastoid -	343	21	7	2	3	3	20	379	16	2	15	30	—	5	2	—
5. Rheumatism (1) -	1,196	69	37	6	17	9	71	1,334	24	39	56	101	1	3	21	58
6. Heart and arteries -	203	63	20	5	17	3	38	311	10	7	36	67	—	4	46	51
7. Affections of veins -	267	14	8	3	5	2	17	299	6	5	15	23	—	4	3	2
8. Colds, influenza -	435	20	12	4	2	2	10	475	18	36	2	5	1	6	4	—
9. Sore throat (2) -	19	9	6	4	1	—	—	39	12	22	—	—	—	3	—	—
10. Other respiratory -	889	41	27	9	17	8	60	991	21	36	84	42	5	12	33	117
11. Dental disorders -	387	9	—	—	—	—	—	396	2	3	1	3	—	—	—	—
12. Ulcer of stomach and duodenum -	48	10	11	3	3	1	5	76	3	3	28	17	1	—	4	—
13. Other stomach -	666	60	13	5	7	5	28	756	37	12	37	19	8	2	13	27
14. Other digestive (3) -	411	17	8	3	3	2	14	444	16	8	5	22	3	—	—	1
15. Diseases of skin (4) -	241	42	20	3	10	8	51	324	36	51	29	37	5	1	5	18
16. Other defined illness -	888	146	80	25	32	40	273	1,211	48	137	132	310	22	19	61	58
17. Ill-defined symptoms -	2,845	186	55	12	20	12	79	3,130	30	101	78	191	6	9	38	38
18. Injuries -	90	40	20	11	10	15	126	186	107	40	79	25	8	4	15	—
Total -	9,500	802	346	101	152	114	812	11,015	398	527	635	946	63	73	252	322
August (September and October interviews)																
1. Tuberculosis of lungs -	7	6	1	—	1	—	—	15	—	—	9	3	—	—	—	—
2. Psychoneuroses, mental disorders -	82	16	7	6	4	2	10	117	2	11	30	20	—	—	—	1
3. Eye affections -	428	34	6	3	2	1	8	474	6	12	10	20	1	—	15	—
4. Ear and mastoid -	287	16	6	4	2	2	13	317	16	5	18	12	1	—	2	—
5. Rheumatism (1) -	1,231	65	25	8	15	10	65	1,354	22	17	41	122	—	3	21	33
6. Heart and arteries -	208	57	24	11	15	7	49	322	3	16	39	78	17	2	42	55
7. Affections of veins -	268	20	7	2	3	6	40	306	1	17	17	29	—	2	8	11
8. Colds, influenza -	502	31	8	4	5	3	18	553	18	47	3	9	5	5	4	—
9. Sore throat (2) -	35	8	8	2	1	3	22	57	6	38	2	9	—	—	1	—
10. Other respiratory -	826	41	18	9	6	6	36	906	28	19	55	22	6	1	21	112
11. Dental disorders -	374	5	1	—	—	—	—	380	3	1	—	3	—	—	—	—
12. Ulcer of stomach and duodenum -	49	13	7	1	4	1	6	75	4	3	32	5	4	—	2	—
13. Other stomach -	685	29	18	8	11	3	20	754	37	33	29	27	6	5	5	11
14. Other digestive (3) -	401	14	9	3	2	1	5	430	7	7	12	21	—	5	—	—
15. Diseases of skin (4) -	243	41	14	14	9	16	121	337	65	86	21	63	—	1	27	—
16. Other defined illness -	852	131	75	25	32	22	166	1,137	46	103	123	212	11	25	77	55
17. Ill-defined symptoms -	2,625	163	60	12	23	11	85	2,894	40	90	83	186	14	20	38	22
18. Injuries -	84	41	25	5	14	18	131	187	97	52	66	31	2	11	23	1
Total -	9,187	731	319	117	149	112	795	10,615	401	557	590	872	67	81	286	255
September (October and November interviews)																
1. Tuberculosis of lungs -	12	6	2	—	—	—	—	20	—	—	7	3	—	—	—	—
2. Psychoneuroses, mental disorders -	67	17	11	3	9	1	6	108	1	25	14	34	3	—	—	17
3. Eye affections -	442	27	9	6	2	2	21	488	13	13	9	23	—	3	7	22
4. Ear and mastoid -	293	16	11	—	—	1	12	321	7	18	6	9	—	—	2	—
5. Rheumatism (1) -	1,276	85	39	11	14	10	66	1,435	22	49	47	117	2	5	10	66
6. Heart and arteries -	225	64	23	3	13	6	46	334	1	13	32	58	1	1	50	66
7. Affections of veins -	242	21	11	3	5	2	11	284	5	10	26	30	—	—	10	—
8. Colds, influenza -	945	76	30	5	6	7	46	1,069	76	95	9	14	9	16	1	—
9. Sore throat (2) -	22	8	6	5	3	—	—	44	21	21	—	5	—	—	—	—
10. Other respiratory -	833	49	32	15	9	6	42	944	49	32	59	38	18	5	18	11
11. Dental disorders -	356	6	1	1	1	—	—	365	5	1	7	2	—	—	—	—
12. Ulcer of stomach and duodenum -	50	12	11	2	6	5	40	86	7	2	72	9	5	—	7	—
13. Other stomach -	681	33	14	4	4	6	50	742	17	17	35	36	—	9	9	1
14. Other digestive (3) -	380	14	8	2	2	1	5	407	3	5	14	15	4	—	1	—
15. Diseases of skin (4) -	250	38	22	10	10	14	119	344	60	22	57	51	7	55	7	1
16. Other defined illness -	733	130	72	13	32	33	283	1,013	60	86	116	294	24	12	67	66
17. Ill-defined symptoms -	2,544	169	56	16	21	13	97	2,819	43	83	96	177	9	32	31	3
18. Injuries -	78	41	33	10	10	15	167	187	106	48	114	36	5	22	6	—
Total -	9,429	812	391	109	147	122	1011	11,010	496	540	720	951	87	160	226	34

(1), (2), (3), (4). See page 30.

†A. Number of illnesses and injuries.

B. Number of consultations.

Note:—When several illnesses and injuries occur concurrently sometimes only the total number of consultations caused by them jointly can be recorded. In such cases all the consultations are allocated to or divided between the most severe of the concurrent illnesses and injuries.

TABLE E.—Distribution by Age and Sex of Persons according to Number of Illnesses (with distinction of the highest grade) and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month.

		16-	25-	35-	45-	55-	65-	75-	Total	16-	25-	35-	45-	55-	65-	75-	Total
		July (August interviews)								July (September interviews)							
Number of people interviewed	- -	{ M. 226 F. 279	376 452	402 423	309 375	235 316	149 218	71 105	1,768 2,168	221 288	397 418	383 428	322 368	237 314	169 219	70 97	1,799 2,132
Total illnesses in the month	- -	{ M. 162 F. 316	355 655	432 625	386 618	324 609	219 529	161 278	2,039 3,630	144 273	348 519	396 571	349 595	309 568	263 437	110 278	1,919 3,241
Total injuries in the month	- -	{ M. 16 F. 1	13 6	11 9	15 5	7 15	2 6	3 2	67 44	4 —	12 3	10 9	8 9	6 3	3 5	1 2	44 31
Number of people with one or more new or recurring illnesses starting in month (1)		{ M. 61 F. 113	125 206	152 174	107 163	86 136	53 103	31 48	615 943	62 116	122 170	151 182	96 151	74 124	50 86	18 45	573 874
Grade of most severe illness suffered	Serious	{ M. — F. 1	— 1	— 3	— 1	4 4	3 5	2 8	9 23	1 1	1 —	— 1	2 1	3 3	3 4	1 6	11 16
	Moderate or mild	{ M. 11 F. 11	9 17	9 26	7 11	6 12	6 8	4 4	52 89	10 15	11 23	14 15	8 9	9 10	6 5	3 2	61 79
	Minor	{ M. 40 F. 82	89 121	107 96	82 99	60 87	36 58	19 30	433 573	42 69	88 97	106 110	76 98	48 85	30 54	8 27	398 540
	Ill-defined symptom	{ M. 10 F. 19	27 67	36 49	18 52	16 33	8 32	6 6	121 258	9 31	22 50	31 56	10 43	14 26	11 23	6 10	103 239
		{ M. 42 F. 65	81 101	102 105	96 111	80 112	59 86	35 49	495 629	33 43	84 80	63 95	89 107	77 112	71 102	37 45	459 584
Number with continued illness but no new or recurrent one		{ M. 13 F. 1	6 3	5 5	3 2	4 6	— 1	1 1	32 19	2 —	8 3	6 3	4 6	3 3	2 1	— 2	25 23
Number with an injury received in month (2)		{ M. 3 F. —	7 3	6 4	10 2	3 9	2 4	2 1	33 23	— —	3 3	3 1	3 2	2 1	1 —	— —	12 7
Number with continued trouble from injury (but no new injury) (2)		{ M. 112 F. 178	214 309	258 282	205 275	169 249	112 190	66 97	1,137 1,580	96 159	211 252	222 230	188 262	153 237	123 188	55 90	1,048 1,468
Total with some illness or injury	- -	{ M. 102 F. 123	232 279	223 327	238 173	366 257	74 89	65 102	1,300 1,350	203 139	303 128	230 292	262 250	237 259	187 137	69 111	1,570 1,316
Total days of incapacity in month	-	{ M. 40 F. 82	99 214	90 203	115 154	132 169	99 139	62 77	637 1,038	61 85	108 99	113 161	137 137	138 169	95 105	59 75	711 831
Total medical consultations in month	-	{ M. 40 F. 82	99 214	90 203	115 154	132 169	99 139	62 77	637 1,038	61 85	108 99	113 161	137 137	138 169	95 105	59 75	711 831
		August (September interviews)								August (October interviews)							
Number of people interviewed	- -	{ M. 221 F. 288	397 418	383 428	322 368	237 314	169 219	70 97	1,799 2,132	216 269	376 466	401 422	315 392	244 274	170 223	65 98	1,787 2,144
Total illnesses in the month	- -	{ M. 162 F. 310	389 556	417 630	363 628	328 603	276 447	116 288	2,051 3,462	117 248	295 496	400 577	334 635	299 472	256 427	143 216	1,844 3,071
Total injuries in the month	- -	{ M. 4 F. 3	17 9	10 10	12 13	6 3	3 6	3 4	55 48	1 1	14 6	13 4	6 9	6 3	6 6	2 4	51 33
Number of people with one or more new or recurring illnesses starting in month (1)		{ M. 74 F. 137	151 192	158 211	99 161	82 147	52 91	23 46	639 985	44 103	101 174	123 177	99 157	81 112	48 98	23 36	519 857
Grade of most severe illness suffered	Serious	{ M. 1 F. 1	1 —	1 —	1 —	2 3	3 4	1 5	10 13	— 1	— —	1 1	1 —	1 —	3 3	1 5	7 10
	Moderate or mild	{ M. 10 F. 16	11 19	13 24	7 17	7 15	4 8	4 3	56 102	5 16	10 16	12 14	10 9	7 9	3 8	3 —	50 72
	Minor	{ M. 52 F. 90	116 115	115 134	83 107	61 94	37 59	12 30	476 629	35 62	78 102	90 113	68 102	56 75	35 66	14 23	376 543
	Ill-defined symptom	{ M. 11 F. 30	23 58	29 53	8 37	12 35	8 20	6 8	97 241	4 24	13 56	20 49	20 46	17 28	7 21	5 8	86 232
		{ M. 32 F. 39	71 79	70 90	90 108	77 100	74 97	32 46	446 559	35 43	81 99	98 91	84 130	78 100	69 96	32 53	477 612
Number with continued illness but no new or recurrent one	- -	{ M. 4 F. 2	10 7	6 5	7 5	3 3	1 1	2 4	33 27	— 1	7 3	7 3	4 5	2 2	1 2	— 3	21 19
Number with an injury received in month (2)		{ M. — F. —	6 1	4 5	5 5	2 —	2 5	— —	19 16	1 —	7 3	5 1	2 4	6 1	4 4	2 1	27 14
Number with continued trouble from injury (but no new injury) (2)	- -	{ M. 107 F. 177	231 273	234 304	193 272	161 247	128 188	55 92	1,109 1,553	79 146	189 276	227 270	185 288	163 212	118 195	55 90	1,016 1,477
Total with some illness or injury	-	{ M. 198 F. 155	197 137	209 264	221 218	290 154	209 156	31 105	1,355 1,189	100 151	174 192	297 215	322 276	250 280	250 155	154 91	1,547 1,360
Total days of incapacity in month	-	{ M. 42 F. 74	108 109	86 176	103 148	107 173	99 91	56 62	601 833	42 91	117 140	161 161	111 193	114 164	130 131	68 54	743 934
Total medical consultations in month	-	{ M. 42 F. 74	108 109	86 176	103 148	107 173	99 91	56 62	601 833	42 91	117 140	161 161	111 193	114 164	130 131	68 54	743 934

Notes.—(1) Includes recurrent attacks of chronic illness.

(2) With or without an illness also.

TABLE E—continued.—Distribution by Age and Sex of Persons according to Number of Illnesses (with distinction of the highest grade) and Injuries, Number of Days Incapacity and Number of Medical Consultations during the month.

		16-	25-	35-	45-	55-	65-	75-	Total	16-	25-	35-	45-	55-	65-	75-	Total
		September (October interviews)								September (November interviews)							
Number of people interviewed	{M. F.	216 269	376 466	401 422	315 392	244 274	170 223	65 98	1,787 2,144	190 288	395 459	404 428	311 383	225 264	142 221	74 115	1,741 2,158
Total illnesses in the month	{M. F.	164 318	412 633	469 659	398 707	361 515	284 473	151 234	2,239 3,539	113 327	348 544	381 602	298 609	297 456	250 439	129 252	1,816 3,229
Total injuries in the month	{M. F.	8 3	15 9	17 5	7 12	14 8	8 10	3 2	72 49	7 4	9 5	15 3	4 3	4 5	1 3	1 2	41 25
Number of people with one or more new or recurring illnesses starting in month (1)	{M. F.	83 150	193 241	167 226	131 190	113 129	64 115	28 44	779 1,095	49 112	131 175	129 183	94 155	80 121	52 82	21 35	556 863
Grade of most severe illness suffered																	
Serious	{M. F.	— —	— 1	— —	— —	— —	4 5	1 5	6 11	— 1	— —	2 2	1 3	2 4	1 5	1 8	7 23
Moderate or mild	{M. F.	10 19	22 24	19 20	18 21	11 11	5 8	4 8	89 111	5 14	17 17	8 14	6 10	10 17	3 6	6 1	55 79
Minor	{M. F.	65 110	154 172	122 155	98 130	85 94	48 81	17 23	589 765	34 72	97 123	101 125	66 98	58 82	42 57	13 18	411 575
Ill-defined symptom	{M. F.	8 21	17 44	25 51	15 39	17 24	7 21	6 8	95 208	10 25	17 35	18 42	21 44	10 18	6 14	1 8	83 186
Number with continued illness but no new or recurrent one	{M. F.	27 38	54 85	86 74	78 116	70 92	69 81	31 49	415 535	29 49	68 107	86 107	85 119	65 90	55 102	40 62	428 636
Number with an injury received in month (2)	{M. F.	7 3	9 5	7 3	3 7	6 5	3 4	1 1	36 28	4 2	9 4	7 2	2 3	1 1	— 2	1 —	24 14
Number with continued trouble from injury (but no new injury) (2)	{M. F.	1 —	6 4	9 2	4 5	7 3	4 5	2 1	33 20	1 2	— 1	7 1	2 —	3 4	1 1	— 2	14 11
Total with some illness or injury	{M. F.	115 188	255 329	259 304	211 308	189 223	134 198	60 93	1,223 1,643	81 162	200 284	221 291	180 275	146 212	108 184	61 97	997 1,505
Total days of incapacity in month	{M. F.	91 143	259 276	411 212	327 349	356 334	276 153	101 184	1,821 1,651	45 114	199 194	308 242	226 191	243 337	127 312	85 88	1,233 1,478
Total medical consultations in month	{M. F.	60 87	145 170	163 204	114 224	131 168	142 179	60 81	815 1,113	57 62	108 130	174 152	98 171	166 123	86 166	25 74	714 878

Notes:—(1) Includes recurrent attacks of chronic illness.
(2) With or without an illness also.

SHORT LIST USED IN TABLES C(2), C(3), AND D(2).

Composition in Terms of Code Groups of the International Classification.*

SHORT LIST	INTERNATIONAL CLASSIFICATION	SHORT LIST	INTERNATIONAL CLASSIFICATION
1. Tuberculosis of lungs — — —	001-008	11. Dental disorders — — —	530-535
2. Psychoneuroses, mental disorders	300-326	12. Ulcer of stomach and duodenum —	540; 541
3. Eye affections — — —	370-389	13. Other stomach — — —	542-545
4. Ear and mastoid — — —	390-398	14. Other digestive (3) — — —	550-553; 570-587
5. Rheumatism (1) — — —	400-402; 720-727	15. Diseases of skin (4) — — —	690-716
6. Heart and arteries— — —	410-456	16. Other defined illness — — —	(010-299; 330-369; 467; 468; 536-539; 560; 561; 590-689; 730-776
7. Affections of veins — — —	460-466	17. Ill-defined symptoms — — —	780-795
8. Colds, influenza — — —	470; 480-483	18. Injuries — — —	N800-N999
9. Sore throat (2) — — —	472; 473; 510		
10. Other respiratory — — —	(471; 474; 475; 490-502; 511-527		

(1) All forms except chronic heart affections of rheumatic origin; (2) Including chronic tonsillar conditions;
(3) Except hernia; (4) Including cellular tissue.

*The International Statistical Classification of Diseases, Injuries and Causes of Death, 1948,—obtainable from H.M. Stationery Office, price 30/- net.

TABLE F.—Distributions of Persons aged 16 and over according to Numbers of separate Illnesses and Injuries reported * and Days of Incapacity in the month.

Number of illnesses or injuries	JULY		AUGUST		SEPTEMBER		JULY, AUGUST AND SEPTEMBER			
	According to interviews in		According to interviews in		According to interviews in		Ages 16-64		Ages 65 and over	
	AUG.	SEP.	SEP.	OCT.	OCT.	Nov.	M.	F.	M.	F.
0	1,219	1,415	1,269	1,438	1,065	1,397	3,842	3,421	309	231
1	1,170	1,101	1,157	1,122	1,237	1,100	2,863	3,116	412	496
2	709	709	721	695	815	714	1,480	2,110	304	469
3	433	356	403	389	456	380	660	1,215	183	359
4	230	195	211	177	210	179	293	618	97	194
5	114	97	100	66	92	73	112	280	50	100
6	37	34	40	33	37	41	28	122	22	50
7	14	18	22	5	12	10	14	45	5	17
8 or over	10	6	8	6	7	5	5	18	2	17
Days of incapacity										
0	3,670	3,690	3,678	3,689	3,575	3,662	8,654	10,228	1,279	1,803
1	30	20	36	12	46	19	63	86	4	10
2	26	28	32	24	47	28	79	91	5	10
3	30	16	27	21	31	20	48	76	9	12
4	20	4	17	13	24	20	35	50	4	9
5	9	14	8	5	10	7	19	24	4	6
6	8	9	7	8	7	4	21	19	—	3
7	34	30	35	43	44	26	84	103	12	13
8	7	1	8	3	5	1	10	15	—	—
9	6	3	2	3	8	3	12	6	4	3
10	8	12	4	14	10	13	26	26	3	6
11-	38	41	22	37	58	37	91	103	18	21
18-	16	25	13	19	24	20	54	43	13	7
25 and over	34	38	42	40	42	39	101	75	29	30
Total people -	3,936	3,931	3,931	3,931	3,931	3,899	9,297	10,945	1,384	1,933
Total days -	2,650	2,886	2,544	2,907	3,472	2,711	7,198	6,661	1,628	1,683

* Including new and continued illness or injury affecting the person during the month. Some of the 'separate' illnesses and injuries described were merely symptoms, but no grouping together of these is practicable for the purpose of these tables.

TABLE G.—Distribution of Persons aged 16 and over according to Numbers of Medical Consultations in the month.

Number of Consultations in month	JULY		AUGUST		SEPTEMBER		JULY, AUGUST AND SEPTEMBER			
	According to interviews in		According to interviews in		According to interviews in		Ages 16-64		Ages 65 and over	
	AUG.	SEP.	SEP.	OCT.	OCT.	Nov.	M.	F.	M.	F.
0	3,205	3,304	3,281	3,282	3,141	3,267	8,053	8,982	1,029	1,416
1	359	276	326	267	369	290	520	968	155	244
2	171	156	148	161	183	160	310	461	81	127
3	48	56	57	57	63	49	125	148	22	35
4	93	75	73	88	95	74	158	217	57	66
5	21	29	19	19	20	11	41	63	7	8
6	10	10	9	20	23	11	29	35	6	13
7	7	5	4	5	8	5	12	15	4	3
8	6	8	7	14	10	11	14	26	6	10
9	2	—	—	3	4	5	9	3	1	1
10-	14	10	7	15	14	12	20	27	16	9
20 and over	—	2	—	—	1	4	6	—	—	1
Total Consultations	1,675	1,542	1,434	1,677	1,928	1,592	3,240	4,393	981	1,234

TABLE H.—Incidence of Illness, etc., amongst Men and Women aged 16 and over in different Occupations and Income Groups of Head of Household.

Occupation and Income Group†	Sex	July (August and September interviews)					August (September and October interviews)					September (October and November interviews)				
		No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consultations	No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consultations	No. of people	No. with illness or injury*	Total No. of ailments*	Total days of incapacity	Total Consultations
Professional and Managerial (1) —	{ M. F. }	603	338	584	237	123	622	343	599	206	113	640	375	654	338	199
Clerical — — —	{ F. F. F. }	187 187 242	95 104 142	168 183 252	71 133 65	35 47 83	154 214 252	89 113 144	145 195 264	56 104 60	70 40 49	134 234 247	79 146 144	126 257 268	63 164 133	48 104 56
Operatives and Other grades:—	{ M. F. }	848	527	933	870	298	836	481	862	600	232	817	509	930	443	235
Manufacturing — — —	{ F. M. }	367 351	253 193	550 351	324 174	154 109	328 329	219 175	449 321	300 175	126 85	337 319	237 174	489 290	312 110	138 97
Transport and Public Services (2) —	{ M. F. }	156	8	13	—	—	13	10	12	10	3	12	8	16	3	—
Mining and Quarrying — — —	{ F. F. }	156 2	105 2	209 5	309 24	102 1	119 241	79 126	148 229	158 213	75 79	135 229	93 125	175 228	303 160	129 99
Building and Roadmaking — — —	{ M. F. }	247 2	146 73	267 123	188 43	69 25	—	1	—	—	—	—	1	2	—	—
Agriculture — — —	{ M. F. }	148 29	73 16	123 21	43 55	25 13	167 23	75 10	123 204	54 229	31 10	144 204	78 14	124 30	111 34	31 10
Distributive — — —	{ M. F. }	204 152	113 83	180 152	79 54	55 46	211 155	123 87	204 174	229 133	92 39	204 138	118 90	200 191	189 51	81 44
Other industries — — —	{ M. F. }	339 269	208 178	359 352	220 167	123 91	342 271	221 184	370 366	236 136	118 108	298 298	203 209	371 429	304 177	118 93
Housewives — — —	{ F. F. }	2,746 484	2,023 378	4,775 880	1,545 617	1,213 397	2,776 505	2,045 389	4,563 950	1,563 982	1,167 479	2,787 481	2,104 399	4,681 939	2,013 932	1,341 436
Retired, part-time, unoccupied or un- stated — — —	{ M. F. }	312	246	656	361	233	303	241	605	366	195	324	261	608	322	258
Income Group of Head of Household																
Nil — — —	{ M. F. }	22 41	14 27	33 65	21 51	13 18	30 46	20 31	38 76	48 63	18 14	31 40	20 28	34 60	33 31	15 10
Up to £3 — — —	{ F. M. }	481 873	355 668	766 1,693	701 759	350 481	508 890	358 701	803 1,687	833 676	362 422	469 902	349 722	765 1,734	870 879	357 571
Over £3 and up to £5 — — —	{ M. F. }	544 733	648 542	696 1,226	573 501	256 308	524 714	324 507	614 1,121	572 714	214 396	529 682	350 497	677 1,066	556 496	242 226
Over £5 and up to £7 10s. 0d. —	{ M. F. }	1,391 1,258	844 851	1,466 1,915	896 729	417 469	1,375 1,229	791 844	1,417 1,767	774 553	396 477	1,334 1,298	814 931	1,478 1,996	834 825	440 520
Over £7 10s. 0d. and up to £10 —	{ M. F. }	434 386	252 266	442 567	246 158	104 150	458 397	269 283	466 581	332 199	133 135	377 377	297 288	530 586	305 221	192 174
Over £10 and up to £20 — — —	{ F. M. }	201 157	110 97	203 202	74 75	37 69	195 158	100 100	191 191	56 19	36 56	191 139	116 90	191 173	64 83	64 64
Over £20 — — —	{ M. F. }	42 32	19 24	34 53	— 11	12 11	47 40	21 29	38 61	7 3	5 9	33 32	15 20	26 43	2 32	2 13
Not ascertained — — —	{ F. M. }	452 820	243 573	429 1,225	359 382	159 363	449 802	242 535	431 1,130	280 500	180 320	475 832	259 572	467 1,184	395 562	217 413
Totals — — —		7,867	5,233	11,015	5,536	3,217	7,862	5,155	10,615	5,451	3,111	7,830	5,368	11,010	6,183	3,520

* A₃ defined in Tables B and E. † The occupation and income groups are those used by the Social Survey. (1) includes inspectors and supervisors. (2) includes Shipping, Fishing and Gas, Water and Electricity Works.

POPULATION ESTIMATES

TABLE 1.—Estimated Population by Sex and Age, distinguishing Total, Home and Civilian
 Populations*, as at the 31st December, 1950. England and Wales.

(Figures in thousands).

Age Group	Total Population			Home Population			Civilian Population		
	Persons	Males	Females	Persons	Males	Females	Persons	Males	Females
All Ages	44,137	21,418	22,719	43,931	21,215	22,716	43,465	20,765	22,700
0—	672	344	328	672	344	328	672	344	328
1—	711	364	347	711	364	347	711	364	347
2—	751	384	367	751	384	367	751	384	367
3—	835	428	407	835	428	407	835	428	407
4—	767	393	374	767	393	374	767	393	374
5—	3,111	1,590	1,521	3,111	1,590	1,521	3,111	1,590	1,521
10—	2,823	1,436	1,387	2,823	1,436	1,387	2,823	1,436	1,387
15—	2,798	1,412	1,386	2,741	1,355	1,386	2,526	1,145	1,381
20—	3,054	1,546	1,508	2,974	1,468	1,506	2,849	1,350	1,499
25—	3,316	1,667	1,649	3,286	1,638	1,648	3,239	1,592	1,647
30—	3,123	1,557	1,566	3,105	1,539	1,566	3,073	1,508	1,565
35—	3,392	1,688	1,704	3,380	1,676	1,704	3,355	1,652	1,703
40—	3,408	1,695	1,713	3,402	1,689	1,713	3,388	1,676	1,712
45—	3,165	1,549	1,616	3,163	1,547	1,616	3,157	1,541	1,616
50—	2,806	1,314	1,492	2,805	1,313	1,492	2,803	1,311	1,492
55—	2,420	1,089	1,331	2,420	1,089	1,331	2,420	1,089	1,331
60—	2,149	956	1,193	2,149	956	1,193	2,149	956	1,193
65—	1,818	784	1,034	1,818	784	1,034	1,818	784	1,034
70—	1,420	599	821	1,420	599	821	1,420	599	821
75—	920	378	542	920	378	542	920	378	542
80—	457	174	283	457	174	283	457	174	283
85 and over	221	71	150	221	71	150	221	71	150

* See Note 3 on page 3.

TABLE 2.—Estimated Home Population by Sex and Age, at 30th June, 1950. England and Wales; Standard Regions; Greater London and Density Aggregates.

(Figures in thousands)

		All Ages	0—	5—	15—	25—	35—	45—	55—	65 and over
England and Wales	{ M	21,169	1,907	3,011	2,832	3,188	3,381	2,822	2,038	1,990
	{ F	22,661	1,818	2,894	2,899	3,220	3,431	3,088	2,513	2,798
Northern	{ M	1,554	144	229	232	231	232	200	145	141
	{ F	1,587	137	220	225	224	229	210	169	17
East and West Ridings	{ M	1,992	183	288	251	300	318	274	196	18
	{ F	2,123	174	278	268	297	321	297	238	25
North Western	{ M	3,066	282	445	383	453	493	423	306	281
	{ F	3,395	269	430	424	472	516	480	394	410
North Midland	{ M	1,670	152	240	226	253	264	222	156	157
	{ F	1,713	145	230	224	243	257	231	183	200
Midland	{ M	2,177	202	326	288	351	354	282	193	181
	{ F	2,248	193	314	296	340	339	295	227	244
Eastern	{ M	1,495	133	213	205	215	235	193	144	157
	{ F	1,572	127	203	198	216	233	208	175	212
London and South Eastern	{ M	5,175	460	697	638	811	880	703	505	481
	{ F	5,803	439	672	726	851	920	800	652	743
Southern	{ M	1,300	113	182	217	184	194	160	121	129
	{ F	1,350	108	173	171	186	198	175	152	187
South Western	{ M	1,458	126	205	216	205	218	191	143	154
	{ F	1,553	119	194	193	206	225	211	180	225
Wales	{ M	1,282	112	186	176	185	193	174	129	127
	{ F	1,317	107	180	174	185	193	181	143	154
Greater London	{ M	3,979	354	518	479	649	700	551	386	342
	{ F	4,438	337	502	567	677	722	620	487	526
Density Summary of all Areas Outside Greater London										
County Boroughs	{ M	6,307	595	919	812	973	994	846	608	560
	{ F	6,905	568	892	907	988	1,021	942	767	820
Other Urban Districts	{ M	6,698	604	982	875	975	1,055	901	650	656
	{ F	7,218	576	941	903	999	1,083	987	809	920
Rural Districts	{ M	4,185	354	592	666	591	632	524	394	432
	{ F	4,100	337	559	522	556	605	539	450	532

TABLE 3.—Estimated Total Population by Sex, Age and Marital Condition at 30th June, 1949. England and Wales.

(Figures in thousands)

AGE GROUPS	MALES				FEMALES			
	Total	Single	Married	Widowed and Divorced	Total	Single	Married	Widowed and Divorced
All Ages	21,239	9,369	11,020	850	22,546	9,267	10,903	2,376
0—	4,850	4,850	—	—	4,647	4,647	—	—
15—	1,436	1,427	9	—	1,406	1,343	63	—
20—	1,558	1,204	353	1	1,518	805	709	4
25—	1,781	690	1,078	13	1,773	415	1,333	25
30—	1,477	266	1,192	19	1,485	228	1,222	35
35—	1,712	197	1,484	31	1,728	253	1,421	54
40—	1,680	155	1,491	34	1,700	272	1,351	77
45—	1,498	130	1,323	45	1,596	267	1,225	104
50—	1,252	106	1,098	48	1,455	226	1,061	168
55—	1,083	89	929	65	1,311	197	876	238
60—	944	79	773	92	1,179	180	690	309
65—	783	67	594	122	1,020	155	470	395
70—	593	51	405	137	796	127	303	366
75 and over	592	58	291	243	932	152	179	601

TABLE 4.—Total Population, Projections from December, 1950, by Sex and Age. England and Wales.

(Figures in thousands)

Basis and Assumptions:—

Basis: December, 1950, Estimate of Total Population of England and Wales (including Armed Forces and Mercantile Marine at home and elsewhere).

Assumptions.

Mortality: Death Rates declining at rates of 50 per cent. in 40 years for ages under 45; lesser rates of decline at higher ages diminishing to 15 per cent. males and 25 per cent. females at ages over 75.

Nativity: Births at standard replacement rate: taken as diminishing annual numbers to 650,000 in 1957, and constant thereafter. (M/F. ratio 1.05).

Migration: Nil.

Projections involving children yet unborn are shown above the dotted line.

Estimate Base		Age	PROJECTIONS (years from Base Date)											
31st Dec. 1950			5 years		10 years		15 years		20 years		30 years		40 years	
Males	Females		Males	Females	Males	Females	Males	Females	Males	Females	Males	Females	Males	Females
21,418	22,719	All ages	21,737	23,047	21,978	23,254	22,198	23,421	22,389	23,548	22,687	23,686	22,895	23,713
1,913	1,823	0—	1,642	1,583	1,588	1,528	1,593	1,531	1,599	1,536	1,609	1,543	1,614	1,547
1,590	1,521	5—	1,892	1,808	1,625	1,571	1,573	1,517	1,579	1,521	1,593	1,531	1,602	1,537
1,436	1,387	10—	1,584	1,516	1,885	1,801	1,619	1,566	1,568	1,513	1,582	1,523	1,594	1,531
1,412	1,386	15—	1,426	1,382	1,574	1,507	1,876	1,794	1,611	1,560	1,568	1,512	1,584	1,523
1,546	1,508	20—	1,398	1,375	1,414	1,370	1,561	1,497	1,860	1,782	1,551	1,499	1,568	1,511
1,667	1,649	25—	1,528	1,493	1,383	1,362	1,400	1,358	1,547	1,486	1,588	1,541	1,548	1,496
1,557	1,566	30—	1,647	1,633	1,512	1,479	1,370	1,351	1,388	1,348	1,831	1,758	1,530	1,482
1,688	1,704	35—	1,535	1,549	1,627	1,617	1,494	1,466	1,355	1,340	1,521	1,465	1,565	1,522
1,695	1,713	40—	1,656	1,682	1,509	1,531	1,601	1,599	1,473	1,452	1,358	1,326	1,797	1,733
1,549	1,616	45—	1,648	1,681	1,613	1,653	1,473	1,507	1,565	1,576	1,312	1,310	1,479	1,436
1,314	1,492	50—	1,482	1,571	1,580	1,637	1,551	1,613	1,419	1,472	1,397	1,403	1,297	1,285
1,089	1,331	55—	1,225	1,432	1,385	1,512	1,482	1,580	1,460	1,559	1,434	1,495	1,217	1,249
956	1,193	60—	975	1,249	1,101	1,349	1,251	1,428	1,345	1,497	1,229	1,357	1,233	1,302
784	1,034	65—	810	1,077	830	1,133	943	1,229	1,077	1,308	1,159	1,366	1,165	1,324
599	821	70—	608	873	633	916	653	971	746	1,060	934	1,200	875	1,106
378	542	75—	397	616	407	663	428	704	446	754	596	897	661	961
174	283	80—	201	343	214	396	222	434	236	467	290	567	378	667
71	150	85 & over	83	184	98	229	108	276	115	317	135	393	188	501
Ages above dotted line			1,642	1,583	3,213	3,099	4,785	4,614	6,357	6,130	9,491	9,149	12,605	12,149
Ages below dotted line			20,095	21,464	18,765	20,155	17,413	18,807	16,032	17,418	13,196	14,537	10,290	11,564

Summary

No.	per 1,000		No.	per 1,000	No.	per 1,000	No.	per 1,000	No.	per 1,000	No.	per 1,000	No.	per 1,000
44,137	1,000	Ttl. Pop	44,784	1,000	45,232	1,000	45,619	1,000	45,937	1,000	46,373	1,000	46,608	1,000
9,670	219	under 15M&F	10,025	224	9,998	221	9,399	206	9,316	203	9,381	202	9,425	202
9,565	217	15-44M	9,190	205	9,019	199	9,302	204	9,234	201	9,417	203	9,592	206
9,526	216	F	9,114	203	8,866	196	9,065	199	8,968	195	9,101	196	9,267	199
4,908	111	45-64M	5,330	119	5,679	126	5,757	126	5,789	126	5,372	116	5,226	112
4,439	101	45-59 F	4,684	105	4,802	106	4,700	103	4,607	100	4,208	91	3,970	85
2,006	45	65+ M	2,099	47	2,182	48	2,354	52	2,620	57	3,114	67	3,267	70
4,023	91	60+ F	4,342	97	4,686	104	5,042	110	5,403	118	5,780	125	5,861	126

APPENDIX A.—SUMMARY FOR THE YEAR 1950

Marriages, Births and Deaths (and Deaths of
Infants under 1 year) registered in the year
1950.*




(England and Wales and Administrative
Counties with Associated County Boroughs)

ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGHs.	Marri- ages.	Live Births.	Still- births.	Deaths (exclud- ing Still- births).	Deaths of Infants under 1 Year.	ADMINISTRATIVE COUNTIES with associated COUNTY BOROUGHs.	Marri- ages.	Live Births.	Still- births.	Deaths (exclud- ing Still- births).	Deaths of Infants under 1 Year.
ENGLAND & WALES	357,218	692,457	16,012	510,309	20,711	PETERBOROUGH, SOKE OF	543	1,350	31	805	31
Males - -		355,709		260,799		RUTLAND - -	139	230	3	227	7
Females - -		336,748		249,510		SALOP - -	2,180	4,712	111	3,225	98
ENGLAND (excluding MON- MOUTHSHIRE). -	336,544	650,128	14,818	477,211	19,206	SOMERSET - -	4,079	7,974	195	6,983	189
BEDFORD - -	2,350	4,562	126	3,206	107	SOUTHAMPTON - -	9,101	19,296	388	13,696	495
BERKS - -	3,073	6,261	122	4,489	150	STAFFORD - -	13,785	26,960	735	17,646	928
BUCKINGHAM - -	2,962	5,529	112	3,736	109	SUFFOLK, EAST - -	2,490	5,050	99	3,779	120
CAMBRIDGE - -	1,313	2,606	71	1,971	72	SUFFOLK, WEST - -	817	1,952	43	1,416	57
CHESTER - -	9,595	20,129	445	14,463	551	SURREY - -	11,767	21,928	429	17,566	517
CORNWALL - -	2,485	4,463	122	4,521	125	SUSSEX, EAST - -	4,307	7,880	149	8,980	185
CUMBERLAND - -	2,412	5,092	135	3,612	172	SUSSEX, WEST - -	2,125	4,338	81	4,495	85
DERBY - -	7,010	12,182	292	8,671	340	WARWICK - -	15,767	32,483	769	19,908	1,056
DEVON - -	6,062	11,820	285	10,885	348	WESTMORLAND - -	428	983	29	914	43
DORSET - -	2,139	3,905	78	3,460	93	WIGHT, ISLE OF - -	629	1,256	32	1,368	32
DURHAM - -	12,833	25,232	600	17,303	998	WILTS - -	2,755	5,829	123	3,985	124
ELY, ISLE OF - -	715	1,386	22	979	33	WORCESTER - -	4,234	7,052	121	5,330	171
ESSEX - -	16,312	27,894	576	20,228	651	YORKS - -	4,150	9,085	212	5,799	274
GLOUCESTER - -	7,332	15,548	355	11,040	419	EAST RIDING	4,130	8,603	232	6,111	309
HEREFORD - -	962	2,093	53	1,564	70	YORKS, WEST RIDING (includ- ing YORK C.B.)	30,269	58,034	1,387	43,929	1,963
HERTFORD - -	4,343	10,191	189	6,533	187	WALES (including MON- MOUTHSHIRE) - -	20,674	42,329	1,194	33,098	1,505
HUNTINGDON - -	503	837	5	640	11	ANGLESEY - -	324	483	6	605	14
KENT - -	11,357	24,308	482	17,669	573	BRECKNOCK - -	380	663	14	645	18
LANCASTER - -	42,852	84,786	2,171	66,896	3,134	CAERNARVON - -	921	2,244	59	1,962	86
LEICESTER - -	5,243	10,261	251	6,801	282	CARDIGAN - -	409	763	19	875	29
LINCOLN						CARMARTHEN - -	1,341	2,399	81	2,098	63
HOLLAND	878	1,683	43	1,147	57	DENBIGH - -	1,275	2,922	112	2,472	130
LINCOLN						FLINT - -	1,159	2,286	45	1,562	42
KESTEVEN	900	2,120	45	1,494	68	GLAMORGAN - -	9,999	20,378	548	15,435	755
LINCOLN	3,998	8,181	181	5,488	263	MERIONETH - -	290	308	5	536	9
LINDSEY						MONMOUTH - -	3,370	7,430	241	5,015	277
LONDON - -	34,175	60,328	1,217	40,079	1,595	MONTGOMERY - -	376	717	22	530	29
MIDDLESEX - -	18,204	25,733	490	20,476	572	PEMBROKE - -	690	1,476	35	1,101	46
NORFOLK - -	4,050	8,410	186	6,401	223	RADNOR - -	140	260	7	212	7
NORTHAMPTON - -	2,686	5,340	115	4,347	142						
NORTHUMBER- LAND	6,694	14,879	451	10,621	556						
NOTTINGHAM - -	7,267	14,190	340	9,106	487						
OXFORD - -	2,144	5,184	89	3,223	134						

* The Births and Deaths in this Table are the numbers registered without correction for inward and outward transfers.

APPENDIX B.

**Births, Deaths and Marriages registered in England and Wales in the periods
1911-1923 and 1938-1950.**



APPENDIX C.—Changes in Boundaries, Names, etc., of Boroughs, Urban Districts and Rural Districts during the six months ended 31st December, 1950.

There were no changes during this period.

The Registrar General's Returns of Births, Deaths and Marriages are published Weekly and Quarterly and contain valuable statistical information under the following headings.

England and Wales

WEEKLY

Births and deaths in great towns, distinguishing deaths from certain notifiable diseases: infectious diseases in all local areas.

Price 9d. per copy (10d. post free). Annual subscription £2 2s.
(including postage).

QUARTERLY

Estimates of national population (civilian, home and total, by sex and certain age groups): home population of, and births, marriages and deaths registered in, each geographical county: home population of, and births and deaths (including deaths of children under one year of age) registered in, 126 great towns and 148 smaller towns: vital statistics of certain foreign countries and great towns: summaries of corrected notifications of infectious diseases: meteorological report: survey of sickness and other vital statistics.

Price 1s. 6d. per copy (1s. 7d. post free). Annual subscription 6s. 4d. (including postage).

Scotland*

Annual subscription	Weekly 17s. 4d.
(including postage)						Quarterly 6s. 4d.

*Orders for these should be sent to the Edinburgh Sale Office.

Note:—The revised prices shown above will operate as from the first issue in April (Week ended 7th April) in the case of the Weekly Returns and as from the March, 1951 issue of the Quarterly Return for England and Wales and June, 1951 issue for Scotland.

H.M. STATIONERY OFFICE

Obtainable as indicated on page 40 of this publication.



Matters of Life and Death

(REVISED EDITION)

A popular review of the trend of population and of the incidence of sickness as recorded in the records of the General Register Office.

The booklet describes the growth of the population of England and Wales from the estimated 1½ millions of Domesday Book to the 43¾ millions today and the volume and rate of births, marriages, deaths and migration that have been the background of that growth. It also sketches the advances in the nation's health which have been both recorded and assisted by medical statistics derived over a hundred years from the analysis of the causes of death and the notification of infectious diseases, and refers to the more modern developments in morbidity statistics.

" just the right measure of statistical illustration to help, and never impede, a straightforward account of the population history of the last century. . . . "

—Manchester Guardian.

" a short simple statement of the main facts about life, death, health and disease stimulating reading and handy for reference."—Lancet.

Price 9d.

By post 10d.

Obtainable as indicated on page 40 of this publication.

PUBLISHED BY HIS MAJESTY'S STATIONERY OFFICE

To be purchased from

York House, Kingsway, LONDON, W.C.2 429 Oxford Street, LONDON, W.1

P.O. Box 569 LONDON, S.E.1

13a Castle Street, EDINBURGH, 2	1 St. Andrew's Crescent, CARDIFF
39 King Street, MANCHESTER, 2	Tower Lane, BRISTOL, 1
2 Edmund Street, BIRMINGHAM, 3	80 Chichester Street, BELFAST

or from any Bookseller

1951

Price 1s. 0d. net

